Army Institute Of Technology (AIT), Dighi Camp, Pune - 15.



Director: 7249250115, Joint Director: 7249250117, Principal: 7249250186 Exch: 7249250183, 7249250184, 7249250185

Website: www.aitpune.com Email: ait@aitpune.edu.in

Recognised by AICTE and DTE Maharashtra and affiliated to Savitrabai Phule Pune University

Criterion 3- Research, Innovations and Extension

3.3- Research Publications and Awards

3.3.2 - Number of books and chapters in edited volumes/books published and papers published in national/ international conference proceedings per teacher during last five years

AY: 2022-23

Sr. No.	Documents	Count	Page No.	
Number of books/book chapters and papers published in conference proceedings				
1.	Electronics and Telecommunication Engineering	5	<u>6</u>	
2.	Mechanical Engineering	11	<u>13</u>	
3.	Computer Engineering	4	<u>32</u>	
4.	Information Technology	7	<u>36</u>	
5.	Applied Science and General Engineering	1	<u>43</u>	
	Total	28		

AY: 2021-22

Sr. No.	Documents	Count	Page No.	
Number of books/book chapters and papers published in conference proceedings				
1.	Electronics and Telecommunication Engineering	15	<u>45</u>	
2.	Mechanical Engineering	13	<u>66</u>	
3.	Computer Engineering	11	<u>79</u>	
4.	Information Technology	3	<u>89</u>	
	Total	42		

AY: 2020-21

Sr. No.	Documents	Count	Page No.	
Number of books/book chapters and papers published in conference proceedings				
1.	Electronics and Telecommunication Engineering	12	<u>114</u>	
2.	Mechanical Engineering	4	<u>131</u>	
3.	Computer Engineering	5	<u>135</u>	
4.	Information Technology	3	<u>140</u>	
	Total	24		

AY: 2019-20

Sr. No.	Documents	Count	Page No.	
Number of books/book chapters and papers published in conference proceedings				
1.	Electronics and Telecommunication Engineering	4	<u>144</u>	
2.	Mechanical Engineering	8	<u>148</u>	
3.	Computer Engineering	6	<u>162</u>	
4.	Information Technology	7	<u>168</u>	
	Total	25		

AY: 2018-19

Sr. No.	Documents	Count	Page No.	
Number of books/book chapters and papers published in conference proceedings				
1.	Electronics and Telecommunication Engineering	7	<u>176</u>	
2.	Mechanical Engineering	6	<u>181</u>	
3.	Computer Engineering	3	<u>190</u>	
4.	Information Technology	6	<u>193</u>	
	Total	22		

3.3.2.1. Total number of books and chapters in edited volumes/books published and papers in national/international conference proceedings year wise during last five years

Year	2022-23	2021-22	2020-21	2019-20	2018-19
Number	28	42	24	25	22
Total	141				

Formula:

Total number of books and chapters in edited volumes/ books published and papers in national/ international conference proceedings

Number of full time teachers during the last five years (without repeat count)

= 141/100

= 1.41

Principal
Army Institute of Technology
Dighi Hillis, Pune - 411015

Brig Abhay A Bhat (Retd)
Director

Army Institute of Technology Dighi Hills, Pune - 411 015 Books and Chapters
Published
and
Papers Published in Conferences
A.Y. 2022-23

1. Department of Electronics & Telecommunication Engineering (A.Y 2022-23)

A TEXT BOOK OF

ANALOG COMMUNICATION

FOR SEMESTER – V

THIRD YEAR (T.Y.) B. TECH COURSE IN **ELECTRONICS** & TELECOMMUNICATION ENGINEERING

Strictly According to New Revised Credit System Syllabus
of Dr. Babasaheb Ambedkar Technological University (DBATU),
Lonere, (Dist. Raigad) Maharashtra,
(w.e.f. June 2022-23)

E C JAISWAL

of Computer Technology, (PICT)

Dr. G. R. PATIL

M.E. (Electronics), Ph. D. (E&TC)
Professor & Head, E & TC Department,
Army Institute of Technology,
Dighi, PUNE.

Price ₹ 170.00



ANALOG COMMUNICATION (E&TC DBATU)

First Edition

November 2022

Authors

The text of this publication, or any part thereof, should not be reproduced or transmitted in any form or stored in any computer storage system or device for distribution including photocopy, recording, taping or information retrieval system or reproduced on any disc, tape, perforated media or other information storage device etc., without the written permission of Authors with whom the rights are reserved. Breach of this condition is liable for legal action.

Every effort has been made to avoid errors or omissions in this publication. In spite of this, errors may have crept in. Any mistake, error or discrepancy so noted and shall be brought to our notice shall be taken care of in the next edition. It is notified that neither the publisher nor the authors or seller shall be responsible for any damage or loss of action to any one, of any kind, in any manner, therefrom. The reader must cross check all the facts and contents with original Government notification or publications.

Published By : **NIRALI PRAKASHAN**

Abhyudaya Pragati, 1312 Shivaji Nagar Off J.M. Road, PUNE 411005 Tel: (020) 25512336/37/39

Email: niralipune@pragationline.com

Polyplate

YOGIRAJ PRINTERS AND BINDERS

ISBN: 978-93-5451-837-9

Survey No. 10/1A, Ghule Industrial Estate Nanded Gaon Road Nanded, Pune 411041

DISTRIBUTION CENTRES

PUNE

Nirali Prakashan

(For orders outside Pune)

S. No. 28/27, Dhayari Narhe Road, Near Asian College Pune 411041, Maharashtra

> Tel: (020) 24690204; Mobile: 9657703143 Email: bookorder@pragationline.com

Nirali Prakashan

(For orders within Pune)

119, Budhwar Peth, Jogeshwari Mandir Lane Pune 411002, Maharashtra

Tel: (020) 2445 2044; Mobile: 9657703145 Email: niralilocal@pragationline.com

MUMBAI

Nirali Prakashan

Rasdhara Co-op. Hsg. Society Ltd., 'D' Wing Ground Floor, 385 S.V.P. Road Girgaum, Mumbai 400004, Maharashtra

> Mobile: 7045821020, Tel: (022) 2385 6339 / 2386 9976 Email: niralimumbai@pragationline.com

DISTRIBUTION BRANCHES

DELHI

Nirali Prakashan

Room No. 2 Ground Floor 4575/15 Omkar Tower, Agarwal Road Darya Ganj, New Delhi 110002 Mobile: 9555778814/9818561840 Email: delhi@niralibooks.com

BENGALURU

Nirali Prakashan

Maitri Ground Floor, Jaya Apartments, No. 99, 6th Cross, 6th Main, Malleswaram, Bengaluru 560003 Karnataka; Mob : 9686821074 Email: bengaluru@niralibooks.com

NAGPUR

Nirali Prakashan

Above Maratha Mandir, Shop No. 3, First Floor, Rani Jhanshi Square, Sitabuldi Nagpur 440012 (MAH)

Tel: (0712) 254 7129 Email: nagpur@niralibooks.com

KOLHAPUR

Nirali Prakashan

438/2, Bhosale Plaza, Ground Floor, Khasbag, Opp. Balgopal Talim, Kolhapur 416 012 Maharashtra Mob: 9850046155

Email: kolhapur@niralibooks.com

JALGAON

Nirali Prakashan

34, V. V. Golani Market, Navi Peth, Jalgaon 425001, Maharashtra Tel: (0257) 222 0395

Mob: 94234 91860 Email: jalgaon@niralibooks.com

SOLAPUR Nirali Prakashan

R-158/2, Avanti Nagar, Near Golden Gate, Pune Naka Chowk Solapur 413001, Maharashtra Mobile 9890918687

Email: solapur@niralibooks.com

marketing@pragationline.com | www.pragationline.com

Also find us on f www.facebook.com/niralibooks

A TEXT BOOK OF

GITAL COMMUNICATION AND INFORMATION THEORY

FOR SEMESTER – V

THIRD YEAR (T.Y.) B. TECH COURSE IN

THIRD YEAR

Strictly According to New Revised Credit System Syllabus of Dr. Babasaheb Ambedkar Technological University (DBATU),
Lonere, (Dist. Raigad) Maharashtra,
(w.e.f. June 2022-23)

Dr. G. R. PATIL

Ph. D (E&TC),
Professor & Head, E & TC Engg. Department,
Army Institute of Technology,
Alandi Road, Dighi, PUNE.

Price ₹ 250.00



DIGITAL COMM. AND INFO. THEORY (AI & ML / AI & DS / AI DBATU)

ISBN: 978-93-5451-876-8

First Edition

January 2023

-

Author

The text of this publication, or any part thereof, should not be reproduced or transmitted in any form or stored in any computer storage system or device for distribution including photocopy, recording, taping or information retrieval system or reproduced on any disc, tape, perforated media or other information storage device etc., without the written permission of Authors with whom the rights are reserved. Breach of this condition is liable for legal action.

Every effort has been made to avoid errors or omissions in this publication. In spite of this, errors may have crept in. Any mistake, error or discrepancy so noted and shall be brought to our notice shall be taken care of in the next edition. It is notified that neither the publisher nor the authors or seller shall be responsible for any damage or loss of action to any one, of any kind, in any manner, therefrom. The reader must cross check all the facts and contents with original Government notification or publications.

Published By:

NIRALI PRÁKASHAN

Abhyudaya Pragati, 1312 Shivaji Nagar Off J.M. Road, PUNE 411005 Tel : (020) 25512336/37/39

Email: niralipune@pragationline.com

Polyplate

Printed By : YOGIRAJ PRINTERS AND BINDERS

Survey No. 10/1A, Ghule Industrial Estate Nanded Gaon Road Nanded, Pune 411041

DISTRIBUTION CENTRES PUNE

Nirali Prakashan

(For orders outside Pune)

S. No. 28/27, Dhayari Narhe Road, Near Asian College Pune 411041, Maharashtra

Tel: (020) 24690204; Mobile: 9657703143 Email: bookorder@pragationline.com

Nirali Prakashan

(For orders within Pune)

119, Budhwar Peth, Jogeshwari Mandir Lane Pune 411002, Maharashtra

Mobile: 9657703145, 9890997937 Email: niralilocal@pragationline.com

MUMBAI

Nirali Prakashan

Rasdhara Co-op. Hsg. Society Ltd., 'D' Wing Ground Floor, 385 S.V.P. Road Girgaum, Mumbai 400004, Maharashtra Mobile : 7045821020, Tel : (022) 2385 6339 / 2386 9976

Email : niralimumbai@pragationline.com

DISTRIBUTION BRANCHES

DELHI Nirali Prakashan

Room No. 2 Ground Floor 4575/15 Omkar Tower, Agarwal Road Darya Ganj, New Delhi 110002 Mobile: 9555778814/9818561840 Email: delhi@niralibooks.com

KOLHAPUR

Nirali Prakashan

438/2, Bhosale Plaza, Ground Floor, Khasbag, Opp. Balgopal Talim, Kolhapur 416 012 Maharashtra Mob: 9850046155

Email: kolhapur@niralibooks.com

BENGALURU Nirali Prakashan

Maitri Ground Floor, Jaya Apartments, No. 99, 6th Cross, 6th Main, Malleswaram, Bengaluru 560003 Karnataka; Mob : 9686821074 Email : bengaluru@niralibooks.com

JALGAON Nirali Prakashan

34, V. V. Golani Market, Navi Peth, Jalgaon 425001, Maharashtra Tel: (0257) 222 0395

Mob : 94234 91860

Email: jalgaon@niralibooks.com

NAGPUR

Nirali Prakashan

Above Maratha Mandir, Shop No. 3, First Floor, Rani Jhanshi Square, Sitabuldi Nagpur 440012 (MAH)

Tel: (0712) 254 7129 Email: nagpur@niralibooks.com

SOLAPUR

Mirali Prakashan


R-158/2 Avanti Nagar, Near Golden Gate, Pune Maka Chowk Schapur 423001, Maharashtra

Mumble 5890918687

Email: anianum Eminalipooks.com

marketing@pragationline.com | www.pragationline മാന

Also find us on If www.facebook.com mirzilistosis



Overview

Features

Table of Contents

Author : Dr. Raj Kishor Prasad, Dr. Avinash Patil

ISBN : 9789354519437

Deep Learning Watershed Algorithm to Calculate Cardiac Stroke Volume of The Left Ventricle for the Analysis to Detect Person Suffering from Cardiac Vascular Diseases using Cardiac MRI Data

Shilpa Devram Pawar ^a, Shipra Wallis ^b, Priyanka Singha ^c, and Divya Singh ^d

Army Institute of Technology, Pune

a) Corresponding author: spawar@aitpune.edu.in
b) shipra_17519@aitpune.edu.in,
c) priyankasingha_17602@aitpune.edu.in,
d) divyasingh_17554@aitpune.edu.in

Abstract. The broadly used approach for cardiac image segmentation is deep learning. In deep learning, the watershed algorithm is a conventional procedure used for segmentation that is for segregating different regions in an image. This paper calculated the cardiac stroke volume of the left ventricle per heartbeat of a healthy person and patients having Cardio Vascular Diseases (CVD) using a magnetic resonance image (MRI) data set. This paper plots the graph of the cardiac stroke volume of the left ventricle of healthy people and CVD patients. The graph is a plot by taking the mean of 15 healthy persons and 15 CVD patients' cardiac stroke volume of the left ventricle. Finally, by using the watershed algorithm, the analysis can detect whether the person is suffering from CVD.

INTRODUCTION

The most delicate organ in our body which plays an important role is the heart, therefore, cardiovascular diseases(CVD) are related to heart function i.e. cardiac function. The major reason for death in the world is due to CVD according to the World Health Organization (WHO). Cardiac function can be explored well by using Magnetic Resonance Imaging(MRI) [1]. Conventional machine learning techniques such as model-based methods prove efficient in cardiac image segmentation before deep learning [2].

To date there is numerous research is being done on left ventricle segmentation. One method to implement this is by using a deep learning watershed algorithm [1] [3]. In this paper, we lay out an outline of deep learning techniques for cardiac image segmentation in the most general method which used modality (i.e. MRI) in clinical practice and takes over the pros and cons of current deep learning-based segmentation methods [4]. In this paper, we calculate the left ventricle parameter cardiac stroke volume by introducing a parallel watershed-based approach to segment the left ventricle. On every beat of the heart, we estimate the real value of left ventricle stroke volume to demonstrate the studying patient's MRI database. The dataset was collected from website www.cardiacatlas.org. The cardiac stroke is the difference between end-diastolic volume and end-systolic volume. We have used a database of 15 healthy people and 15 heart disease patients. Plot a graph of left ventricle stroke volume by taking the mean of 15 healthy people and 15 CVD patients. Analyse the difference in graph waveform of a healthy person and a heart-related problem person.

Cardiac left ventricle segmentation is an active research area since the introduction of MRI [2]. There are two methods to categorize left ventricle segmentation i.e. weak prior and strong prior. In the weak prior method [1] [3], one is an image-based method. In this image-based method, a three-dimensional model is generated using a set of two-dimensional models and then give some narrative sight of this scene present in a given idea and then analysing the three-dimensional models. The second one is the pixel classification method. In this case one-dimension segmentation, pixel categorization is performed on single-channel feature space i.e. Gray level. In multispectral images, each pixel is distinguished by a set of quality and the segmentation can be carried out in multidimensional i.e. multichannel feature space using clustering algorithms. In the prior method, one is the active shape method. Active Shape Model (ASM) is based on a model, which takes a preceding model of what is looked forward in the image, and generally tries to discover the best match location between the model and the data in a new image. It has been successfully tried on many issues and we try ASM to the face identification. The second one is the appearance model method. An active appearance model (AAM) is a machine vision algorithm for complementing a statistical model of object shape and aspect to a new image. These are constructed during a training period. A set of images, together with synchronization of indicators that seems in all of the images, is presuming to the training supervisor [3]. Last is an atlas-based method. Atlas-based methods normally require the

Remote Health Monitoring System using Secure Communication Techniques

Shilpa Devram Pawar
Electronics and
Telecommunication Engg
Army Institute of Technology (of
Affiliation)
Pune, India
email: spawar@aitpune.edu.in

Ayush Tiwari
Electronics and
Telecommunication Engg, Army
Institute of Technology
Pune, India
ayushtiwari_19491@aitpune.edu.i

Sharayu Lokhande
Computer Engg,
Army Institute of Technology
Pune, India
slokhande@aitpune.edu.in

Abhishek Kumar Singh
Electronics and
Telecommunication Engg, Army
Institute of Technology
Pune, India
abhisheksingh_19471@aitpune.ed
u.in

Rupali Amit Bagate
Information Technology,
Army Institute of Technology
Pune. India
rbagate@aitpune.edu.in

Anubhav Banerjee
Electronics and
Telecommunication Engg, Army
Institute of Technology
Pune, India
anubhavbanerjee_19255@aitpune.
edu.in

Abstract— Heart related diseases causes elevation to the fatality rate across the world especially post-Covid. Furthermore, high security cryptographic algorithms are used to provide confidentiality and availability to sensitive data collected from imbedded medical devices. To escalate the rapid and prior diagnosis of cardiovascular diseases especially if a person has a history of heart related ailment, an effective solution is to bring Machine Learning Models and Data Analysis for operative decision making and precise cum accurate prediction. In the proposed work, encountering numerous challenges around the machine learning models along with a sound and lightweight encryption technique to provide added security to the sensitive medical data of the patient for careful analysis by both the model and prescriptive doctor-patient interface using an IoT based cloud environment running in the background has been used. The sensor data will be used in two fronts - on one end the data will be uploaded to the ThingSpeak IoT platform where it will provide the analytics of the patient health status (both past and present) and a likelihood of chance of experiencing any hearthealth abnormality to the patient there and then along with on the other end it is stored on the Fire-Base Cloud Storage space which is stored with encryption protocols to enhance the security of the patient's sensitive health data which can be reviewed by an expert doctor. Experimental outcomes show us that K-nearest neighbor algorithm achieves the best results among logistic regression, support vector machine, random forest tree and voting classifier with accuracy of 88.5% and 88%, 86%, 85.2% and 86.88%. Therefore, the suggested model is successful is achieving an effective accuracy by secure IoT data in cloud based IoT platforms.

Keywords—Cryptographic Algorithms, Machine Learning, Cloud

I. INTRODUCTION

Heart attack is one of the fatal causes of death worldwide and in India. 52% of all cardiovascular deaths in India occur before the age of 70, with demising one person in the country every 33 seconds according to Times of India. Also, the threats to using and involving technology in healthcare sector is much

higher than ever. One of the most common threats today is digital theft to sensitive data such as medical data of patients. As reported from 2007 to 2021, the total number of individuals affected by healthcare data breaches was 249.09 million, out of which 157.4 million individuals were affected in last five years alone. Since this sector is still so much unexplored and various insurance companies have been researching on it and different results are there to showcase big of a problem it is. Using sensor technology in the form of a wearable medical device enriches the opportunity for smart remote health monitoring systems. Along with IoT platforms to provide careful real-time machine learning induced analysis and past diagnostic comparative analysis using cloud technology to back up the medical data with the authentication and privacy inculcation of patients using an application interface where on one end is the patient reviewing their own medical data in a layman's term while also given the feature to consult with an available doctor for another opinion so that time which is an essence in saving a patient suffering cardiovascular disease can be saved and utilized optimally. Thus, using encryption security techniques seems to be the necessity for a safe and secure medical and health data management in this critical system. On combining the hardware-oriented sensor data with software encryption blocks and IoT and cloud-storage we increase the efficiency of detecting cardiovascular diseases in a patient by the absolute use of machine learning prediction models thus becoming a goto handy critical system for people who have had a history of heart-anomalies. Using handy data mining methods and inputting the sensor data in the format of csv (commaseparated-values), the data is put through supervised machine learning algorithms including random decision forest and support vector machine(SVM) and estimator algorithms like voting classifier which aggregates the findings of each base estimator. Thus, in summary, the proposed system consists of three main components: the sensor node, the gateway, the analytics platform and the cloud server. The sensor node is responsible for collecting the heart rate data and transmitting it to the gateway. The gateway is responsible for encrypting the

2. Department of Mechanical Engineering (A.Y 2022-23)



Sub. Code: 402049

Energy Engineering

SPPU - CBCS Scheme - Course 2019 - B.E (MECH) SEM VIII

- · Simplified & Conceptual Approach
- Chapterwise Solved SPPU Questions May 2004 to Dec. 2022
 - Includes Steam Tables
 - Solved SPPU Question Papers June 2022 to Dec. 2022



Anup Goel
Siddu Patil
Dr. Laxmikant D. Jathar
Dr. Subhash Gadhave
Dr. Keval C. Nikam



SUBJECT CODE: 402049

As per Revised Syllabus of

SAVITRIBAI PHULE PUNE UNIVERSITY

Choice Based Credit System (CBCS) B.E. (Mechanical) Semester - VIII

ENERGY ENGINEERING

Anup Goel

B.E. Mechanical
Post Graduation in Tool Design with CAD/CAM
Managing Director of AG Engineering Study Centre,
Akurdi, Pune
More than 13 Years Teaching Experience

Siddu Patil

M.Tech. (PPE), B.E.(Mech.) B.M.S.C.E Bangalore

Dr. Laxmikant D. Jathar

ME (Heat Power), Ph.D. Mech. Mechanical Engineering Department, Army Institute of Technology, Pune

Dr. Subhash Gadhave

Ph.D. (Mech), M.E. Mech. (Mechatronics), Associate Professor, Department of Mechanical Engineering Dr. D.Y. Patil Institute of Technology, Pimpri, Pune.

Dr. Keval C. Nikam

ME (Heat Power), Ph.D. Mech.

Mechanical Engineering Department,

Dr. D. Y. Patil Institute of Engineering, Management and Research, Akurdi, Pune



ENERGY ENGINEERING

Subject Code: 402049

B.E. (Mechanical Engineering) Semester - VIII

© Copyright with Authors

All publishing rights (printed and ebook version) reserved with Technical Publications. No part of this book should be reproduced in any form, Electronic, Mechanical, Photocopy or any information storage and retrieval system without prior permission in writing, from Technical Publications, Pune.

Published by:



Amit Residency, Office No.1, 412, Shaniwar Peth, Pune - 411030, M.S. INDIA Ph.: +91-020-24495496/97

Email: info@technicalpublications.in Website: www.technicalpublications.in

Printer:

Yogiraj Printers & Binders Sr.No. 10/1A, Ghule Industrial Estate, Nanded Village Road, Tal. - Haveli, Dist. - Pune - 411041.

ISBN 978-93-5585-313-4



SPPU 19



As per the New Credit System Syllabus (2019 Course) of Savitribai Phule Pune University w.e.f. academic year 2022-2023

Dynamics of Machinery

(Code: 402042)

Semester VII

Mechanical and Automobile Engineering

R. B. Patil Dr. F. B. Sayyad



Registered in Copyright Office Government of India Reg. No.: L-101567/2021

Includes:

- Solved Latest University Question Papers
 - Model Question Papers (IN-SEM and END-SEM) are Uploaded on Website



M & Phatangare forms

DYNAMICS OF MACHINERY

(Code: 402042)

Semester VII- Mechanical and Automobile Engineering (Savitribai Phule Pune University)

Strictly as per the New Credit System Syllabus (2019 Course) of Savitribai Phule Pune University w.e.f. academic year 2022-2023

R. B. Patil

M.E. (Mech) (Design Engg.)
Former Professor,

Former Head of Mechanical Engineering Department, Former Principal, Army Institute of Technology, Pune, Maharashtra.

Dr. F. B. Sayyad

DME, B.E (Mechanical Engg.), M.E (Design Engg.)
Ph.D.(Mechanical Vibration), FISME, SFSIESRP.

Principal

Dr D Y Patil School of Engineering, Dr Ajeenkya DY Patil Knowledge City, Charoli Bk, Lohegaon, Pune – 412105 fbsayyad8@gmail.com

Copyright Reg. No. L-101567/2021





DYNAMICS OF MACHINERY (402042)

R. B. Patil, Dr. F. B. Sayyad

Semester VII - Mechanical and Automobile Engineering, (Savitribai Phule Pune University)

Copyright © by Authors. All rights reserved. This book is registered in Copyright office of Government of India with Registration No.L-101567/2021.

No part of this publication may be reproduced, copied, or stored in a retrieval system, distributed or transmitted in any form or by any means, including photocopy, recording, or other electronic or mechanical methods, without the prior written permission of the author and publisher..

This book is sold subject to the condition that it shall not, by the way of trade or otherwise, be lent, resold. hired out, or otherwise circulated without the publisher's prior written consent in any form of binding or cover other than which it is published and without a similar condition including this condition being imposed on the subsequent purchaser and without limiting the rights under copyright reserved above.

First Printed in India

: June 2007 (Pune University)

First Edition

: August 2022 (As per SPPU 2019 Course)

Second Revised Edition : May 2023

This edition is for sale in India, Bangladesh, Bhutan, Maldives, Nepal, Pakistan, Sri Lanka and designated countries in South-East Asia. Sale and purchase of this book outside of these countries is unauthorized by the publisher.

ISBN: 978-93-5563-200-5

Published By

TECHKNOWLEDGE PUBLICATIONS

Printed @

37/2, Ashtavinayak Industrial Estate, Near Pari Company, Narhe, Pune, Maharashtra State, India.

Pune - 411041

Head Office

B/5, First floor, Maniratna Complex, Taware Colony, Aranyeshwar Corner, Pune - 411 009. Maharashtra State, India

Ph: 91-20-24221234, 91-20-24225678.

Email: info@techknowledgebooks.com,

Website: www.techknowledgebooks.com

Subject Code

: 402042

Book Code

: RP0229B



Design of Machine Elements

(Code: 302043)

Semester V - Mechanical and Automobile Engineering

R. B. Patil





ML

DESIGN OF MACHINE ELEMENTS

(Course code: 302043)

Semester V - Mechanical and Automobile Engineering (Savitribai Phule Pune University) (SPPU)

Strictly as per the New Revised Syllabus (2019 Course) of Savitribai Phule Pune University w.e.f. academic year 2021-2022

R. B. Patil

M.E. (Mech) (Design Engg.)
Professor, Department of Mechanical Engineering,
Army Institute of Technology, Pune. Maharashtra.





DESIGN OF MACHINE ELEMENTS (Course code: 302043)

R.B. Patil

Semester V- Mechanical and Automobile Engineering (Savitribai Phule Pune University) (SPPU)

Copyright © by Author. All rights reserved. No part of this publication may be reproduced, copied, or stored in a retrieval system, distributed or transmitted in any form or by any means, including photocopy, recording, or other electronic or mechanical methods, without the prior written permission of the publisher.

This book is sold subject to the condition that it shall not, by the way of trade or otherwise, be lent, resold, hired out, or otherwise circulated without the publisher's prior written consent in any form of binding or cover other than which it is published and without a similar condition including this condition being imposed on the subsequent purchaser and without limiting the rights under copyright reserved above.

First Printed in India : July 2005 (Pune University)

First Edition : August 2021 (Savitribai Phule Pune University)

Second Revised Edition: July 2022

This edition is for sale in India, Bangladesh, Bhutan, Maldives, Nepal, Pakistan, Sri Lanka and designated countries in South-East Asia. Sale and purchase of this book outside of these countries is unauthorized by the publisher.

ISBN 978-93-91496-07-4

Published By

TechKnowledge Publications

Printed @

37/2, Ashtavinayak Industrial Estate,

Near Pari Company,

Narhe, Pune, Maharashtra State, India.

Pune - 411041

Subject Code: 302043

Book Code : PO168B


Head Office

B/5, First floor, Maniratna Complex, Taware Colony, Aranyeshwar Corner, Pune - 411 009. Maharashtra State, India

Ph: 91-20-24221234, 91-20-24225678.

Email: info@techknowledgebooks.com,

Website: www.techknowledgebooks.com



As per the New Credit System Syllabus (2019 course) of Savitribai Phule Pune University w.e.f. academic year 2021-2022

Computer Aided Engineering

(Code: 302050)

Semester VI - Mechanical & Automobile Engineering

R. B. Patil Satish Maniyar Nand Jee Kanu



Solved Latest University Question Paper of May 2022.



COMPUTER AIDED ENGINEERING

(Course Code: 302050)

SPECIMEN COPY FOR REVIEW & RECOMMENDATION

Semester VI - Mechanical and Automobile Engineering (Savitribai Phule Pune University)

Strictly as per the New Credit System Syllabus (2019 Course)
Savitribai Phule Pune University w.e.f. academic year 2021-2022

R. B. Patil

M.E. (Mech) (Design Engg.)
Former Professor,

Former Head of Mechanical Engineering Department,

Former Principal,

Army Institute of Technology, Pune, Maharashtra.

Unit V & VI contributed by:

Satish Maniyar

MBA (Operation Research), B.E. (Mech)
ASME Certificated GD&T Expert.
Founder of TECHNOCAD, Nashik,
Maharashtra, India

Unit V & VI Reviewed and contributed by:

Nand Jee Kanu

PhD Pursuing (Mechanical), Sardar Vallabhbhai National Institute of Technology, Surat, Gujarat, Assistant Professor, Department of Mechanical Engineering, JSPM Narhe Technical Campus, Pune, Maharashtra, India





Computer Aided Engineering (302050)

R. B. Patil, Satish Maniyar, Nand Jee Kanu

Semester VI - Mechanical and Automobile Engineering (Savitribai Phule Pune University)

Copyright © by Authors. All rights reserved. No part of this publication may be reproduced, copied, or stored in a retrieval system, distributed or transmitted in any form or by any means, including photocopy, recording, or other electronic or mechanical methods, without the prior written permission of the publisher.

This book is sold subject to the condition that it shall not, by the way of trade or otherwise, be lent, resold, hired out, or otherwise circulated without the publisher's prior written consent in any form of binding or cover other than which it is published and without a similar condition including this condition being imposed on the subsequent purchaser and without limiting the rights under copyright reserved above.

First Printed in India : February 2007 (Pune University)

First Edition : March 2022

Second Revised Edition : February 2023

This edition is for sale in India, Bangladesh, Bhutan, Maldives, Nepal, Pakistan, Sri Lanka and designated countries in South-East Asia. Sale and purchase of this book outside of these countries is unauthorized by the publisher.

ISBN: 978-93-5563-008-7

Published By

TECHKNOWLEDGE PUBLICATIONS

Printed @

37/2, Ashtavinayak Industrial Estate,

Near Pari Company,

Narhe, Pune, Maharashtra State, India.

Pune - 411041

Head Office

B/5, First floor, Maniratna Complex, Taware Colony, Aranyeshwar Corner, Pune - 411 009. Maharashtra State, India

Ph: 91-20-24221234, 91-20-24225678.

Email: info@techknowledgebooks.com,

Website: www.techknowledgebooks.com

Subject Code: 302050

Book Code : PE157B



ICCAME 2022

4TH INTERNATIONAL CONFERENCE ON CONTEMPORARY ADVANCES IN MECHANICAL ENGINEERING

(ICCAME-2022)

(September 15-16, 2022)

Certificate of Participation

This is to certify that Dr./Mr./Ms., R. B. Gurav a Faculty / Student /Research Scholar of Army Institute of Technology, Pune has participated / presented his/her research paper in the 4th International Conference on Contemporary Advances in Mechanical Engineering (ICCAME-2022), organized by the Department of Mechanical Engineering, Chandigarh Engineering College, CGC Landran Mohali, Punjab, INDIA - 140307.

Dr. Rachin Goyal Convener

Dr. Sachin Mohal

Convener

Dr. Saurabh Chaitanya Organizing Secretary

Departure 1 de hanical Engo Army Institute of Technology Pune - 411015



ICCAME 2022

4TH INTERNATIONAL CONFERENCE ON CONTEMPORARY ADVANCES IN MECHANICAL ENGINEERING (ICCAME-2022)

(September 15-16, 2022)

Certificate of Participation

This is to certify that Dr./Mr./Ms., Pritee Purohit a Faculty / Student /Research Scholar of Army Institute of Technology, Pune has participated / presented his/her research paper in the 4th International Conference on Contemporary Advances in Mechanical Engineering (ICCAME-2022), organized by the Department of Mechanical Engineering, Chandigarh Engineering College, CGC Landran Mohali, Punjab, INDIA - 140307.

Dr. Rachin Goyal

Convener

Dr. Sachin Mohal

Convener

Dr. Saurabh Chaitanya Organizing Secretary

Maitan



Professor & Heard Denarment of Mechanical Engg. Arm / Institute of Technology Pune - 411015. Certificate No. ICOFT/2022/2150





Date of Issue: 16 December 2022

erence on Future Technologies in Manufacturing, Automation, Design & Energy



Divyesh Moghe

PES Modern College of Engineering, Pune, Maharashtra

for presenting the paper titled


Ungraded Tire Performance Analysis for Indian Road Conditions

in the Third international Conference on Future Technologies in Manufacturing, Automation, Design and Energy (ICOFT MADE 2022) held at National Institute of Technology Puducherry, Karaikal, India during December 14-16, 2022

Author(s) of the above paper include

nep Najavade, Bhakti Sagare, Divyesh Moghe, Ninad Kulkarni, Sumeet Bodhe, Pritee Purchit and Raviraj Gurav













DEPARTMENT OF MECHANICAL ENGINEERING NATIONAL INSTITUTE OF TECHNOLOGY PUBLICHERRY KARAIKAL INDIA



Profe sor & H ad Department of 15 hanical Engo Am , institute of Technology Pune - 411015

2022 First International Conference on

Modern Materials for Engineering and Research (ICMMER 2022)

29 - 30, Septemberl 2022 | Tiruchengode, Tamil Nadu, India | www.icmmer.com

CERTIFICATE

Publication Partner

Scientific.Net

MMER 3016

Peer Reviewed

This certificate is presented to



Sanjay Gaikwad Assistant Professor, Army Institute of Technology, Pune, India.

for presenting the research paper entitled "Implementing Combinative distance base assessment (CODAS) for selection of natural fibre for long lasting composites" in the First International Conference on Modern Materials for Engineering and Research (ICMMER 2022) held at Hotel Aloft, Coimbatore, Tamil Nadu, India during 29 - 30, September 2022. The conference has been organized by the Department of Mechanical Engineering, Sengunthar Engineering College, Tiruchengode, Tamil Nadu, India.

Prof. A. Baladhandapani, M.A., M.Phill., Secretary & Correspondent, SEC Dr. R. Satish Kumar, M.E., Ph.D., Principal, SEC

Dr. T. R. Chinnusamy, M.E., Ph.D., Chair, ICMMER 2022 Organized by

CMS Partner

SENGUNTHAR ENGINEERING COLLEGE

DILIGENTEC SOLUTIONS

instruction



Professor & Hoad
Department of Mechanical Engs.
Arm / Institute of Tecnology
Pune - 411015.



Certificate Of Appreciation

This is to certify that Raviraj B. Gurav

of

Army Institute of Technology, Pune has successfully presented a paper titled

Computational Study on Forced Convection Heat Transfer in Pin Fin Heat Sink (PFHS) with Inclined Wings Authors

Raviraj B.Gurav, Pritee Purohit, Sandeep P. Nalavade

in the Third International Conference on Intelligent Robotics, Mechatronics and Automation Systems (IRMAS 2023) organized by Centre for Automation and School of Mechanical Engineering, Vellore Institute of Technology, Chennai in Association with Asia Pasific University in Technology & Innovation, Malaysia and

COEP Technological University, Pune, India during 04th - 05th May 2023.

Dr. Saravanakumar, D.

Convener IRMAS 2023 9. Sautand

Dr. Sakthivel, G.Dy. Director, Centre for Automation,

VIT Chennai

Dr. Kanchana Bhaaskaran, V. S.

Pro Vice Chancellor VIT Chennai

VIT - Recognized as Institution of Eminence (IoE) by Government of India VIT - A place to learn; A chance to grow

VIT – A place to learn; A chance to grow



Firefactor & Had Department of Cerhanical Engg. Arm / Institute of Technology Pune - 411015.



Certificate Of Appreciation

This is to certify that Pritee Purohit

of

Army Institute of Technology Pune

has successfully presented a paper titled

Improving crash-worthiness & occupant safety of bus seat structures in frontal crashes as per AIS023 using Finite Element Analysis

Authors

Pritee Purohit, Raviraj Gurav, Sandeep Nalavade

in the Third International Conference on Intelligent Robotics, Mechatronics and Automation Systems (IRMAS 2023) organized by Centre for Automation and School of Mechanical Engineering, Vellore Institute of Technology, Chennai in Association with Asia Pasific University in Technology & Innovation, Malaysia and

COEP Technological University, Pune, India during 04th - 05th May 2023.

Dr. Saravanakumar, D.

Convener

IRMAS 2023

9. Sautard

Dr. Sakthivel, G.

Dy. Director, Centre for Automation,

VIT Chennai

by Vanahara Bharah

Dr. Kanchana Bhaaskaran, V. S.

Pro Vice Chancellor VIT Chennai

VIT - Recognized as Institution of Eminence (IoE) by Government of India

VIT - A place to learn; A chance to grow

rofessor 8

Department of Machanical Engo Army Institute of Tecnology

Pune - 411015.



Certificate Of Appreciation

This is to certify that Kirankumar Labade

G H Raisoni college of engineering and management Pune has successfully presented a paper titled

Performance evaluation of adjustable stroke piston pump with varying fulcrum position

Authors

Kirankumar Labade, Pritee Purohit

in the Third International Conference on Intelligent Robotics, Mechatronics and Automation Systems (IRMAS 2023) organized by Centre for Automation and School of Mechanical Engineering, Vellore Institute of Technology, Chennai in Association with Asia Pasific University in Technology & Innovation, Malaysia and

> COEP Technological University, Pune, India during 04th - 05th May 2023.

Dr. Saravanakumar, D.

Convener

IRMAS 2023

Dr. Sakthivel, G.

Dy. Director, Centre for Automation.

VIT Chennai

Dr. Kanchana Bhaaskaran, V. S.

Pro Vice Chancellor

VIT Chennai

VIT - Recognized as Institution of Eminence (IoE) by Government of India

VIT - A place to learn? A chance to grow

Profess Am / inst

Pune - 411015.

3. Department of Computer Engineering (A.Y 2022-23) Springer Link Search Q

Log in

Sentimental Analysis of Code-Mixed Hindi Language | SpringerLink 981-16-9113-3 54 https://link.springer.com/chapter/10.1007/978-



Congress on Intelligent Systems pp 739-751

Sentimental Analysis of Code-Mixed Hindi Language

Ratnavel Rajalakshmi , Preethi Reddy, Shreya Khare & Vaishali Ganganwar

Conference paper | First Online: 01 July 2022

214 Accesses **1** Citations

Part of the Lecture Notes on Data Engineering and Communications Technologies book series (LNDECT, volume 111)

Abstract

Sentiment analysis is the task of identifying and classifying sentiments expressed in texts. Sentiment analysis of code-mixed data is a huge challenge for the NLP community since it is very different from the traditional structures of standard languages. Code mixing refers to additions of linguistic units like phrases or words of one language to another. The mixing of languages takes place not only on sentence level but also at the word level. It is

Facial Recognition Impact in Smartphone Sector

Dr Amaresh Jha
Professor
School of Digital
Media,
Journalism &
Mass
Communication,
GD Goenka
University,
India,
amaresh.jha@gdg
u.org

Dr.P. Sudhakar

Associate
professor
Department of
ECE
Vignan's Nirula
institute of
technology and
science for
women.
India
sudhakar426@gm
ail.com

Sharayu
Ashishkumar
Lokhande
Assistant
professor
Computer
engineering
Army institute of
technology
India
sharayulokhande
@gmail.com

Galina
Ishodzhanova
Department of
Architecture,
International
Education
Corporation,
Kazakhstan,
Galina.rash_2015
@mail.ru

K. Venkatrao
Assistant
professor,
Department of
ECE,
SRKR
Engineering
college
India
kolli.venkat436@
gmail.com

Aliya
Zhakupova
Department of
Linguistics,
International
Education
Corporation,
Kazakhstan,
al.jakupova2012@
yandex.kz

Abstract— In recent times, technological advancement brings many benefits for people and facial recognition technology is one of them. Nowadays, Smartphone users increasingly use facial recognition features that help in verifying identity of users for different purposes, for example, accessing their device before making any payment from their phones. This study paper has analysed impact of facial recognition systems in Smartphone sectors by discussing its advantages and challenges to understand both its negative and positive impact. Literature review section has provided relevant information on selected topic as it has elaborated that different large organisation have their own face recognition software for Apple, Facebook, and Google. Additionally, it has mentioned that there are two different types of facial recognition software such as camera-based and infrared; however, regarding effectiveness, infrared appropriate rather than camera-based recognition technologies.

The paper has also elaborated that this technology offers automating time-tracking systems and it has touch less sign options, which help them in limiting physical contact with others. Result of this study showed that facial recognition helps to protect any type of unauthorised access in a Smartphone as well as it could prevent cyber threats by recognising face of Smartphone users. Additionally, due to this software's fast identification feature, it could successfully verify faces of people within a few seconds. However, as this software is based on artificial intelligence, unlike other applications, it is highly vulnerable as hackers can hack Smartphones if strong algorithms are more used. Lastly, to prevent this issue a strong AI infrastructure and model security is required in future.

Keywords— Artificial intelligence, Facial recognition, cybersecurity, Smartphones, two-dimensional and three-dimensional

I. INTRODUCTION

Research overview

Facial recognition has become a useful technology in electronic devices including laptops and Smartphones. This concept

seems downright futuristic upon surface and a few years ago, majority of users used password, PIN, and pattern for unlocking devices [1]. It analyses, captures, and compares patterns on basis of an individual's facial details. Facial recognition technology contains two-dimensional or three-dimensional sensors that "capture" any face. Next, it converts it into digital data through an algorithm prior to distinguishing captured image. Finally, this automated system checks individuals' identity within a few seconds on basis of facial features, such as bridge of nose, spacing of eye, contour of lips, chin, and ears [2]. Due to its strong algorithm, it can recognise faces in middle of any crowd or in any unstable and dynamic environment.




Figure 1: Market size of Facial recognition technology

(Source: [3])

Remote Health Monitoring System using Secure Communication Techniques

Shilpa Devram Pawar
Electronics and
Telecommunication Engg
Army Institute of Technology (of
Affiliation)
Pune, India
email: spawar@aitpune.edu.in

Ayush Tiwari
Electronics and
Telecommunication Engg, Army
Institute of Technology
Pune, India
ayushtiwari_19491@aitpune.edu.i

Sharayu Lokhande
Computer Engg,
Army Institute of Technology
Pune, India
slokhande@aitpune.edu.in

Abhishek Kumar Singh
Electronics and
Telecommunication Engg, Army
Institute of Technology
Pune, India
abhisheksingh_19471@aitpune.ed
u.in

Rupali Amit Bagate
Information Technology,
Army Institute of Technology
Pune. India
rbagate@aitpune.edu.in

Anubhav Banerjee
Electronics and
Telecommunication Engg, Army
Institute of Technology
Pune, India
anubhavbanerjee_19255@aitpune.
edu.in

Abstract— Heart related diseases causes elevation to the fatality rate across the world especially post-Covid. Furthermore, high security cryptographic algorithms are used to provide confidentiality and availability to sensitive data collected from imbedded medical devices. To escalate the rapid and prior diagnosis of cardiovascular diseases especially if a person has a history of heart related ailment, an effective solution is to bring Machine Learning Models and Data Analysis for operative decision making and precise cum accurate prediction. In the proposed work, encountering numerous challenges around the machine learning models along with a sound and lightweight encryption technique to provide added security to the sensitive medical data of the patient for careful analysis by both the model and prescriptive doctor-patient interface using an IoT based cloud environment running in the background has been used. The sensor data will be used in two fronts - on one end the data will be uploaded to the ThingSpeak IoT platform where it will provide the analytics of the patient health status (both past and present) and a likelihood of chance of experiencing any hearthealth abnormality to the patient there and then along with on the other end it is stored on the Fire-Base Cloud Storage space which is stored with encryption protocols to enhance the security of the patient's sensitive health data which can be reviewed by an expert doctor. Experimental outcomes show us that K-nearest neighbor algorithm achieves the best results among logistic regression, support vector machine, random forest tree and voting classifier with accuracy of 88.5% and 88%, 86%, 85.2% and 86.88%. Therefore, the suggested model is successful is achieving an effective accuracy by secure IoT data in cloud based IoT platforms.

Keywords—Cryptographic Algorithms, Machine Learning, Cloud

I. INTRODUCTION

Heart attack is one of the fatal causes of death worldwide and in India. 52% of all cardiovascular deaths in India occur before the age of 70, with demising one person in the country every 33 seconds according to Times of India. Also, the threats to using and involving technology in healthcare sector is much higher than ever. One of the most common threats today is digital theft to sensitive data such as medical data of patients. As reported from 2007 to 2021, the total number of individuals affected by healthcare data breaches was 249.09 million, out of which 157.4 million individuals were affected in last five years alone. Since this sector is still so much unexplored and various insurance companies have been researching on it and different results are there to showcase big of a problem it is. Using sensor technology in the form of a wearable medical device enriches the opportunity for smart remote health monitoring systems. Along with IoT platforms to provide careful real-time machine learning induced analysis and past diagnostic comparative analysis using cloud technology to back up the medical data with the authentication and privacy inculcation of patients using an application interface where on one end is the patient reviewing their own medical data in a layman's term while also given the feature to consult with an available doctor for another opinion so that time which is an essence in saving a patient suffering cardiovascular disease can be saved and utilized optimally. Thus, using encryption security techniques seems to be the necessity for a safe and secure medical and health data management in this critical system. On combining the hardware-oriented sensor data with software encryption blocks and IoT and cloud-storage we increase the efficiency of detecting cardiovascular diseases in a patient by the absolute use of machine learning prediction models thus becoming a goto handy critical system for people who have had a history of heart-anomalies. Using handy data mining methods and inputting the sensor data in the format of csv (commaseparated-values), the data is put through supervised machine learning algorithms including random decision forest and support vector machine(SVM) and estimator algorithms like voting classifier which aggregates the findings of each base estimator. Thus, in summary, the proposed system consists of three main components: the sensor node, the gateway, the analytics platform and the cloud server. The sensor node is responsible for collecting the heart rate data and transmitting it to the gateway. The gateway is responsible for encrypting the



International Conference on Data Management, Analytics & Innovation

→ ICDMAI 2023: Data Management, Analytics and Innovation pp 511–523 | Cite as

Home > Data Management, Analytics and Innovation > Conference paper

Video Object Detection with an Improved Classification Approach

Sita Yadav 2 & Sandeep M. Chaware

Conference paper | First Online: 29 May 2023

229 Accesses

Part of the Lecture Notes in Networks and Systems book series (LNNS, volume 662)

Abstract

Object detection is primary task in computer vision. The various CNN are majorly used by researchers to improve the classification and detection of objects present in video frames. Object detection is a prime task in self-driven cars, satellite images, robotics, etc. The proposed work is focused on improvement of object classification and detection in videos for video analytics. The key focus of work is identification and tuning of hyper-parameters in deep learning models. The deep learning-based object detection models are broadly classified into two categories, i.e., one-stage detector and two-stage detector. We have selected one-stage

4. Department of Information Technology (A.Y 2022-23)

2022 6th International Conference On Computing, Communication, Control And Automation (ICCUBEA) Pimpri Chinchwad College of Engineering (PCCOE), Pune, India. Aug 26-27, 2022

KPSO: K-Mean and PSO based clustering algorithm for Wireless Sensor Network

Savita Jadhav Department of E & TC Engineering, Dr. D. Y. Patil Institute of Technology, Pimpri, Pune, India savitasiadhav28@gmail.com. ORCID ID: 0000-0002-3244-6280

Dr. Sangeeta Jadhav Department of IT Engineering, Army Institute of Technology, Dighi Hills, Pune, India disangeeta@rediffmail.com ORCID ID: 0000-0002-0610-0374

Abstract— Sensor networks are a wonderful tool for many applications, but saving energy in such networks is an important issue. Data aggregation between the sensor nodes can be overwhelming unless information flooding is in place. The sensor nodes clustering may provide a solution to this problem. To solve this problem, there must be the optimal distribution of sensors and CHs so that the network life span is improved while energy consumption is minimized. To progress the network performance of the WSNs, this paper discusses a hybrid clustering technique that relies on K-Means clustering and Particle Swarm Optimization (PSO). The evaluation of the proposed KPSO algorithm with traditional clustering techniques, such as Mod-LEACH and K-means clustering, has

Clustering, network performance, data Keywordsaggregation, WSN


INTRODUCTION

In WSNs, typically hundreds or thousands of sensors watch over an area and provide data to users about target or event interests. The sensors attached to wireless sensor networks (WSN) measure the environment parameters in which they are placed and sent the information to the base station (BS). Large numbers of sensors are deployed in the field to ensure proper data transmission and network connectivity between each sensor and other nodes. To reduce energy consumption in traditional WSNs, information is usually transmitted in a multi-hop fashion to the sink node. Despite the fact that multi-hop communication can conserve energy, it can also have some unintended consequences. Hot spots are one example of this problem. In response to the sink node's data, the sensor node close to it sends its own data which results in faster energy consumption at sink node. The earlier death of nodes reduces the network lifetime

The Particle swarm optimization is a specialized optimization approach of a swarm intelligence. This technique belongs to the artificial intelligence category. Predatory birds are the source of inspiration for the PSO algorithm. Basically, the PSO algorithm abstracts each bird as an individual particle, and its optimization results correspond to the positions of the particles in the search area. Each iteration ends with the particles revised local and the global best solution. This process and the swap of information between particles determine the future step of the flight speed and directions, making it gradually move towards the global best value. The fitness function determines the quality of the PSO solution based on the problem to be solved. Therefore, the introduction of PSO can make a substantial difference relating to load balance, energy expenditure, and so on.

In this paper, the nodes are clustered using k-mean clustering technique and optimal position of cluster heads is obtained through PSO based algorithm to improve network lifetime of WSN, which is short formed as KPSO. The figure (1) represents clustering of sensor nodes in WSN. The member nodes of a cluster transmit sensed information to cluster head (CH). The CH then send accumulated information to the sink node. The extensive simulation results indicate that KPSO is able to stabilize energy depletion, elongate the lifespan of networks, and mitigate the transmitting delay.

The organization of the paper is like, the related work is presented in section two. The section three highlights system model for KPSO. The illustration of extensive simulation results are presented in section four. The section five exhibits closing remarks of the work.



Cluster Head

Member Node

Fig. 1: The Clustering approach in WSN

RELATED WORK II.

In enhanced LEACH [1] cluster formation is based on minimum distance. It reduces the data transmission distance it principally follows LEACH. ESO-LEACH [2] incorporates design of superior nodes in cluster formation. This makes the system expensive but helps in improving network lifetime. Modified-LEACH [3] improves energy consumption and focuses on network congestion. The key role is in modifying the threshold T(n) setting. The fusion of LEACH and D- LEACH protocol is IH-LEACH [4]. This

978-1-6654-8451-0/22/63/700 C2022 FEFE Authorized licensed use product a Company Institute of Technology. Downloaded on November 02,2023 at 09:45:18 UTG FF Xplore. Restrictions apply

Survey on Algorithmic Trading Using Sentiment Analysis



Rupali Bagate, Aparna Joshi, Abhilash Trivedi, Anand Pandey, and Deepshikha Tripathi

Abstract In recent years as the computation power and availability of the data has increased exponentially, there has been significant increase in study of human sentiment in various fields. This paper examines the use of sentiment analysis in algorithmic trading. Macroeconomic variables such as GDP, Internet consumption and various other socio-economic factors are also taken into consideration in this paper. The main aim of this paper is to determine all factors and technical indicators that would give us a proper analysis. Human sentiment affects human behaviour adroitly, and thus, market is also not acquitted from its effect. This survey presents current advances in natural language processing (NLP) and prerogative positions of algorithms in market.

Keywords Algorithmic trading • Sentiment analysis • Market indicator • Machine learning

1 Introduction

Sentiment analysis is the study of reverential effect of human emotions in various domains. In sentiment analysis, human emotions are quantified to create colloquial values for evaluation which then are used in concordance with other techniques and algorithm to compute their effect in respective domains [1].

A. Joshi e-mail: ajoshi@aitpune.edu.in

241





R. Bagate · A. Joshi · A. Trivedi (☒) · A. Pandey · D. Tripathi Department of Information Technology, Army Institute of Technology, Pune, Maharashtra, India e-mail: abhilashtrivedi99@outlook.com

R. Bagate e-mail: rbagate@aitpune.edu.in

[©] The Author(s), under exclusive license to Springer Nature Singapore Pte Ltd. 2023 B. Pati et al. (eds.), *Proceedings of the 6th International Conference on Advance Computing and Intelligent Engineering*, Lecture Notes in Networks and Systems 428, https://doi.org/10.1007/978-981-19-2225-1_22

Survey on Accent Correction and Region Prediction



Rupali Bagate, Aparna Joshi, Narendra Kumar Yadav, Aman Singh, Gaurav Singh Dhek, and Naincy Rathore

Abstract Background: In recent years, speech recognition technology has become a dominant part of our everyday lives, and as most of the future technology being developed can easily be integrated with the help of speech recognition. To make a digital future, technological advancement of everyone is necessary, and to make this technological advancement not so technical, speech recognition serves its role. Although speech recognition has made significant advances at certain languages, what has been achieved is a drop and what is left is an ocean. This technology has failed miserably in recognizing different accents of a single language or a voice disorder, and this has led to various questions on the authenticity of progress of the process. This paper documents the drawbacks of this technology and the areas where its immediate progress is possible. It talks about the limitations of various existing and popular and under radar ASR technologies with insights of their flaws which need to be considered immediately to avoid various social dilemmas and insecurities.

Keywords Accent · Region prediction · MFCC · Naive Bayes classifier · Stemming and lemmatisation

R. Bagate (☑) · A. Joshi · N. K. Yadav · A. Singh · G. S. Dhek · N. Rathore Department of Information Technology, Army Institute of Technology, Pune, Maharashtra, India e-mail: rupali.bagate@gmail.com

A. Joshi

e-mail: ajoshi@aitpune.edu.in

A Singh

e-mail: amansingh_18376@aitpune.edu.in

G. S. Dhek

e-mail: gauravsingh_18347@aitpune.edu.in

N. Rathore

e-mail: naincyrathore_18422@aitpune.edu.in

© The Author(s), under exclusive license to Springer Nature Singapore Pte Ltd. 2023 B. Pati et al. (eds.), *Proceedings of the 6th International Conference on Advance Computing and Intelligent Engineering*, Lecture Notes in Networks and Systems 428, https://doi.org/10.1007/978-981-19-2225-1_33

371



Batch Normalized Siamese Network Deep Learning Based Image Similarity Estimation

M. Shyamala Devi
Computer Science & Engineering
Vel Tech Rangarajan Dr. Sagunthala
R&D Institute of Science and
Technology
Chennai, Tamilnadu, India
shyamalapmr@gmail.com

J. Arun Pandian
School of Information Technology and
Engineering,
Vellore Institute of Technology,
Vellore, India
aparunpandian@gmail.com

Aparna Joshi
Department of Information Technology,
Army Institute of Technology, Pune
aparna.joshi82@gmail.com

Yeluri Praveen
Computer Science & Engineering
Vel Tech Rangarajan Dr. Sagunthala
R&D Institute of Science and
Technology
Chennai, Tamilnadu, India
vtu15374@veltech.edu.in

Abstract— The assessment of how two distinct images are equal are indeed called image similarity and consistency. In other words, it measures how much the intensity patterns in two images are comparable to one another. In order to achieve this, researchers examine the image descriptors recursively in order to identify descriptor pairs that are comparable. The two images are deemed comparable if the number of related descriptors exceeds a predetermined threshold and both images exhibit the very same entity. The computation of image similarity is used for various applications which graves to be the mandatory process for production of the application. With this intent, the Fashion MNIST dataset from KAGGLE is used for implementing the image similarity estimation. This paper proposes Batch Normalized Siamese Network (BNSN) deep learning based model for computing the image similarity. The BNSN model is designed with two subnetworks that generates feature vectors of two input images. The lambda batch normalization is performed with single dense layer to predict the image similarity with label 0 indicating the identical images and label 1 denoting the different images. The 30,000 training images were fitted with BNSN and tested with 30,000 images. Python was implemented on a Geforce Tesla V100 NVidia Graphics card webserver with a batch size of 64 and 30 training epochs. The training images are also tested with traditional image similarity method and implementation of proposed BNSN shows the accuracy of 91.91%, Precision of 92.93%, Recall of 90.72% and FScore of 91.81%.

Keywords— Siamese Network, deep learning, image similarity, normalization.

I. INTRODUCTION

Siamese neural network, often described as a dual neural network, is a type of artificial neural network that employs the same weights to estimate equivalent output vectors from two distinct input vectors simultaneously. The contrastive loss method employs the final layers from both networks to determine how comparable the two images resemble. Siamese networks are capable of learning certain potent representations that you can then use to other computer vision tasks like object identification or image segmentation. A neural network architecture called SimSiam makes use of Siamese networks to determine how similar two data points are. To pull off the trick, make sure each of the photos you give the network go via the same embedding function. Therefore, weights must be shared between both network branches to make sure that this occurs. A single training sample is all that is needed for the

one-shot classification model known as the Siamese network to make a prediction. Because it requires less knowledge, it is additionally resistant to class disparity. People are rather proficient at learning and recognizing different patterns. Researchers notice in particularly that when exposed to stimulation, people appear to have the ability to acquire novel ideas rapidly and subsequently distinguish variations on these ideas in upcoming perceptions. In the field of supervised machine learning known as resemblance acquisition, the objective is to develop a resemblance purpose that calculates the degree of similarity or relationship between two items and delivers a degree of similarity.

II. LITERATURE REVIEW

When the things are comparable, the similarity score is stronger; when they are distinct, the similarity score is lower. Simply by measuring the distance between these vectors, we may determine if they are similar or very distinct from one another. Determining the similarities between the two specified pictures, which may be easily done by learning a similarity criterion between the images, is one of the essential problems. With the help of Siamese Convolutional Neural Networks, this is easily accomplished. Siamese CNNs are capable of learning a similarity metric between different types of picture pairs [1]. It has been demonstrated that convolutional neural networks improve at stereoscopic estimation. Modern architecture, on the other hand, rely on Siamese networks that use synthesis and then additional processing layers, necessitating a minute of GPU computing for each pair of images. In comparison, the equivalent circuit was extremely generated accurate results in less than a second of GPU processing [2].

Recursive neural networks, which are capable of processing directed ordered acyclic graphs, are used in the graph-based image representation that shows the connections between different regions within the image. Recursive neural networks could find the best representations for exploring the image data, while the graph-based description integrates structural and subsymbolic aspects of the image [3]. Using a Siamese neural network-based gesture recognition paradigm, robust and discriminative gait characteristics are automatically extracted for human identification. The Siamese network, in contrast to typical deep neural networks, can use distance metric learning to make the similarity metric big for pairs of gaits from various individuals and small for pairs from

Authorized licensed use limited to: Army Institute of Technology. Download on November 02,2023 at 10:58:05 UTC from IEEE Xplore. Restrictions apply.

Department of Information Technology

Insight on Human Activity Recognition Using the Deep Learning Approach

Smita S. Kulkarni
Electronics and Telecommunication
D. Y. Patil College of Engineering, Pune, India
MIT Academy of Engineering
Pune, India

smitak0103@gmail.com, sskulkarni@mitaoe.ac.in

Sangeeta Jadhav
Information Technology
Army Institute of Technology, Dighi, Pune, India
Dighi, Pune, India
djsangeeta@refiffmail.com

Abstract—This work proposes a video understanding technique that primarily focuses on the individual action recognition appearing in the video. The state-of-the-art showed promising work in video understanding. Though, it's essential to require inclusive information on human action in real-time CCTV video surveillance, sports video analysis, health care, etc. This paper proposed a transfer learning deep neural network model designed for recognizing individual actions accomplished by multiple people in a video sequence. This research established a deep model which uses Region-Of-Interest (RoI) pooling layer to capture automated features from a specified video frame to recognize individual actions. The MobileNet model accomplishes this as the backbone to recognize individual actions from each video frame. The accuracy score of the model was compared with the CNN models VGG-19,InceptionV3, and MobileNet. The MobileNet is computationally low-cost and enhances the performance of individual action recognition performed by multiple humans in a video frame. The investigational results were evaluated by varying learning parameters, and optimizer of deep neural network. The experimental results of the proposed model for individual action recognition demonstrate the improved efficiency of the standard benchmark collective activity dataset. This research illustrates the progress of action recognition by employing the transfer learning CNN model along with RoI pooling layer.

Index Terms—CNN deep learning, Transfer Learning, RoI, Activity Recognition

1. Introduction

Individual activity recognition aims to understand human action from video and image. In the domain of computer vision, understanding human action is yet a challenging issue [1]. In surveillance videos [2], sports analytic, video retrieval, and video searches, there are inconsistencies within diverse human activity classes, background clutter, light illumination, etc. In video understanding, individual person action recognition is important to focus on higher-level group activity tasks. A specific challenge in multiple people activity recognition is sensitivity to creating inference among labels for a scene to context. For example, in Fig. 1 the action performed by multiple people as "taking" or "queuing" depends on the interrelated individual action in a scene [3]. Owing this as

such a successful model it requires recognizing accurately individual actions.

This paper implemented CNN deep model for individual action recognition in a video sequence in which multiple people's collective activity is involved. This model is based on a transfer learning pre-trained model: VGG16 [7], InceptionV3 [8], and MobileNet [9] in which the last layer is modified as Region-Of-Interest (RoI) pooling layer, unlike these models that use max-pooling subsequently to the last convolutional layer. For individual action recognition MobileNet is efficient as compared to another famous CNN model. In the interim, its efficiency is high enough for action recognition. The MobileNet model is optimized for features of individual action and achieves high efficiency and accuracy. Additionally, this research also tested other models such as VGG16 and InceptionV3. As a result, the MobileNet model with RoI pooling layer has improved performance and achieved the best efficiency and precision for individual action recognition.

The paper is prepared organized as follows: in Section 2 related work describes. In Section 3, describe framework of the transfer learning CNN model for feature extraction from individual person bounding box. In Section 4, illustrates the methodology, along with the dataset, and provided implementation details. Section 5 discussed experimentation and result of CNN deep models VGG16, InceptionV3, and MobilNet with RoI pooling layer. Finally, Section 6 concludes the effectiveness of the model for individual action recognition.

II. RELATED WORK

Human activity recognition in a video sequence [1] participating several categories of human activities like singular activity, collective activity as well as a crowd event activity. The action accomplished by multiple people illustrates as Collective activity recognition [3] as crossing together, waiting in groups at various places such as airports, railway stations, streets, etc. This collectivity activity involves applications such as sports analytic, surveillance systems, and human-computer

978-1-6654-7524-2/23/S31.00 ©2023 IEEE Authorized licensed use limited to: Army Institute of Technology. Downloaded on October 25,2023 at 06:12:22 UTC from IEEE Xplore. Restrictions apply.

HOD

ISBN: 978-81-955856-8-7

License Plate Detection and Recognition

Prof. Yuvraj Gholap¹, Dr. Rahul Desai²

¹Assistant Professor, Department of Information Technology, Army Institute of Technology, Pune, INDIA Email: ygholap@aitpune.edu.in

²Associate Professor, Department of Information Technology, Army Institute of Technology, Pune, INDIA Email: rahuldesai@aitpune.edu.in

In the modern world, license plate (LP) detection and recognition play a significant role in the rise in vehicle numbers, violations of traffic laws, vehicle theft, unauthorized entry into restricted areas, and toll control issues. Automatic License Plate Recognition (ALPR) systems can be used to address these issues. Without the aid of a person, license plate identification and recognition includes locating and identifying LP in a given image. For ALPR, a variety of techniques have been developed, however they typically neglect unconstrained capture conditions, where the LP in an image may be significantly deformed by oblique views but still readable. This study suggests an entire ALPR system that includes unrestricted capture conditions in which the LP may be severely warped but still legible due to oblique perspectives.

The project License Plate Detection and Recognition's main goal is to determine the best effective method for extracting a vehicle's registration information from a digital image (obtained from the camera). Three steps typically make up this method. The first stage is to identify the car in a given image. Regardless of the size and orientation of the license plate, the second stage is localization. The segmentation of the characters and identification of the characters from the license plate make up the final phase.

Keywords: license plate, automatic license plate recognition, detection, vehicle, theft

1. Introduction

The sole goal of licence plate detection and recognition is to determine the most effective method of extracting a vehicle's registration information from a digital image (obtained from the camera) [1]. Three steps typically make up this method. The first stage is to identify the car in a given image. Regardless of the and orientation of the licence plate, the second stage is localization. The segmentation of the characters and identification of the characters from the licence plate make up the final phase.

Vehicle identification is necessary for a number of traffic-related applications, including the detection of vehicle theft, border patrol, validation of parking lot entry, toll control which can be carried out via ALPR systems[2]. The majority of ALPR systems currently in use assume a primarily frontal view of the car and licence plate, which is not appropriate in all scenarios[3]. This project's goal is to create a comprehensive ALPR system with a focus on unrestricted settings in which the licence plate may be noticeably deformed due to oblique views.

The primary project goals are:

- License Plate Detection [4]
- Optical Character Recognition
- Vehicle Detection from Input Image

125 AN PUBLICATIONS

of Information Technology Army Institute of Technology .



Reducing Routing Overhead in MANET

Prof. G M Walunjkar¹, Dr. Rahul Desai²,

¹Assistant Professor, Department of Information Technology, Army Institute of Technology, Pune, INDIA

Email: gwalunjkar@aitpune.edu.in

²Associate Professor, Department of Information Technology, Army Institute of Technology, Pune, INDIA

Email: rahuldesai@aitpune.edu.in

ABSTRACT

Multi-hop wireless communications, the lack of any cellular infrastructure, and frequent host mobility are the characteristics of ad hoc networks. It is difficult to design effective routing systems in these networks. Wireless devices are constantly evolving in the communication field, becoming lighter and smaller while gaining more processing power and functionality. Since links can be connected and disconnected at any time, the network is made up of several nodes connected by links. The conventional issues with wireless and mobile communication are carried over into the ad hoc network. Mobile ad hoc networks frequently modify their topology, making routing in these networks a difficult issue.

Due to their little routing overhead, a group of routing protocols known as on-demand protocols has gained interest recently. We suggest a method that can further cut down on routing overhead. When a new route is required, on-demand protocols rely on query floods to find the best option. Our method limits the area of the network where query packets can be sent by reducing the quantity of query packets and broadcast packets in the networks. The excellent decrease of routing overheads using this technique is shown by simulation results.

Keywords: Routing overhead, DSDV, AODV, Routing, MANET

1. Introduction

A group of independent mobile nodes that may wirelessly interact with one another makes up a MANET. If two nodes are within range of one another in MANETs, they via intermediary nodes or within each other's respective transmission ranges. Following case is known as a multi-hop network. Owing to a lack of communication communicating tools, it becomes challenging to offer security for ad-hoc systems.

In an internetwork, routing involves transporting data from one place to another. Throughout this operation, at least one intermediary node from the internetwork is encountered [1]. Since routing was first utilized in networks in the early 1970s, this idea is not new to the field of computer science. However, this idea started to gain traction in the middle of the 1980s. Numerous criteria are used by routing systems to determine the optimum route for sending packets to their intended locations. These metrics are common measurements, such as the number of hops that the routing uses to choose the best route of packet to take to reach its destination. In order to determine the

132 | AN PUBLICATIONS



5. Department of Applied Science & General Engineering (A.Y 2022-23)

Virtual International Conference on Multi-disciplinary Research and Studies - 2022

Quantum University, Mandawar, Roorkee, Uttarakhand
Date: 18th - 19th September 2022
ISBN: 978-93-91535-19-3

Biodegradable polymeric nanocomposite for Wound Healing Application: Synthesis and characterization

Dr Seema Tiwari¹, Dr Nidhi Jain², Prof Mridula Chandola³

¹Associate Professor, Applied Science and General Engineering Department,

Army Institute of Technology, Pune-411015, India

²Assistant Professor, Department of Engineering Science,

Bharati Vidyapeeth College of Engineering, Pune-412115, India

³Assistant Professor, Applied Science and General Engineering Department,

Army Institute of Technology, Pune-411015, India

* Corresponding author. Tel.: +91-9405012782 E-mail address: stiwari@aitpune.edu.in

ABSTRACT

For the utilization of different substances to wounds, it is attractive to discover a bearer material which is moderately modest in terms of medicinal behavior, which gets effectively connected to the injury, helps as a decent transporter for medicaments to be connected to the injury without disturbing its property of biodegradability. In this work biodegradable composites consist of chitosan, sodium alginate(SA) and gelatin with neem extract were synthesized. These polymeric films were characterised by FTIR,SEM and XRD analysis. The chitosan gel may likewise be acquired and utilized as a gel-like layer forthe motivations behind the present development along with other biodegradable wound-healing material for effective healing with their antimicrobial and antibacterial properties

Keywords: chitosan; sodium alginate; gelatin; nanocomposites; biodegradable, amtibacterial.

1. INTRODUCTION

Chitosan is used effectively for wound healing applications in biomedical fields. Chitosan is obtained from chitin by the expulsion of an extent of the N-acetyl bunches which is found in the hard shells of sea creatures. Its excellent dissolvable nature in numerous acids. The chitosan-containing polymeric films of the present innovation are fantastic bearers for various medicaments specially antibacterial applications (1-4).

Sodium Alginate is an extensively used polysaccharide which has significant application in drug delivery, tissue engineering, dentistry and cosmetics industry (5-6).

Gelatin is a mixture of peptides and proteins created by incomplete hydrolysis of collagen separated from the bones, tissues and skin of creatures. It provides stable and smooth films which can be used for different applications food industry, tissue engineering, medicines etc.(7).

Azadirachta Indica which is commonly known as neem has been broadly utilized in different medicinal applications specially in Homeopathy, Ayurveda and Unani drugs. The way toward extricating neem oil includes separating the water-insoluble segments with ether, oil ether, ethyl acetic acid derivation, and weaken

Books and Chapters
Published
and
Papers Published in Conferences
A.Y. 2021-22

1. Department of Electronics & Telecommunication Engineering (A.Y 2021-22)



Publication Certificate

Ref: ETET-05-0802 **Date:** 06-04-2022

To, Dear Dr. Surekha KS

This certificate confirms that **Dr. Surekha KS** is the author of book chapter titled **"WBC Disease Prediction using Neural Network Classifier"** of published book entitled **"Emerging Trends in Engineering and Technology (Volume - 5)"** having ISBN **978-93-93502-97-1**.

Yours Sincerely,

Varsha Gupta

Integrated Publications

www.integratedpublications.in

Address: H-34/3, Sector - 3, Rohini, Delhi - 110085, India

Dr. G. R. PATIL

Ph.D. (E&TC),

Professor & Head, E & TC Engg. Department, Army Institute of Technology,

Alandi Road, Dighi,

PUNE.

- . Most Experienced, Eminent & Popular Author.
- Large Number Of Solved Examples.
- Content Explained In A Simple & Lucid Manner.
- Several Illustrations To Support The Content.
- Model Question Papers of In Sem Exam. (30 Marks) & End Sem Exam. (70 Marks).
- Also Included University Question Papers.
- Important Exam Oriented Hints Inserted In The Exercises.
- Well Balanced Book To Achieve Maximum Results.
- * Top Seller In The Last Three Decade.
- Affordable Price.

Note: Do not Xerox Or Copy the Book, It is Punishable Offence.

Text Books For TE E&Tc Engineering Sem. - V SPPU

- Digital Communication
- Electromagnetic Field Theory
- Database Management
- Microcontrollers
- Digital Signal Processing

- Dr. G. R. Patil
- Dr. S. D. Ruikar
- Dr. Mrs. S. Takale-Gujar, S. K. Shah
- Dr. S. T. Patil, Dr. G. V. Bansod.
- S. S. Patil
- Dr. R. K. Prasad

Pragati Book Centre - Email: pbcpune@pragationline.com

- 157, Budhwar Peth, Opp. Ratan Talkies, Next to Balaji Mandir Pune 411002 • Mobile: 9657703148
- 676/B, Budhwar Peth, Opp. Jogeshwari Mandir, Pune 411002 Tel: (020) 2448 7459 • Mobile: 9657703147/ 9657703149
- 152, Budhwar Peth, Near Jogeshwari Mandir, Pune 411002, Mobile: 8087881795

Pragati Book Corner - Email: niralimumbai@pragationline.com

 Apurva Building, Shop No. 1, Bhavani Shankar Road, Opp. Shardashram Society, Dadar (W), Mumbai 400028. Tel: (022) 2422 3526/6662 5254 • Mobile: 9819935759

EBOOKS AVAILABLE

www.pragationline.com

amazon

Flipkart __

ON KOPYKITAB.COM

Scan QR code to Download Nirali Prakashan E-Reader & Store Mobile App for Android





PRAKASHAN

iya Pragati, 1312, Shivaji Nagar, Road, Pune 411005, htra, India



(+91-020) 25511379



According to New Revised Credit System Syllabus

SPPU

Third Year (T.E.) Degree Course In **ELECTRONICS AND TELECOMMUNICATION ENGG. (Semest**

DIGITAL **COMMUNICATION**





www.pragationline.com

Includes

MCQ's with Answers

miralipune@pragationline.com

www.facebook.com/niralibooks

■ Model Question Papers For Practice

(Mid Sem-30 Marks & End Sem- 70 Marks)

@nirali.prakashan



A TEXT BOOK OF

CELLULAR NETWORKS

FOR SEMESTER – VI

THIRD YEAR DEGREE COURSE IN ELECTRONICS & TELECOMMUNICATION ENGINEERING

Strictly According to New Revised Credit System Syllabus of Savitribai Phule Pune University

(w.e.f. June 2021)

Dr. G. R. PATIL

Ph. D. (E&TC), Professor & Head, E&TC Engg. Department, Army Institute of Technology, Alandi Road, Dighi, PUNE. Dr. R. C. JAISWAL

Ph. D. (E&TC) Associate Professor, E&TC Engg. Department Pune Institute of Computer Technology, (PICT) Dhankawadi, PUNE.

Price ₹ 210.00



N6081

CELLULAR NETWORKS (TE E&TC)

First Edition : February 2022 © : Authors

The text of this publication, or any part thereof, should not be reproduced or transmitted in any form or stored in any computer storage system or device for distribution including photocopy, recording, taping or information retrieval system or reproduced on any disc, tape, perforated media or other information storage device etc., without the written permission of Authors with whom the rights are reserved. Breach of this condition is liable for legal action.

Every effort has been made to avoid errors or omissions in this publication. In spite of this, errors may have crept in. Any mistake, error or discrepancy so noted and shall be brought to our notice shall be taken care of in the next edition. It is notified that neither the publisher nor the authors or seller shall be responsible for any damage or loss of action to any one, of any kind, in any manner, therefrom. The reader must cross check all the facts and contents with original Government notification or publications.

Published By: NIRALI PRAKASHAN

Abhyudaya Pragati, 1312 Shivaji Nagar Off J.M. Road, PUNE 411005 Tel: (020) 25512336/37/39 Email: niralipune@pragationline.com **Polyplate**

Printed By: YOGIRAJ PRINTERS AND BINDERS

ISBN: 978-93-5451-557-6

Survey No. 10/1A, Ghule Industrial Estate Nanded Gaon Road Nanded, Pune 411041

DISTRIBUTION CENTRES

PUNE

Nirali Prakashan

(For orders outside Pune)

S. No. 28/27, Dhayari Narhe Road, Near Asian College Pune 411041, Maharashtra

Tel: (020) 24690204; Mobile: 9657703143 Email: bookorder@pragationline.com

Nirali Prakashan

(For orders within Pune)

119, Budhwar Peth, Jogeshwari Mandir Lane Pune 411002, Maharashtra

Tel: (020) 2445 2044; Mobile: 9657703145 Email: niralilocal@pragationline.com

MUMBAI Nirali Prakashan

Rasdhara Co-op. Hsg. Society Ltd., 'D' Wing Ground Floor, 385 S.V.P. Road Girgaum, Mumbai 400004, Maharashtra

Mobile: 7045821020, Tel: (022) 2385 6339 / 2386 9976

Email: niralimumbai@pragationline.com

DISTRIBUTION BRANCHES

BENGALURU

DELHI Nirali Prakashan

Room No. 2 Ground Floor 4575/15 Omkar Tower, Agarwal Road Darya Ganj, New Delhi 110002 Mobile: 9555778814/9818561840 Email: delhi@niralibooks.com

Nirali PrakashanMaitri Ground Floor, Jaya

Apartments, No. 99, 6th Cross, 6th Main, Malleswaram, Bengaluru 560003 Karnataka; Mob : 9686821074 Email : bengaluru@niralibooks.com

NAGPUR Nirali Prakashan

Above Maratha Mandir, Shop No. 3, First Floor, Rani Jhanshi Square, Sitabuldi Nagpur 440012 (MAH) Tel: (0712) 254 7129

Email: nagpur@niralibooks.com

KOLHAPUR

Nirali Prakashan

438/2, Bhosale Plaza, Ground Floor, Khasbag, Opp. Balgopal Talim, Kolhapur 416 012 Maharashtra Mob: 9850046155

Email: kolhapur@niralibooks.com

JALGAON Nirali Prakashan

34, V. V. Golani Market, Navi Peth, Jalgaon 425001, Maharashtra

Tel : (0257) 222 0395 Mob : 94234 91860 Email : jalgaon@niralibooks.com

SOLAPUR Nirali Prakashan

R-158/2, Avanti Nagar, Near Golden Gate, Pune Naka Chowk Solapur 413001, Maharashtra Mobile 9890918687

Email: solapur@niralibooks.com

marketing@pragationline.com | www.pragationline.com

Also find us on www.facebook.com/niralibooks

PREFACE

It gives us great pleasure to present the book 'Cellular Networks' for the students of Third Year (TE) Degree Course in Electronics and Telecommunication Engineering of the Savitribai Phule Pune University. This book is strictly as per the New Revised Credit System Syllabus 2019 Pattern with effect from the Academic Year June 2021.

As per New Revised Examination Scheme which has been implemented from this academic year, Mid-Semester assessment carries 30 marks over first two units and End-Semester Examination carries 70 marks on the remaining units 3, 4, 5 and 6.

The Theory Course will have 3 Credits.

In the book all the basic concepts are explained in simplified manner. Subject matter is presented more in a conceptual manner than mathematical, as required by the new examination system. It is our objective to keep the presentation systematic, and clear through explanatory notes and figures.

Main feature of this book is, Complete Coverage of the New Credit System Syllabus with solved Examples, Exercises and Model Question Papers of In Sem. and End Sem. Exams.

We are sure that this book will cater to all needs of the students for this subject.

We take this opportunity to express our sincere thanks to Shri. Dineshbhai Furia, Shri. Jignesh Furia, Mrs. Nirali Verma, Mrs. Deepali Lachake (Co-ordinator), and entire team of Nirali Prakashan who really have taken keen interest and untiring efforts in publishing this volume.

We wish to make a special mention of the valuable contribution made by Late Shri M.P. Munde during the last two decades in reaching out to students, parents and teachers which eventually made **Nirali Prakashan**, a **brand of trust and quality in technical books**. Without his perseverance and zeal, successive editions would not have been possible.

The advice and suggestions of our esteemed readers, to improve the text, are most welcome, and will be highly appreciated.

Pune Authors

SYLLABUS

Unit I: Introduction of Wireless Channel

(06 Hrs.)

Introduction, Free Space Propagation Model, Ground-Reflection Scenario, Hata Model and Receiver-Noise Computation. Channel Estimation techniques and Diversity in wireless communications.

Unit II: Orthogonal Frequency Division Multiplexing

(06 Hrs.)

Introduction, Motivation and Multicarrier basics, OFDM example, bit error rate for OFDM. Multiple-Input Multiple-Output Wireless Communications: Introduction to MIMO Wireless Communications, MIMO System Model and MIMO-OFDM.

Unit III: Introduction to Mobile Communication

(08 Hrs.)

Introduction to Cellular Service Progression, Cell Geometry, Overview of Cellular mobile and Network architecture, Cellular radio system design- Frequency assignments, frequency reuse channels, Concept of cell splitting and Cell sectoring. Significance of Handover in cellular systems with Handoff algorithms and roaming.

Unit IV: Wireless System Planning

(06 Hrs.)

Link-Budget Analysis, Tele-traffic Theory, Tele-traffic System Model and Steady State Analysis.

Unit V: Wireless and Mobile Technologies and Protocols and their Performance Evaluation

(06 Hrs.)

Introduction, Wireless and mobile technologies, LTE - advanced, 5G - Architecture, wireless local area network and Simulations of wireless networks.

Unit VI: Performance Analysis Issues

(08 Hrs.)

Introduction to Network coding, basic hamming code and significance of Information Theory. Interference suppression and Power control. MAC layer scheduling and connection admission in mobile communication.

CONTENTS

Unit I : I	ntroduc	tion of Wireless Channel	1.1-1.16		
1.1	Introdu	uction	1.1		
	1.1.1	Small Scale Multipath Propagation	1.4		
	1.1.2	Factors Affecting Small Scale Fading	1.5		
1.2	Free Sp	pace Propagation Model	1.6		
1.3	Ground Reflection Scenario				
1.4	HATA	Model	1.12		
	1.4.1	Receiver Noise Computation	1.13		
1.5		el Estimation Techniques in Wireless Communication	1.14		
1.6		ty in Wireless Communication	1.16 1.16		
• Exercise					
	_	onal Frequency Division Multiplexing	2.1-2.16		
2.1		uction	2.1		
2.2		ation and Multicarrier Basics	2.2		
2.2	2.2.1	Orthogonality	2.3		
2.3		Example	2.5		
2.4 2.5		or Rate for OFDM	2.6 ons 2.8		
2.5	•	le Input Multiple Output Wireless Communications: Introduction to MIMO Wireless Communication System Model	2.0 2.9		
2.0	2.6.1	MIMO Channel Capacity	2.11		
	2.6.2	Space-Time Block Codes	2.12		
	2.6.3	Alamouti Code	2.13		
2.7		-OFDM	2.14		
•	Exerci		2.16		
Unit III :	Introdu	ction to Mobile Communication	3.1-3.32		
3.1	Introdu	uction	3.1		
3.2	Cellula	r Service Progression	3.1		
	3.2.1	Analysis of 1G and 2G	3.1		
	3.2.2	Capacities and Disadvantages of 2G	3.2		
	3.2.3	Intermediate Generation 2.5G and 2.75G	3.2		
3.3	3G Wi	reless	3.3		
	3.3.1	Arrival of 3G	3.4		
	3.3.2	What is Packet Switching?	3.4		
	3.3.3	Main Features of 3G Wireless Network	3.4		
3.4	Main A	Aspects of 4G	3.5		
3.5	Future	5G Network	3.6		
3.6	Cellular telephony (AMPS, GSM, IS-136 TDMA, IS-95 CDMA)		3.9		
	3.6.1	Advanced Mobile Phone System (AMPS)	3.9		
	3.6.2	Global System for Mobile Communications (GSM)	3.10		
	3.6.3	IS-136 TDMA	3.10		
	3.6.4	Interim Standard 95 (IS-95) (CDMA)	3.11		

	3.7	Typical	l Cellular System and its Component	3.11
	3.8	Cellula	ır Radio System Design	3.13
		3.8.1	Cell and Sector Terminology	3.15
	3.9	Perforr	mance Criteria	3.17
		3.9.1	Voice Quality	3.17
		3.9.2	Data Quality	3.17
		3.9.3	Picture/Vision Quality	3.17
		3.9.4	Service Quality	3.17
		3.9.5	Special Features	3.18
	3.10	Freque	ency Reuse Factor	3.18
		3.10.1	Frequency Reuse in Cellular System	3.21
	3.11	Cellula	r System Interference	3.24
		3.11.1	Co-Channel Interference	3.24
		3.11.2	Adjacent Channel Interference	3.25
	3.12	Cell Sp	olitting, Sectoring, Segmentation and Dualization	3.26
		3.12.1	Cell Splitting	3.26
		3.12.2	Sectoring	3.27
		3.12.3	Segmentation and Dualization	3.28
	3.13	Cellula	r System Topology	3.29
	3.14	Roamii	ng and Handoffs	3.30
	3.15	Practic	ral Hand-off Considerations	3.31
	•	Exercis	se	3.32
Un	it IV :	Wireles	ss System Planning	4.1-4.44
	4.1	Link Bu	udget Analysis	4.1
		4.1.1	Directive Gain, Directivity and Power Gain	4.2
		4.1.2	Receiver Noise (Thermal Noise)	4.3
		4.1.3	Link Budget of Wireless Link	4.4
	4.2	Tele-Tr	raffic Theory	4.5
		4.2.1	Traffic Measurement	4.6
		4.2.2	Traffic Measurement Units	4.7
		4.2.3	Traffic Measurement Errors	4.9
		4.2.4	A Mathematical Model	4.10
		4.2.5	Lost Call System	4.11
		4.2.6	Traffic Performance	4.16
		4.2.7	Loss Systems in Tandem	4.16
		4.2.8	Traffic Distributions	4.17
		4.2.9	Queuing Systems	4.17
		4.2.10	Traffic Analysis	4.22
		4.2.11	Traffic Characterization	4.23
		4.2.12	Arrival Distribution	4.24
		4.2.13	Holding Time Distribution	4.27
		4.2.13	Steady State Analysis	4.28
			Lost Calls Cleared with Infinite Resources	
		4.2.15		4.29
		4.2.16	Lost Calls Cleared System with Finite Subscribers	4.31
		4.2.17	Lost Calls Returned (LCR) System	4.34
		4.2.18 Exercis	Lost Calls Held (LCH) System	4.34 4.42
				1 17

Unit V:	Wireless and Mobile Technologies and Protocols and their Performance Evaluation	5.1-5.50	
5.1	Introduction	5.1	
5.2	Wireless & Mobile Technologies	5.1	
5.3	GSM	5.3	
	5.3.1 Frequency Allocation	5.9	
	5.3.2 GSM Parameters	5.10	
	5.3.3 GSM Radio Channels	5.10	
	5.3.4 Mobile Call Origination	5.12	
5.4	General Packet Radio Service (GPRS)	5.13	
5.5	5.5 Enhanced Data for Global Evolution (Edge)		
5.6	3G Mobile technologies	5.14	
5.7	Universal Mobile Telecommunications Service (UMTS)	5.18	
	5.7.1 Migration Path to UMTS and the Third Generation Partnership Project (3GPP)	5.18	
5.8	UMTS Services	5.19	
5.9	Overview of the 3GPP Release 1999 Network Architecture	5.20	
5.10	Overview of the 3GPP Release 4 Network Architecture / High-Speed Downlink Packet Access (HSDPA)	5.22	
5.11	High Speed Packet Access (HSPA)	5.23	
5.12	Long Term Evolution (LTE)	5.24	
	5.12.1 E-UTRAN & Evolved Packet Core	5.25	
	5.12.2 Radio Spectrum	5.27	
	5.12.3 LTE Architecture	5.29	
5.13	LTE Advanced	5.33	
5.14	5G Architecture	5.34	
5.15	15 Introduction to Wireless Lan		
	5.15.1 Wireless LAN Components	5.36	
	5.15.2 WI-FI Protocols	5.39	
	5.15.3 WLAN Network Architecture	5.42	
5.16		5.46	
•	Exercise	5.48	
Unit VI:	Performance Analysis Issues	6.1-6.8	
6.1	Introduction to Network Coding	6.1	
	6.1.1 Network Coding Techniques	6.1	
6.2	Basic Hamming Code and Significance of Information Theory	6.2	
	6.2.1 Hamming Codes	6.3	
6.3	Interference Suppression and Power Control	6.5	
6.4	MAC Layer Scheduling and Connection Admission in Mobile Communication	6.6	
	6.4.1 Media Access Control (MAC)	6.6	
	6.4.2 Call Admission Control (CAC)	6.7	
•	Exercise	6.8	
•	Model Question Papers		
	□ In-Sem. Exam. (30 Marks)	P.1 – P.1	
	☐ End-Sem. Exam. (70 Marks)	P.2 – P.2	





AICTE Sponsored
International Conference on
Future Challenges in
Data Science and Engineering
for Global Sustainability



FCDSEGS-202

OCTOBER 7-8, 2021

Proceedings

Dr. V.K. Banga & Dr. Amarpreet Singh













Organised by
DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
AGC AMRITSAR
www.agcamritsar.in

Review Paper for Comparison of Different Wireless Power Transfer Systems for Electric Vehicles

Abhay Khonje¹, B.P. Patil²

Research Scholar, Department of Electronics and Telecommunication, Pimpri Chinchwad College of Engineering, Pune 'Principal, Army Institute of Technology, Pune Email: 'abhaykhonje ögmail.com, 'bp. patil@redifinal.com

Abstract-Electric vehicles (EVs) are gaining significant attention in a large domain of transportation in recent times. EVs are considered as one of the prominent alternatives to fuel-based vehicles because of their effectiveness in reducing the dependency of transportation domain on fossil fuels and thus effective contributing to the reduction of greenhouse gas emissions. However, there are some specific constraints which restrict the deployment of electric vehicles such as its ineffectiveness when deployed for short driving ranges and long charging times. In order to overcome these restrictions. the adoption of wireless power transfer (WPT) method has been proposed by various researchers. The significant advantages of WPT systems are that it does not require any manual connection between the charging station and electric vehicle. Additionally, WPT systems enhance the adaptability of electric vehicles for long range driving applications, while simultaneously reducing the size of the batteries and increasing the feasibility of charging the vehicles. This review presents an inclusive analysis of WPT technologies and its types and optimization techniques.

Keywords: Comparison of WPT, Electric Vehicles, Vehicle Charging, Wireless Power Transfer

I. INTRODUCTION

A. Background of the Study

The commercialization of electric vehicles has expanded prominently as a result of recent advancements in battery technologies, power electronic converters for effective battery charging and discharging systems, battery management systems and electric motors [1].

However, there are certain challenges concerning the effective applications of electric vehicles such as cost of batteries, battery lifetime, efficient charging systems, slow charging mechanism, restricted energy density, weight, and reliability, which needs to be resolved. Among these challenges, one of the significant issues restricting the growth of electric vehicles is constituted by the scarcity of feasible infrastructures facilities such as battery charging stations [21].

Ernst & Young conducted a survey for analysing the feasibility of charging stations in public places. The survey stated that one of the prominent problems faced by the public was related to lack of availability of charging stations [3]. Hence, the main constraints for increasing the feasibility of electric vehicles in public application are related to non-availability and safety issues concerning charging systems and their ease of access to the public.

Due to the emergence of wireless power transfer (WPT), it has been convenient for the users to charge their EVs without requiring any physical connection [4]-[6]. This study discusses various aspects related to wireless power transfer mechanisms in electric vehicles.

Electric vehicles (EVs) are regarded as an optimistic substitute for traditional fuel based vehicles, because of their effectiveness in reducing vehicular pollution and noise. The batteries and internal combustion engine (ICE) in EVs enact a prominent role in reducing vehicular emission thereby contributing towards a pollution free ecosystem. The battery is one of the significant components in electric vehicles, whose performance is evaluated with respect to OCV (Open circuit voltage), SOC (State of charge), battery resistance and power capacity.

B. Wireless Power Transfer

The significant advantages of WPT systems are that it does not require any manual connection between the charging station and electric vehicle also WPT systems are not affected by the changes in environmental conditions [7]. The primary coil of the inductor will be placed in the on ground (stationary base) whereas the secondary (receiver) coil will be positioned in the electric vehicle [8]-[10]. The basic block illustrating a WPT system is presented in figure 1.




Fig. 1: Illustration of Basic WPT System

ISBN: 978-93-91355-10-4

RTL Verification and FPGA Implementation of Generalized Neural Networks: A High-Level Synthesis Approach

* Satyashil D. Nagarale, B. P. Patil Dept of E&TC, PCCOE, Pune satyashil.nagrale@pccoepune.org
Army Institute of Technology, Pune bp_patil@rediffmail.com

Abstract. Neural Networks (NNs) are used in numerous applications such as audio-video processing and image classification. NNs can address the limitations of the traditional computer algorithms. Recently, the research utilizing Field Programmable Gate Arrays (FPGAs) to implement NNs is on the rise due to low power dissipation, easy and fast reconfigurability offered by these platforms. This is due to the research and development efforts put into the design optimization to improve the throughput of FPGAs. The integration of appropriate hardware with advanced Artificial Intelligence (AI) software presents many challenges. This paper offers a generalized model of NNs on a FPGA device. In addition, it presents the design process for the High-Level Synthesis (HLS) tools to implement the project on FPGA. This paper shows results of latency, timing, pre and post synthesis, implementation, and hardware utilization on Xilinx FPGA target device. In this paper, NN for XOR logic gate operation is performed and verified by using HLS tool, and FPGA implementation is proposed. The NN and back propagation algorithm are developed in high level programming languages like Python, Java, C, C++. The training part of the NN has been done by using open-source software Dev C++ and tuned weights are taken to Xilinx Vitis HLS. Simulation, synthesis, and implementation are performed by using Xilinx Vitis HLS and Vivado 2020.1 Electronic Design Automation (EDA) tools. NN architecture with tuned weights is implemented on Xilinx ZYNO FPGA target device. This paper shows that we were able to achieve latency in one clock cycle interval through pipeline and array partition.

Keywords: High Level Synthesis (HLS), Neural Networks (NNs), Register Transfer Level (RTL), Field Programmable Gate Arrays (FPGAs), Systems on Chip (SOC), Artificial Intelligence (AI), Graphic Processing Units (GPUs), Generalized NNs (GNN), Recurrent Neural Network (RNN), Feed-Forward Neural Networks (FFNNs).

1 Introduction

In AI, deep learning is getting a lot of attention from industry and academia. The







CERTIFICATE

OF PARTICIPATION

This is to certify that

Gajanan Rangaiao Patil

participated & presented a paper on

Data Logging and Analysis in UAV Assisted IoT Network

at the

International Conference on Trends in Engineering, Applied Sciences and Management (IC-TEAM 2022) on 08th & 09th April, 2022 organized by St. John College of Engineering and Management, Palghar, Maharashtra, India.

> Dr. Nilesh Deotale Organizing Chair (IC-TEAM 2022)

> > Amo

Dr. Kishor Rambhad Organizing Chair (IC-TEAM 2022)

Dr. G. V. Mulgund

Conference Chair (IC-TEAM 2022)







ISBN: 978-93-91535-28-5







INTERNATIONAL

MULTIDISCIPLINARY CONFERENCE ON

RESEARCH, TECHNOLOGY & ENGINEERING



This Certificate is Proudly Presented to

Dr. (Mrs) Surekha K S

for presenting and publishing his/her paper on

Removing background noise in text/graphics images

Held on 7th & 8th April 2022

Organised by:

KJEI's Trinity Academy of Engineering

(Approved by AICTE, New Delhi, Govt. of Maharashtra & Affiliated to Savitribai Phule Pune University)
Sr. No. 25 & 27, Kondhwa-Saswad Road, Bopdev Ghat, Pune

Dr. Nikita Kulkarni, HoD, Department of Computer Engineering Dr. Nilesh J. Uke

Association with:



www.conferenceworld.in



www.iardo.com

PAPER • OPEN ACCESS

Analysis of critical issues in retrofitting of ICE vehicles

To cite this article: Rajlaxmi Darekar et al 2021 J. Phys.: Conf. Ser. 2070 012151

View the article online for updates and enhancements.

You may also like

- The application, benefits and challenges of retrofitting the existing buildings Muhammad Khairi, Aini Jaapar and Zaharah Yahya
- Cost-optimal retrofit analysis for residential buildings
 Diego Sigrist, Chirag Deb, Mario Frei et al.
- A Review of the Existing Residential Building Retrofit in Tianjin, China Y S Liu, C H Liu and W Li



Journal of Physics: Conference Series

2070 (2021) 012151 doi:10.1088/1742-6596/2070/1/012151

Analysis of critical issues in retrofitting of ICE vehicles

Rajlaxmi Darekar¹, Neha Gawande¹, Vispi Karkaria¹, P B Karandikar²

¹College of Engineering, Pune, Maharashtra, India

darekarr18.mech@coep.ac.in, gawandenr18.mech@coep.ac.in, karkariavn18.mech@coep.ac.in

Abstract. Vehicle population is increasing at an alarming rate causing cities, and towns to suffer air pollution due to inefficient engines. Every year millions of vehicles are being manufactured and scrapped. Disposal or scrapping of vehicles before their useful life is not a good option. All the parts and systems of a vehicle wear out at different rates. By employing this technology of retrofit for the next 10 to 15 years, the owners will be able to contribute to society by decreasing input energy for massive automobile industries. Based on the life span of automobile parts a range of age has been found in this research at which retrofit can be carried out. In this research, cost analysis of vehicles has been carried out which shows a decrease in performance with increased maintenance, repair, and replacement cost. A mathematical model has been created for performance and cost. The minima of this mathematical model are known as retrofit age. It has been shown in this research that the time has come to adopt this technology, due to inadequate recycling of automobile parts, limited processing plants, and limited scraps yard. For this study, Honda Activa 5G, Bajaj pulsar 500, and Maruti Baleno has been considered.

Keywords: Scrapping, Retrofit, Cost, Analysis

1. Introduction

Technology leads to many inventions. The automobile is one of the most important inventions. The present scenario depicts a rapid increase in vehicle population. Increased vehicle population occurs due to inadequate public transport, as a status symbol, to save time and provide a safe, comfortable ride, etc. NITI Aayog makes an effort to push up the Electric market by providing Rs 700 crore a year as subsidies to battery makers to overcome the biggest hurdle of high-cost batteries.

Growing up a population of vehicles lead to traffic congestion, severe air pollution, and other environmental effects [1]. Transition to e-mobility is focused due to severe air pollution, difficulties in oil imports, and the most important surplus solar energy to produce electricity for transportation. Due to the limited life span of vehicles, millions of cars are scrapped every year which demands huge lands for scrap yards and landfills [2].

Increased carbon emissions, finite oil resources emphasize transformation to electric and autonomous vehicles [3], [4]. Transition to retrofit and electric vehicles are due to zero emissions [5],[6]. In retrofitting, the addition of new technology to existing provides a striking balance between the cost of conversion, performance, range, and charging [7],[8]. Also, it saves a huge amount of energy required for recycling, production, and manufacturing of new components. Till 2030 electric vehicles will constitute 30 % of the total vehicle population.

²Army Institute of Technology, Pune, India

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

Polypropylene as an innovative substitute for jar material of horizontal axis, multi-jar ball milling machine to grind electrode materials for energy storage devices

Sourabh Shinde^{1*}, Taukir Momin², Vispi Karkaria³ and Parshuram Karandikar⁴

Abstract. It is approximated that there will be a considerable amount of increase in worlds energy needs. So, there is a need of high energy storing devices when the load is low or moderate. Supercapacitors (SC) can be the competent options to serve this purpose. The paper recounts the performance of supercapacitors (SC) churned out from a horizontal axis multi-jar ball milling machine based on variations in material properties of ball milling jars. To store ample amount of energy, it is very essential to develop energy storing devices with large capacities and large ratings. The performance of energy storage devices is investigated using Manganese dioxide and Activated carbon as electrode materials. Majority of the times the granular size of raw-electrode materials is not enough fine to use them as electrodes directly. As a result of this, it is essential to crush the raw-electrode materials of the SC into fine powder. The energy storing capacity of SCs depends on size of particle, specific area, the of material and quantity to weight ratio of electrode material. In this paper an alternative material 'Polypropylene' is used as a substitute for Aluminum jars in horizontal axis multi-jar ball milling machine to crush the electrode materials. The effectiveness of both the jars is compared by evaluating the performance parameters of the SCs manufactured from electrode materials crushed in each of these jars. It is observed that the performance of SCs depends on type of ball milling machine, number of ball milling balls used, ball milling time, diameter of ball milling jars, speed of ball milling and material of ball mill jars properties. So, all other parameters are kept the same except the material of ball mill jars to scrutinize the effect of ball milling jars on performance of SCs.

Keywords: Ball Milling, Super-capacitors, activated carbon, Polypropylene, Manganese dioxide

1 Introduction

Energy storage devices can be possibly made of various materials like metal oxides, carbon and even with wood [1-5]. Electrode materials are the key element in determining the rating of an energy storage device [6]. Electrode materials should be crushed and grinded to fine powder for high effectiveness of the energy storage devices [7-9]. A lot of development has been observed in the field of energy storage devices for improving the effectiveness and capacity of these devices [10-16]. In today's era the developing advances in technology have also led to use of nanotechnology in the field of electrode material processing for energy storage devices [17,18]. Ionic bonds of electrolyte also play a vital role effectiveness of these energy storage devices [19,20]. There are two types of energy storing devices: Primary energy storing devices and secondary energy storing devices [21]. Primary cells cannot be recharged because chemical reaction in primary cells is irreversible and hence the primary cells cannot be reused. Example of

primary cell is mercury cell. But on the other hand, the chemical reaction in secondary cells is reversible. As a result of this, secondary cells can be recharged. Supercapacitor (SC) is an example of secondary cell. Ball mill is a machine which can be used to grind these electrode materials into very fine powder [22,23]. Although this field of ball milling to grind electrodes is very untouched field and hence, not considered much in most of researches.

Super-Capacitors can typically store 10 to 100 times more energy per unit mass than electrolytic capacitors and has much higher charge acceptance and discharge rate [9]. SCs are used in applications where there is demand for fast charge and discharge cycles like in EVs, Photovoltaic systems, Ultra-batteries, defibrillators, etc. It is observed that good performance capability and charge storing capacity of the SC is result of the electrode material having surface area less than 3500 m²/g, pore sizes in the range of 1-3 nm and pore volumes of 2.5 cm³/g [09].

Ball milling balls are very vital aspect to determine the effectiveness of ball mill machine. But it is observed that material properties of ball milling jars also play an

¹ Dept. of Mechanical Engg., College of Engineering, Pune, India

² Dept. of Mechanical Engg., College of Engineering, Pune, India

³ Dept. of Mechanical Engg., Northwestern University, IL, USA

⁴ Dept. of Electronics and Telecommunication Engg. Army Institute of Technology, Pune, India

^{*}Corresponding author: shindesr19.mech@coep.ac.in



SEE CONFERENCE 2021

Online Conference on contemporary Entrepreneurship and Startup Culture

Certificate

This certificate is presented to

Dr. Sharaddha Oza

Associate Professor, Army Institute of Technology, Pune, for presenting a paper on "Indian Startup Ecosystem - A Way Forward for Young Entrepreneurs" in the SEE Conference held November 11 & 12, 2021.

Ashutosh Tiwari President, SEE

JAP Jim

Satyajit Majumdar Secretary, SEE



In Association with





Wireless Surveillance Robot for Industrial Application



Rishabh Singh, Anjali Kushwah, Preeti Warrier, and Shraddha Oza

1 Introduction

Surveillance has a significant role in security. In Industrial areas, continuous monitoring is required, making the job monotonous and strenuous. Security guards may get bored and become careless, compromising security. Using a robot for constant monitoring of an area will improve surveillance efficiency and ensure the safety of human resources as the robot can be operated from anywhere. Robots are usually miniature so that they can enter tunnels, mines, and tiny holes in buildings and even have the capability to survive in a harsh and challenging climate for a lifelong time without any harm [12]. Nowadays, a mobile robot with a camera is popularly used for surveillance. The camera used in making the robot can move to different locations. These sorts of robots are more flexible than fixed cameras. Primarily used surveillance robots are wheel-based robots. The wheel-based robots are more worthy of the leveled platform. With the advent of wireless communication and the Internet, the videos captured by a robot can be seen remotely on a PC/laptop.

The majority of private security forces are using Internet protocol Camera-based installation instead of the analog camera. Analog cameras are conventional cameras that are used in CCTV. It sends video with the help of cable to VCR and DVR. In the modern era, we also use a hybrid system consisting of both analog and IP camera-based installation. This is because IP-based system provides better picture quality, and it is also beneficial in terms of mobility, stability, and flexibility. An IP camera is a digital video camera that controls data and gives image data output through an IP network. Unlike analog cameras, they do not require a recording device. Here we are using an IP camera to store the videos over the Internet [11].

The purpose of this paper was to build a small, land-based surveillance robot that can be controlled over Internet communication through Raspberry Pi 3 Model B from

R. Singh (⋈) · A. Kushwah · P. Warrier · S. Oza Army Institute of Technology, Pune, Maharashtra, India e-mail: rishabhsingh_16592@aitpune.edu.in

[©] The Author(s), under exclusive license to Springer Nature Singapore Pte Ltd. 2023 R. Doriya et al. (eds.), *Machine Learning, Image Processing, Network Security and Data Sciences*, Lecture Notes in Electrical Engineering 946, https://doi.org/10.1007/978-981-19-5868-7_41



CERTIFICATE OF PRESENTATION



2ND INTERNATIONAL CONFERENCE ON ENGINEERING, SOCIAL - SCIENCES AND HUMANITIES (IC-ESSU 2022)

30th - 31st March 2022 | Virtual Conference

Certificate No. IFERP20220330_592408

This is to Certify	Ms. Shilpa Pawar	of		
	Savitribai Phule Pune University	presented his/her research		
paper titled				
"2 nd International Co	nference on Engineering, Social-Sciences, And Humanities (IC-ESSU 2022)" Organized by	y Institute for Engineering Research and		
Publication (IFERP)	held on 30 th & 31 st March 2022.			

Dr. Mostafa Ewees

Associate Professor at Organizational Behavior
Clinical Sociologist & Psycho-Analysis at University of Texas in Austin
Stanford University at California

Prof. (Dr.) Sunil Kumar Khatri

Director of Campus
Amity University Tashkent
Uzbekistan at Amity Education Group
Toshkent, Uzbekistan



Mr. Rudra Bhanu Satpathy

CEO & Founder
Institute For Engineering Research
and Publication (IFERP)









Army Institute of Technology

Dighi Hills, Alandi Road, Pune - 411015

Department of Information Technology
AICTE sponsored

National Conference on Communication,
Computational Intelligence and Learning-2021 [NCCCIL-21]
AICTE sponsored

Certificate of Participation

Dhanashri Patil

in recognition of presenting paper titled "Road Detection from High

Resolution Images using Fully Convolutional Network" in NCCCIL-21

conducted from 12/01/2022 to 13/01/2022

Dr. Sangeeta Jadhav

HOD(IT) & CONVENER

سيلا

Dr. B.P. Patil

PRINCIPAL 60

guna

Brig. Abhay Bhatt

DIRECTOR,

Artificial Intelligence based Virtual Voice Assistance

1st Pranjal Gajendragadkar dept. Electronics and Telecommunications

CCOEW, Pune

Pune, INDIA pranjal.gajendragadkar@cumminscolle ge.in 2nd Seema Rajput dept. Electronics and Telecommunications

CCOEW, Pune

Pune, INDIA seema.rajput@cumminscollege.in

3rd Harjeet Kaur dept. Electronics and Telecommunications

AIT, Pune

Pune, INDIA mail2hkaur@gmail.com

Abstract— AI is a versatile technology that allows us to combine data, analyze it, and make decisions based upon the results. It is already transforming our life in many ways. To respond to commands and carry out tasks, a virtual voice assistant software agent can be used. The major purpose of this paper is to create a local voice assistant that can perform human-like tasks and tasks that a human must perform on a daily basis. Users may ask their assistant's questions, listen to music, control home automation devices, and manage other basic tasks like calendars using voice commands, email, and to-do lists. The proposed system is constructed with open-source software components that can accept any future modifications. Because this system is modular, it is more adaptable and easier to add new features without disrupting existing system functionality. The entire system is based on verbal rather than textual input. The integrated voice assistant system can open YouTube, Gmail, and Google Docs and other websites like geeks for geeks, Google meet, Google classroom, can also open Notepad, Command Prompt, and switch the window of laptop. Predict current date and time, open camera, search Wikipedia to abstract required data, get top headline news, fetch jokes, play music on browser and from system and get IP address of the machine.

Keywords— Virtual Assistant, Speech Recognition, Artificial Intelligence.

I. INTRODUCTION

Virtual assistants are software programmes that help you with daily tasks like weather forecasts, creating reminders, and making grocery lists, among other things. They can accept text (online chat bots) or voice commands. A human can no longer learn to speak with a machine; instead, a machine learns to engage with a human by analyzing his actions, habits, and behavior in order to become his personal assistant. Artificial intelligence (AI) systems that can arrange a humanmachine interaction (through speech, discourse, gestures, facial expressions, and other means) are becoming more common. One of the most researched and widely used interactions, based on the machine's interpretation of natural human language. Natural Language Processing is used in Voice-Controlled Devices to process the language spoken by the human, interpret the question, process the query, and respond to the person with the result [5]. Understanding the gadget implies that Artificial Intelligence must be incorporated with the device so that it can function smartly and control IoT apps and devices, as well as reply to queries that will search the web for results and process them. In the previous decade, device accuracy has increased dramatically. Machine learning and classifying questions in specific result sets and applying

them in subsequent inquiries might improve the accuracy of the devices. The gadgets may also be programmed to take multilingual commands and reply in the same language as the user.[5]


The author [4] describes a novel approach to smart search. Many people use assistants all over the world. The paper discusses virtual assistant applications that aid in the provision of opportunities for humanity in a variety of domains and the use of virtual assistant technology as a provocation The initial stage of examining the possible function of remote assistants in programming development projects accomplished by virtual groups is discussed in this review article. The visually impaired and physically handicapped will benefit from this. We shall instead see the creation of a fragmented market. It will be a market where, based on the gear purchased, you may be obliged to utilize default AI suppliers [4].


This system [7] is intended for usage on desktop computers. Personal assistant software boosts user productivity by managing mundane chores and giving information from web sources. Voice search is a two-stage search approach in which ASR-generated string candidates are re-scored to find the best matching entry from a potentially massive application-specific database. The virtual assistants of the future will be integrated with Artificial Intelligence, which encompasses Machine Learning, Neural Networks, and so on, as well as IoT. We shall be able to reach new heights with the adoption of these technologies.[7]

This paper [10] will assist in demonstrating that a virtual assistant has been attacked by a third party and will provide a remedy to the problem. Facial Recognition is used to improve the virtual assistant in this case. Using machine learning techniques,[11] the facial recognition system for virtual assistants identifies and recognizes faces. After recognizing their face, users may access the virtual assistant. The notice "unauthenticated person" will show if the individual is a third party. Unauthenticated users can obtain access to virtual help if they have the administer permission. This assistance may only send emails and take notes on personal information for the authorized person. It also shows standard information like the time, date, and weather.

In the future, all electronic devices will be controlled by a virtual assistant, [11] which is simple to use but requires security. The purpose of this research is to provide security for virtual assistants (VA) using facial recognition. Voice instructions can only be accessed by permitted individuals,

2. Department of Mechanical Engineering (A.Y 2021-22)





DESIGN OF MACHINE ELEMENTS

₹475.00





25% Discount Only On eBook Purchase.

Author Name: R.B.Patil.

Edition: First

Pubsiishing Year: 2020

Pages: 388

ISBN:978-93-91496-07-4 Language: English









COMPUTER AIDED ENGINEERING

(Course Code: 302050)

SPECIMEN COPY FOR REVIEW & RECOMMENDATION

Semester VI - Mechanical and Automobile Engineering (Savitribai Phule Pune University)

Strictly as per the New Credit System Syllabus (2019 Course)
Savitribai Phule Pune University w.e.f. academic year 2021-2022

R. B. Patil

M.E. (Mech) (Design Engg.)
Former Professor,

Former Head of Mechanical Engineering Department,

Former Principal,

Army Institute of Technology, Pune, Maharashtra.

Unit V & VI contributed by:

Satish Maniyar

MBA (Operation Research), B.E. (Mech)
ASME Certificated GD&T Expert.
Founder of TECHNOCAD, Nashik,
Maharashtra, India

Unit V & VI Reviewed and contributed by:

Nand Jee Kanu

PhD Pursuing (Mechanical), Sardar Vallabhbhai National Institute of Technology, Surat, Gujarat, Assistant Professor, Department of Mechanical Engineering, JSPM Narhe Technical Campus, Pune, Maharashtra, India





Computer Aided Engineering (302050)

R. B. Patil, Satish Maniyar, Nand Jee Kanu

Semester VI - Mechanical and Automobile Engineering (Savitribai Phule Pune University)

Copyright © by Authors. All rights reserved. No part of this publication may be reproduced, copied, or stored in a retrieval system, distributed or transmitted in any form or by any means, including photocopy, recording, or other electronic or mechanical methods, without the prior written permission of the publisher.

This book is sold subject to the condition that it shall not, by the way of trade or otherwise, be lent, resold, hired out, or otherwise circulated without the publisher's prior written consent in any form of binding or cover other than which it is published and without a similar condition including this condition being imposed on the subsequent purchaser and without limiting the rights under copyright reserved above.

First Printed in India : February 2007 (Pune University)

First Edition : March 2022

Second Revised Edition : February 2023

This edition is for sale in India, Bangladesh, Bhutan, Maldives, Nepal, Pakistan, Sri Lanka and designated countries in South-East Asia. Sale and purchase of this book outside of these countries is unauthorized by the publisher.

ISBN: 978-93-5563-008-7

Published By

TECHKNOWLEDGE PUBLICATIONS

Printed @

37/2, Ashtavinayak Industrial Estate,

Near Pari Company,

Narhe, Pune, Maharashtra State, India.

Pune - 411041

Head Office

B/5, First floor, Maniratna Complex, Taware Colony, Aranyeshwar Corner, Pune - 411 009. Maharashtra State, India

Ph: 91-20-24221234, 91-20-24225678.

Email: info@techknowledgebooks.com,

Website: www.techknowledgebooks.com

Subject Code: 302050

Book Code : PE157B



CAD/CAM

₹325.00

BUY EBOOK

BUY HARDCOPY

25% Discount Only On eBook Purchase.

Author Name: R. B. Patil


Edition : First

Pubslishing Year :

Pages: 300

ISBN: 978-93-90694-44-0

Language: English



SOLID MODELING AND DRAFTING

₹325.00

BUY EBOOK

BUY HARDCOPY

25% Discount Only On eBook Purchase.

Author Name: R. B. Patil, Ganesh J. Pagar, Satish Maniyar

Edition : First

Pubslishing Year :

Pages: 212

ISBN: 978-93-89889-80-2

Language: English

Chapter 3

Oxidation and Tribology of Al2O3-Induced LaTi2Al9O19/YSZ Double Ceramic Layer Coatings:

Pritee Purohit

https://orcid.org/0000-0002-5741-8497

Army Institute of Technology, India

Shashikant Tukaram Vagge

Government College of Engineering, Pune, India

ABSTRACT

In the present work, the alumina-induced thermal barrier coatings with LaTi2Al9O19 (LTA) and yttriastabilized zirconia (YSZ), LTA/YSZ double ceramic layer (DCL) are studied for oxidation and wear tests. Different coatings combinations with varying thickness of LaTi2Al9O19 (LTA) top coat layer are developed using plasma spray method and are tested for isothermal oxidation and wear test. An Alumina layer is induced after the bond coat layer to provide a readily available oxide layer. The activation energy is calculated using the Arrhenius equation. Arrhenius plots are developed using oxidation kinetics. Coatings are tested for wear performance also. The coating combination with a higher thickness of LTA proved best for both oxidation and wear performances. Surface characterization is done using EDS and XRD analysis.

DOI: 10.4018/978-1-7998-9683-8.ch003

doi:10.1088/1757-899X/1128/1/012013

Design Study of an Electric Motorcycle Chassis Obtained using Topology Optimization

Mohammad Irfan Ahmad¹ and Pankaj Dorlikar²

- ¹ PG Student, Department of Mechanical Engineering, Army Institute of Technology, Pune-411015, India
- ² Assistant Professor, Department of Mechanical Engineering, Army Institute of Technology, Pune-411015, India

E-mail: 1 irfanahmad_18987@aitpune.edu.in, 2 pvdorlikar@aitpune.edu.in

Abstract. Rising Carbon emission and associated pollution forcing government of India to make stringent emission norms and policies. Hence, it is need of the hour to switch to alternative fuels such as electricity. About 60% of the petrol consumption in India is attributed to the motorcycles and there hasn't been significant research in the electric mobility in motorcycles. This work is based on study of an electric motorcycle chassis with integrated battery-pack space that has been obtained as a conceptual geometry using topology optimization. The layout of the chassis for this work has been obtained by applying topology optimization on a design domain representing a space obtained on the basis of presently available dimensional measurements of commuter segment motorcycles in India. The chassis has been subjected to linear static and modal analysis for further enhancing the strength, stiffness and natural frequency using the design study approach on critical region.

1. Introduction

Chassis, also known as frame is the support framework that bears static and dynamic loads acting on the vehicle. Its design plays critical role in vehicle performance, rider comfort, steering quality, handling etc. Kurdi et al. used FEM to analyse stresses in truck chassis [1]. They have stressed on predicting fatigue life of the chassis and durability loading in its designing so as to verify safety during its use in real life situations. Also, they have shown that the critically stressed zones in the chassis due to loading must be located using FEM because such regions are the first points of fatigue failure propagation. Jonathan Hastie et al. have studied the front and side impacts and loading due to shock mounts on SAE BAJA vehicle [2]. It helped them in modifying the chassis by adding three key structural components to bear the loading conditions. It was also found out that the design failure occurred in roll over and hence an integrated solution from the beginning could be proposed using the FEA methodology.

Four repetitions of analysis have been studied by Bennett et al. for designing a frame [3]. They applied simple load cases to various frames and the one with highest factor of safety (FOS) was considered for further analysis such as side impact, drop test etc. In order to reaffirm ability of the vehicle to endure extreme loading conditions, Raina et al. have analyzed the frame with considerable

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

Topology Structure Design of Fish-Based Propulsive Mechanisms



Gaikwad Pankaj Manik and Pankaj Dorlikar

Abstract The research presented here has its centre point on imitation of fishes and the kinematics of propulsive mechanisms to be used in efficient and versatile autonomous underwater vehicles (AUVs). Today's AUVs are based on submarine. The paper started with the analysis of topological structural attributes of 4-11 link mechanisms with 1-6 DOFs. Using Hong Sen Yan's creative design theory for mechanical devices, all the possible combinations of propulsive mechanism were synthesized to generate an atlas of 1149 new propulsive mechanisms subject to isomorphism, which will provide more inputs in the design and fabrication of the

Keywords Autonomous underwater vehicle · Mechanisms · Kinematic chains

1 Introduction

Biomimetics is the study of shape of naturally existing biological living beings and their locomotion techniques employed especially for synthesizing similar things by the use of artificial mechanisms which can imitate actual mechanisms Sfakiotakis [1] and Salazar [2]. Fish along with other species like birds are ideal species to mimic. The different types of propulsion methods employed by fishes (see Fig. 1).

The fish swimming propulsion types mentioned above is being used by varieties of fishes in their daily locomotion. Available fish-based swimming propulsion is classified into different types, such as Thunniform, Anguilliform, Carangiform, Ostraciform, Labiform, Amiiform, Diodontiform, Gymnotiform, Rajiform, Balistiform and Tetradonti form. These locomotion techniques are employed by fishes which depend upon their body shape and also in accordance with the habitat in which they

Department of Mechanical Engineering, Army Institute of Technology, Pune 411015, India e-mail: pankajgaikwad_161021@aitpunc.edu.in

P. Dorlikar

e-mail: pvdorlikar@aitpune.edu.in

1055

© Springer Nature Singapore Ptc Ltd. 2022 R. Kumar et al. (eds.), Machines, Mechanism and Robotics, Lecture Notes in Mechanical Engineering, https://doi.org/10.1007/978-981-16-0550-5_101

G. P. Manik (図) · P. Dorlikar

Visit Nature news for the latest coverage and read Springer Nature's statement on the Ukraine conflict



Search Q \rightleftharpoons Log in



Advances in Mechanical and Materials Technology_pp 305–312

Crashworthiness of Bird Inspired Fuselage of Small UAV

Conference paper | First Online: 01 January 2022

353 Accesses

Part of the Lecture Notes in Mechanical Engineering book series (LNME)

Abstract

With the increasing demand for advanced UAVs in the market, high sustainability, reliability, and better workability are the most critical priorities. During UAV operations, accidents are common, leading to

71

1 of 8 3/30/2022, 10:00 AM



SRI SHAKTHI





Approved by AICTE, Affiliated to Anna University, Chennai Autonomous Institution, Accredited by NAAC with "A" Grade

L&T Bypass, Coimbatore - 641 062.

Certificate of Participation

This is to certify that Dr/Mr/Mrs/Ms

Raviraj B. Gurav

Assistant Professor, Department of Mechanical Engineering, Army Institute of Technology, SPPU, Pune

has participated/presented paper entitled "Experimental Analysis on Natural Convection in an Arc Shaped Cavity" at the International Conference on Material Science and Manufacturing Engineering (ICMSME-2021) held at Department of Mechanical Engineering, Sri Shakthi Institute of Engineering and Technology, India on 10th – 11th, December 2021.

ha

Prof. Dr.V.K. Shunmughanaathan Convener From

Prof. Dr. A.R. Ravikumar Principal 12/20/21, 1:16 PM Certificate - ihmtc2021





48th National Conference on

FLUID MECHANICS AND FLUID POWER



(FMFP 2021)

27th – 29th December, 2021, BITS Pilani, Pilani Campus, Rajasthan, India

Sponsored By

/\nsys





Certificate of Participation

This is to certify that *Gaikwad Sanjay Mahadev* has presented a paper *entitled* "*Investigation Of Heat Transfer And Fluid Flow Characteristics In Straight And Divergent Wavy Minichannels With Water As Working Medium*" in the 48th National Conference on FLUID MECHANICS AND FLUID POWER (**FMFP 2021**) held during 27th-29th December at BITS Pilani, Pilani Campus, Rajasthan, India.

m. S. Dasgupas

Prof. M. S. Dasgupta (Chairman, FMFP 2021) J HAraken

Prof. Jaywant H. Arakeri (President, NSFMFP) Sprage

Dr. Suvanjan Bhattacharyya (Organising Secretary, FMFP 2021)



3. Department of Computer Engineering (A.Y 2021-22)

Deep learning-based wildfire detection from satellite imagery

Anant Kaulage¹ and Sagar Rane²

¹Department of Computer Engineering Army Institute of Technology Pune, India. anantkaulage@aitpune.edu.in

²Department of Computer Engineering Army Institute of Technology Pune, India. sagarrane@aitpune.edu.in

Abstract

Hundreds of forest fires burned over 9 million acres of land in 2015, causing millions of dollars in property damage and immeasurable loss and pain to those families affected. Understanding, tracking, and effectively fighting forest fires is crucial in terms of minimising this damage and loss. Using satellite imagery of potentially detected forest fires can greatly aid in this process considering the increased prevalence and severity of wildfires in recent times, the minimisation of response delay has become even more crucial for improved wildfire mitigation. In this paper, we tend to build a 'Satellite Imagery Based Wildfire Detection System' in order to detect the wildfire through a convolutional neural network-based model. The objective is to make a computationally efficient, stable and train the convolutional neural network with the help of the transfer learning method and use a window-based analysis approach to increase the fire detection rate. Using satellite imagery of probably detected forest-fires can greatly aid during this process considering the increased prevalence and severity of wildfires in recent times, the minimisation of response delay has become even more crucial for improved wildfire mitigation.

Keywords: wildfire, satellite imagery, deep learning.

Introduction

Wildfire is hit or miss and uncontrolled fire that burst call at forest naturally or by the act. This fire causes harm to both flora and fauna and should also result in human life loss per annum. There are several cases of wildfire causing severe destruction to nature and human lives. Last year Australia became the victim of a fire which is taken into account as the worst wildfire seen in decades. Over 28 people have died, quite 3000 homes got destroyed. A complete of 17.9 million acres of land got affected which approximately costs \$100 billion dollars. The main cause of forest fires is that they are usually located at remote places, they are unmanaged areas with lots of trees, dry and parching woods and leaves, therefore these things are the source for wildfires. These segments all together form a highly flammable and are the most explanation for initial oxidisation and act as a propellant for later stages of the hearth. The hearth ignition could also be caused by human's unthoughtful behaviours like smoking or accidentally on camp fires or by elemental reasons like heat during a hot summer day. Once oxidisation starts, flammable material can easily act as a catalyst for the fire to spread which then becomes enormous, berserk and outspread. Then this results in prey on adjoining trees as a fuel and therefore the fire flame became more berserk. For

14

Satellite Imagery-Based Wildflre **Detection Using Deep Learning**

Anant Kaulage, Sagar Rane, Sunil Dhore

Army Institute of Technology

CONTENTS

14.1	Introduction to the Proposed Chapter21		
	Literature Review		
	Gaps in the Present Study		
	Proposed System and Algorithm		
	14.4.1 Algorithm	215	
	14.4.1.1 Adam Optimizer In-Depth		
	14.4.1.2 Adam Configuration/Hyper Parameters		
	14.4.1.3 Window/Block-Based Analysis		
	14.4.1.4 Binary Cross-Entropy Loss		
14.5	Detailed Design		
	14.5.1	217	
	14.5.2 Design Diagrams	218	
14.6	Conclusion	220	
Refer	rences	220	

14.1 Introduction to the Proposed Chapter

Wildfire is hit or miss and uncontrolled fire that burst call at forest naturally or by act. Au: Please check this sentence for clarity.

Au: Please check this sentence for clarity. several cases of wildfire, which causes severe destruction to nature and human lives. Last year, Australia became the victim of a fire which is taken into account as the worst wildfire seen in decades. Over 28 people have died, and 3,000 homes got destroyed. A complete 17.9 million acres of land got affected which approximately costs \$100 billion. The main cause of forest fires is that they are located in remote places, they are unmanaged areas with lots of trees, dry and perching woods and leaves, therefore these things are the source of wild-clarity. fires. These sources all together form a highly flammable and are the most explanation for initial oxidization and act as combustible and explosive for later stages of the fireside. The fireside ignition could also be caused by human's unthoughtful behaviors like smoking or accidentally on camp flies or by elemental reasons like heat during a hot summer day. Once oxidization starts, flammable material can easily act as a catalyst for the fire to spread which then becomes enormous, berserk, and outspread. Then this results in prey on adjoining trees as a fuel and therefore the fire flame became more berserk. For the most

DOI: 10.1201/9781003283249-14

213

AR-Powered Computer Science Education

Sagar Rane¹, Anant Kaulage¹, and Sanjeev Wagh²

¹Department of Computer Engineering, Army Institute of Technology, Pune, India ²Department of Information Technology, Government College of Engineering, Karad, India

13.1 Introduction

Regardless of the technologies used, field of the computer science and engineering data structures, and algorithms form the most fundamental part of any computer programming-related course. With programming courses now aimed at younger students, it is important to ensure that these critically important concepts are taught clearly. Since data structures and algorithms play a fundamental role in introductory computer science, this only seems to be the first step in creating a better education system for computer science.

Visual aids have proved themselves useful but the usual two-dimensional (2D) visualization proves to be a limitation in understanding complex structures that occur commonly in the field of data structures. To overcome this problem, this chapter looks at augmented reality (AR) as a possible solution.

This chapter aims to make modern computer science education more interesting and digestible for scholars through the use of AR. We feel that visual learning goes a long way in computer science and helps trigger a better response and understanding from the student. If we use AR to make visualizations of various algorithms, it will help both student and teacher at almost every level; AR is interactive and visually appealing, which will help teachers to explain a concept and students to understand it better [1]. Learners can download the tool from (https://argorithm.github.io/), and after updating their settings using the GitHub manual, they can perform the activities. This will enable the learners to visualize computer science concepts.

13.2 Augmented Reality

For quite some time now, AR has been considered to be the future of visualization. It brings an extra level of depth and appeal when compared to existing visualization.

Cyber Threats

Fears for Industry

Sagar Rane, Garima Devi, and Sanjeev Wagh

CONTENTS

4.1	Introduction	43
	4.1.1 What Is a Cyber Threat?	44
	4.1.2 Classification of Computer Threats and Attacks	45
	4.1.3 Types of Cyber-Attacks	46
	4.1.4 Examples of Online Cyber Security Threats	46
4.2	Motivations and Objectives of Hackers	47
	4.2.1 Emerging Cyber Threats	47
4.3	Cyber Threat Impact Themes	48
4.4	Top Industrial Attacks 2020–2021	50
4.5	Cyber Threat Impact on Industries	50
	4.5.1 The J.P. Morgan Chase Case	51
	4.5.2 The Ashley Madison Case	52
4.6	Short- and Long-Term Effects of Cyber-Attack	52
	4.6.1 Short-Term Effects	52
	4.6.2 Long-Term Effects	53
4.7	Conclusion	53
Refe	References	

4.1 INTRODUCTION

We greatly apologize for starting on a negative note, but 2020 was the worst year. Throughout the year we faced many calamities, some of which were natural and some were man-made. We witnessed an outbreak of the coronavirus, and the whole world was confined to the home. But the world cannot be stopped and it tends to digitalize. Digitalization to this large extent was not planned, and this raises the question of cyber security. It is not true that cyber threats only arose during this pandemic; the world faced a lot of cyber threats even before the pandemic. Cyber-attacks can create failures in government, business, and military equipment; they are very dangerous to a nation's security [1].

DOI: 10.1201/9781003218555-5

Chapter -XXIX

29

AN INTRODUCTION TO AFFECTIVE COMPUTING

Mr. Mahesh Lonare

Assistant Professor

Army Institute of Technology Pune

mblonare@gmail.com

Mrs.Yogita Hambir

Assistant Professor

Army Institute of Technology Pune

yogita.bhavsar@gmail.com

Mr. Kuldeep Anil Hule

Research Scholar at Sage University, Indore and

Assistant Professor

Army Institute of Technology Pune

hulekuldeep@gmail.com

Ms.Priyanka Holkar

Lab Assistant

Army Institute of Technology Pune

holkar462@gmail.com

Association of Global Academicians and Researchers Publications

ISBN: 978-81-950236-1-5



Abstract

Affective computing is currently one of the most active research topics, furthermore, having increasingly intensive attention. This strong interest is driven by a wide spectrum of promising applications in many areas such as virtual reality, smart surveillance, perceptual interface, etc. Affective computing concerns multidisciplinary knowledge background such as psychology, cognitive, physiology and computer sciences. The paper is emphasized on the several issues involved implicitly in the whole interactive feedback loop. Various methods for each issue are discussed in order to examine the state of the art. Finally, some research challenges and future directions are also discussed.

Keywords: Creative+, affective computing, Extraordinary

1 Introduction

Creative+ is another way to say affective computing is the goal human-like skills of incorporating including observation. interpretation, and creation of emotional characteristics computing. It is a crucial issue in order to achieve human-computer interaction harmony, strive to improve the quality of humancomputer interaction to improve the intelligence of the computer, you must first increase communication. Research on emotions and affect has been going on for the past two centuries. Most of the time, "affect" has not been related to inanimate objects and was typically an object of study for psychologists. For the most part, it is relatively new in the recent years that the effect has been introduced trained and packaged by the computer, they were captured and processed.

Association of Global Academicians and Researchers Publications



ISBN: 978-81-950236-1-5

Self-Mining Blockchain Mobile Unified Payment Interface

Kuldeep Hule
Department of Computer Engineering
Army Institute of Technology
Pune, India
hulekuldeep@gmail.com

Arjun Dashrath

Department of Computer Engineering

Army Institute of Technology

Pune, India

arjundashrath@gmail.com

Ashwin Gupta

Department of Computer Engineering

Army Institute of Technology

Pune, India
ashwinarvind1234@gmail.com

Abstract— In the last decade, the blockchain industry has solidified itself as one of the most secure forms of data storage. The emergence of extremely secure cryptocurrencies that have a plethora of advantages over regular internet banking has brought about a revolutionary change in the banking industry. The mobile payment users have skyrocketed with an estimated proximity mobile payment transaction user count of 1.31 billion in 2023. Therefore, there is a need for a cryptocurrency based unified payment interface (UPI) that would grant additional security and improve the transaction process drastically over the existing mobile payment system. We worked out on this aspect and proposed a scheme that would allow mobile devices to mine blocks themselves and generate their own transactions rather than depending on third-party services or bank servers.

Keywords—blockchain, cryptocurrency, mobile payment, banking technology, unified payment interface, SegWit

I. INTRODUCTION

'Digital India'[10] is a leader program of the Government of India that imagines India as a carefully enabled information economy. As India moving towards the cashless so one of the most important way of towards this is by using UPI.

Unified Payment Interface [3], also referred to as UPI, is a system that supports instant transactions between multiple bank accounts using a single mobile platform. Developed in India, systems like UPI are currently only majorly being used in India and China. Some major features of UPI are:

- 1. Instant money transfer from one bank to another through mobile devices
- Use of Virtual Payment Address (VPA) over bank account number.
- 3. Works on both Unstructured Supplementary Service Data (USSD) services and internet
- 4. Additional Security through Signed Intent and QR

The world has seen an increase in the usage of Unified Mobile Payments (UPI) using different mobile based applications in the last few years, more so during the Covid-19 pandemic as most people prefer to make non-contact transactions in stores and deliveries. In India, UPI has recorded a whopping transaction volume of 1000 million transactions in the last year. From paying for cab, food, and clothes to paying in government offices, UPI has found its use in every type of transaction in India. The high usage rate of mobile devices has naturally accelerated the adoption of

mobile payment systems worldwide owing to transactions being easy and convenient to use, being fairly low risk and saving the users from dealing with cash.

Through this paper, we have essentially improved upon the major flaws of the current UPI system and proposed an improved system completely based on blockchain for the world to benefit from.

The following are the flaws in the current UPI system along with our contributed solutions:

- **1.** It involves a centralized system to handle the transactions. Most of the time it is the bank server that processes the transaction requests and carries out the transactions [1]. One of the major flaws is the huge delay in transactions or a frequent occurrence of failed transactions when the bank servers are down/slow that result in delayed payments and loss of funds. The system that we have proposed is completely decentralized over multiple bank servers and mobile devices that distribute the transaction ability to everyone, rather than a single body. Furthermore, we have worked on giving mobile devices the ability to mine their own blocks in their own blockchains to carry out transactions. This reduces a great amount of dependence on a centralized computer to carry out the transactions over the cloud and gives the users the advantage of using their own computational power and thereby making them self-reliant.
- **2.** When the bank servers are down/slow, another issue which occurs is that the transaction amount is stuck in between the bank servers and the receiver does not get the money even after the money has been deducted from the sender's account. Due to issues in the central server, completed transactions may not be marked complete immediately and this causes ambiguity between the sender and the receiver in real time as to if the transaction has been successful or not. This ambiguity can always lead to multiple transactions being made by the sender due to the lack of a payment confirmation. Since our proposed system processes transactions locally on the device, the confirmation of the transaction is given immediately to the user as soon as a transaction takes place thereby eliminating uncertainty of transaction completion.
- **3.** International money transfer is not possible in the current UPI system. UPI currently works only if the



A Unit of KAAV Media Pvt,Ltd, Delhi II CIN: U22100DL203PTC262866 GSTIN: 07AAFCB8069E1ZL

Mayur Vihar Phase 3, Delhi-96

Book DOI: https://doi.org/10.52458/9789391842567.2022.EB

ISBN: 978-93-91842-56-7

Date of Issue: 21/03/2022

Year: 2022

Certificate of Book Chapter Publication

Chapter Title

"ONE CLICK QUESTION BANK GENERATOR SYSTEM USING WEB SCRAPING"

Author (s)

¹Prof. KULDEEP HULE, Assistant Professor, Department of Computer Engineering, Army Institute of Technology, Pune, India ²AKASH PATHAK, ³ASHISH ALHAWAT, ⁴SHARDUL PALHANIA,



Editors: Dr. K. Ganesh, Dr. B. A. Lakhani, Dr. Ramesh Kumar, Dr. Pooja Kulkarni is therefore Published in Edited Book

Titled: "E-Learning Management- A Modern Approach to Digital India & Challenges in 21st Century"

All Rights Reserved By KAAV Publications Delhi

Websites: www.kaavpublications.org, www.kaav.org Phone: 011 43025144



Load Balancing in Specific IOT Systems

Sagar Vats

Computer Engineering Department,
Army Institute of Technology
Pune-411015, India
sagarsharma_17221@aitpune.edu.in

Sunil Chandra

Computer Engineering Department,

Army Institute of Technology

Pune-411015, India

sunilchandra17240@aitpune.edu.in

Yachana Kumari
Computer Engineering Department,
Army Institute of Technology
Pune-411015, India
cyachana@gmail.com

Sushma Shirke

Computer Engineering Department,

Army Institute of Technology

Pune-411015, India

sshirke@aitpune.edu.in

Tushar Singh

Computer Engineering Department,

Army Institute of Technology

Pune-411015, India

tusharsingh 17287@aitpune.edu.in

Abstract- Load balancing is done to distribute network traffic across different servers efficiently using specific techniques, ensuring maximum speed, resource utilization and preventing overloading of any particular server. As in case of Data Streaming IOT systems, we can determine the frequency of traffic coming to our servers beforehand, static algorithms are good for such systems but they suffer from few drawbacks like uneven distribution of load among servers and requirement of dedicated hardware for load balancing. Here we have proposed a new hybrid approach for balancing the load on IOT Applications where we are already aware of the incoming traffic to our system from a specific device in a specified interval. We have found that static algorithms work better than dynamic algorithms for certain applications, so we have tried to combine features of dynamic load balancing with static to achieve optimum performance on various parameters. We propose this approach because it is easy to implement and its performance is very comparable to dynamic algorithms considering desirable features of both have been used to create the algorithm and minimize the drawbacks.

Keywords- Load Balancing; Dynamic; Static; IOT; Hybrid; Multiple Servers; Cloud Computing

I. INTRODUCTION

With the surge in the number of users, the quantity of data being processed in server systems has become massive. Since the requests of the clients can be random, therefore the load on each node may also vary and some of them may get overloaded hampering the performance while some might not get used at all. Therefore, some kind of mechanism for evenly distributing the load is needed to ensure that the available computing resources are distributed for the proper utilization of the resources and to ensure that the system doesn't go down due to excessive traffic. Such a mechanism is called Load Balancing. To ensure an efficient, reliable and optimum system irrespective of flow of traffic, load balancing is done to distribute the tasks and traffic on available servers in the best way possible. Objective of load balancer is to render service even if any of the components of the service fails, with optimal utilization of the available resources. It also focuses on minimizing the response time for incoming load and to improve the way resources are used, which further enhances system's efficiency at an affordable cost. Load balancing also

helps in making systems scalable and flexible and also provides priority based execution of jobs if required.

Load balancing algorithms are comprehensively classified in two kinds: Static algorithms and Dynamic algorithms. In static scheduling algorithms, the allocation of tasks to the processing units is done before the execution of the program begins and these methods are non-preemptive in nature. The objective of a static scheduling method is to diminish the overall time required for execution as much as possible. Dynamic load balancing algorithms, whereas, is based on the distribution of incoming load among the processors during the run time of the algorithm. This is possible by relegating tasks to the lightly loaded servers from the heavily loaded ones. It is especially useful when the requirements of clients are unknown beforehand and the primary objective of these algorithms is the maximization of the resource utilization. The significant downside of the dynamic load balancing algorithms is that it incorporates huge runtime overheads caused by sharing information about load among the processors, long decision making processes being done for the selection and the communication delays arising because of load distribution and allocation.

There is a need for mapping the work load properly and the load balancing techniques should also consider different metrics. Literature survey of existing algorithms in this domain has been presented based on performance metrics and our own proposed algorithm is discussed which is a combination of static and dynamic algorithms along with trigger and error handling mechanism in our proposed system.

TABLE I. LIST OF ABBREVIATIONS USED IN THE PAPER.

Abbreviation	Fullname
NL	New Load
CS	Current Serverless
TL	Total Load
N	Load on serverless
AL	Average Load
ASTD	Allowed Standard Deviation
NR	New Serveless Requirement

Emerging Trends in Engineering and Management Sciences

Pune, Maharashtra, 23rd - 24th, July 2021

Improvement in video object detection methods using classification

Sita Yadav, Research Scholar, PCCOE, Pune

Dr. Sandeep M. Chaware, Professor, MMCOE, Pune

Abstract:--

In the field of computer vision, object detection from the video sequences is an interest point for many vision based application like, video surveillance, traffic controlling, action recognition, driverless cars and robotics etc. The task of object detection includes localization and classification. From video frames data is extracted to predict the objects in which task of drawing a bounding box around one or more objects is called localization and task of assigning label is classification. The object detection from video sequences can be feature based, template based, classifier based and motion based. Current paper focus on factors involve in classification improvement for object detection. The experimentation is done using CIFAR 100, Pascal and COCO dataset, it is observed that the accuracy of CNN changes with change in training data and epochs. The CNN used as image classifier with Keras. The experimentation proved that there is linear relation between the training data and accuracy of classifier.

Key words:

Object detection, Deep Learning, Classification

ICETEMS-21 ISBN: 979-8-5412-2027-8

84 Page | 105

An Organized Study of Congestion Control Approaches in Wireless Sensor Networks

1

Savita Jadhav¹ and Sangeeta Jadhav²

¹Department of E & TC Engineering, Dr. D. Y. Patil Institute of Technology, Pune ²Department of IT Engineering, Army Institute of Technology, Dighi Hills, Pune

1.1 INTRODUCTION

Wireless Sensor Networks (WSNs) find applications in intelligent homes, transportation services, precise agriculture production, environment, habitat surveillance, smart industries, structures, critical military missions, and disaster management [1]. The sensor network supervises and tracks an environment by sensing all the available physical parameters. The various challenges arising during use of WSNs are energy-aware clustering, node deployment, localization, dynamic topology, congestion control, power management, and data aggregation.

Congestion occurs when a packet appearance rate outstrips packet convenience rate [2]. The congestion arises in sensor network due to deterioration of radio link quality, multiple data transmissions over the links, fickle traffic densities, unpredictable and irregular links, and biased data rates. Hence comprehensive analysis of network congestion and local contention is required to attain maximum link usage, to increase network lifetime, to provide fairness among flows, to decrease data loss due to buffer overflow, and to diminish overhead on the network.

Congestion is broadly classified into two types—packet-based and location-based congestions, as shown in Figure 1.1. Packet-based congestion is further divided into two categories. Node-level congestion: This occurs when input load goes beyond the existing capacity, resulting in node buffer overflow. Consequently, the rate of packet service is smaller than the rate of packet arrival, which leads to increase in loss of packet and power wastage. Link-level congestion: This arises when multiple nodes use the same wireless channel, resulting in packet collision. Location-based congestion is classified into three types. First is source congestion: In this case, during the ongoing events the sensor nodes covering the same sensing field sense the event spot simultaneously. All the nodes in that

Keyword spotting in historical document collections withoutsegmentation using the Siamese Network

Ashwini Sapkal, Chhavi, Shashank Sharma, Pradeep Kumar and Sachin Yadav

Department of Information Technology, Army Institute of Technology, Pune, India E-mail: asapkal@aitpune.edu.in chhavimalik_17454@aitpune.edu.in, shashanksharma_17331@aitpune.edu.in pradeepkumar_17332@aitpune.edu.in sachinyadav_17352@aitpune.edu.in

Abstract :- Keyword spotting is the method of estimating whether the text query occurs in the document or not. The query- by-example model is used in this paper to present an efficient segmentation-free keyword spotting approach that can be applied in historical document collections. For image de-noising and binarization, we use an autoencoder network in our approach. We are using a patch-based system to create patches for the binarized image, followed by a Siamese network. To determine the degree of similarity between two input word images, a Siamese network employs two identical convolutional networks. Once trained, the network can detect not only words from different writing styles and contexts, but also words that are not in the training set. The method proposed is evaluated on the Bengali Handwritten dataset.

Index Terms-Historical documents; Keyword spotting; Segmentation-free; Autoencoder; Siamese Convolutional net-work; Deep learning.

I. INTRODUCTION

Libraries and archives worldwide are digitizing their collections so as to succeed in a bigger audience in today's world. Making handwritten texts searchable and browseable will be extremely beneficial to both researchers and also the general public. Manual searching is often very hectic. Its like looking for a needle in a haystack. As a result, an Efficient search in digital records may be a must for retrieving information. Due to the deterioration of historical documents and variations in styles, using OCR (Optical Character Recognition) is inefficient for manuscripts. Word spotting is an effective method for gaining access to the contents of historical documents.

In this context, this paper proposes a de-noising method and binarization of the document image using an autoencoder network, which is a network of convolution and deconvolution layers. Once the image is binarized, patches are created for the images and using a query-by-example paradigm, we search for our query word in these patches using a convolutional siamese network.

The Siamese network will compare two input images and rate their similarity. The network will generalize to predict words from a vocabulary after being conditioned to learn image representations in a supervised manner. The results of the Bengali handwritten dataset are highly comparable to the related work.

II. RELATED WORK

Retrieval based on recognition may be done at the word or character stage. OCR stands for optical character recognition and has no restrictions on vocabulary. Character recognition in historical documents has been successful even with a limited vocabulary. Methods based on recognition frequently rely on neural network [1], and Markov model [2] learning models. Manmatha et al. coined the term "word spotting" [3] to describe OCR-free retrieval. It determines if two given words are identical to recognize a word. It accomplishes this by segmenting the words from the document images and then using pairwise distance calculations to match each word against all of the other word images. This matching can be done pixel by pixel or feature by feature [4].

Pixel by pixel matching is a technique for pixel-by-pixel comparison of two images using Euclidean distance mapping [4], Mean Squared Error(SSD) [4] or the XORing method [4]. Feature-based matching deals with extracting image features and comparing these features using Dynamic Time Wrapping, Scott and Longuet-Higgins (SLH) algorithm [5] or corner feature correspondence algorithm (CORR) [5]. Feature-based matching outperforms pixels-by-pixel matching in general, and Dynamic Time Wrapping outperforms all of these algorithms in particular.

Image features in word spotting applications are classified into two types: global and local features.

The height, width, aspect ratio, moments of black pixel distribution, and number of foreground pixels are all global features. [6]

Ukraine: visit Nature news for the latest coverage and click here for Springer Nature's statement



Comparative Study of Low-Energy Adaptive Clustering Hierarchy Protocols

Futuristic Communication and Network Technologies pp 325-339 | Cite as

Conference paper

First Online: 12 October 2021



Downloads

Part of the <u>Lecture Notes in Electrical Engineering</u> book series (LNEE, volume 792)

Abstract

The wireless sensor networks are composed of miniature power sensors that reach in remote regions. Sensors are alienated into diverse clusters. Among the randomly deployed cluster, one node is elected as cluster head (CH) and all other nodes act as member nodes (MNs) of that cluster. The foremost purpose of cluster head is to aggregate the sensed data from the member nodes to the sink node. Energy expenditure is a vital challenge in WSN as the sensor nodes are equipped with the batteries that are not replaceable. This paper put forward a relative revision of the LEACH protocols for wireless sensor network. The study starts with the review of preceding surveys of LEACH-based protocols. The assessment is carried out on the basis of use of location information, energy efficiency, hop count, base station centralized control, work distributed, self-organization and scalability. Further advantages and disadvantages of these protocols are also mentioned.

Keywords

LEACH EE-LEACH C-LEACH WSN

This is a preview of subscription content, <u>log in</u> to check access.

References

- Singh S, Kumar P, Singh J (2017) A survey on successors of LEACH protocol. IEEE Access 5:4298-4328
 CrossRef (https://doi.org/10.1109/ACCESS.2017.2666082)
 Google Scholar (http://scholar.google.com/scholar_lookup?
 title=A%20survey%20on%20successors%20of%20LEACH%20protocol&author=S.%20Singh&author=P.%20K
 umar&author=J.%20Singh&journal=IEEEE%20Access&volume=5&pages=4298-4328&publication_year=2017)
- Maurya P, Kaur A (2016) A survey on descendants of LEACH protocol. Int J Inf Eng Electron Bus 8:46–58
 <u>Google Scholar (http://scholar.google.com/scholar_lookup?</u>
 title=A%20survey%20on%20descendants%20of%20LEACH%20protocol&author=P.%20Maurya&author=A.%
 20Kaur&journal=Int%20J%20Inf%20Eng%20Electron%20Bus&volume=8&pages=46 58&publication_year=2016)
- 3. Arora V, Sharma V, Sachdeva MA (2016) Survey on LEACH and other's routing protocols in wireless sensor network. Int J Light Electron Opt 127:6590–6600

 CrossRef (https://doi.org/10.1016/j.ijleo.2016.04.041)

A Multiple Stage Deep Learning Model for NID in MANETs

Nilesh P. Sable

JSPM's Imperial College of Engineering & Research,
Wagholi, Pune, India
Savitribai Phule Pune University, Pune, India
drsablenilesh@gmail.com

Parikshit N. Mahalle
Bansilal Ramnath Agarwal Charitable Trust's
Vishwakarma Institute of Information Technology, Pune
Savitribai Phule Pune University, Pune, India
aalborg.pnm@gmail.com

Vijay U. Rathod

JSPM's Imperial College of Engineering & Research,
Wagholi, Pune, India
Savitribai Phule Pune University, Pune, India
vijay.rathod25bel@gmail.com.

Dipika R. Birari

Army Institute of Technology

Dighi, Pune

Savitribai Phule Pune University, Pune, India
dipikabirari001@gmail.com

Abstract - A MANET is an entirely devoid-of-infrastructure network. This network is made up of nodes that randomly move around. Since MANET has no central supervision, it can be formed anywhere using randomly moving nodes. This network faces numerous security issues as a result of MANET's vulnerable behaviour. There are numerous security threats to MANET that do not have a solution. It is also difficult to detect these issues. Some security threats are extremely serious. These threats have the potential to bring the network to its knees. Researchers are attempting to determine how to respond to these threats. The NID system is an important tool for protecting MANETs from vulnerabilities and malicious activities. A slew of new techniques have recently been demonstrated; however, due to the continuous launch of the various threats that existing systems are unable to detect, these techniques face significant challenges. The authors have proposed two stage deep learning (TSDL) model in this publication. For efficient NID, a stacked auto-encoder (SAE) with a softmax classifier (SMC) is used. There are two decisive phases in the model: A first phase in the system traffic classification process that uses a possibility score value to determine whether system movement is regular or irregular. This is then used as a bonus feature during the last stage of the decision-making process. Both the normal state and various types of attacks are to be detected, the suggested framework can automatically and efficiently gain knowledge and categories of beneficial feature representations from large amounts of unlabelled data.

Index Terms - NID, Stacked Auto-encoder, MANETs, Two-Stage Deep Learning Model, SVM

I. INTRODUCTION

We are living in an era of technological advancement. In today's world, MANET is one of the most advanced technologies. It has simplified a lot of non-viable tasks for us. MANETs are self-organizing systems of mobile nodes. A MANET is a network of mobile nodes that communicate via radio waves. There are numerous security issues in MANET. Such as packet dropping attacks, data traffic attacks, black-hole attacks, jellyfish attacks, control traffic attacks, and so on. We have concentrated on two critical security attacks on MANETs: the Black-hole attack and the Jellyfish attack. Both of these attacks are highly hazardous to the MANET and can result in a

significant security disaster in any confidential work, which is being carried out with the assistance of the MANET.

MANETs are being used in a wide range of arenas and applications, so network security becomes more and more essential. Several organizations use traditional intrusion detection techniques to safeguard against malicious activities, such as firewalls, anti-spam strategies, antivirus, and so on. Unfortunately, these systems are unable to identify the latest technological attacks. NIDSs are a new type of security system that monitors network activity and detects malicious activities. They're now widely regarded as effective defensive tools that can fend off even the most sophisticated attacks and threats.




Fig. 1. Overall Scenario in the MANETs

Approaches for detecting network intrusions face a number of glitches and challenges in effectively detecting anomalies. The first difficulty has to do with the wide range of mischievous attacks and intimidations. Current intrusion detection methods are unable to keep up with the evolving cyber threat landscape and the appearance of new threats. As a result, many businesses have difficulty achieving high detection rates or reducing false alarms. The second challenge is that conventional NID machine learning methods have a number of flaws. Overfitting and high bias due to irrelevant or redundant features, as well as an unbalanced network traffic class distribution, are just a few examples.

The third issue is the difficulty of labelling the traffic dataset in order to develop a NIDS. To produce such labelled

Image Retrieval through sketches based on Descriptor with Data Retrieval using Reversibility Method

Dipika Birari
Research Scholor, Depaertment of
Computer Enigeneering
Pacific Academy of Higher Education
and Research University
Udaipur, India
dipikabirari001@gmail.com

Dilendra Hiran
Department of Computer Application
Pacific Institute of Computer
Application
Udaipur, India
sigmapawan72@gmail.com

Vaibhav Narawade
Department of Computer Engineering
Ramrao Adik Institute of Technology
Navi Mumbai, India
vnarawade@gmail.com

Abstract—The various analysis of Image retrieval makes the Query by sketches as an important branch of image retrieval. It also acts as supplementary to Content Based Image Retrieval. Whereas Sketch based image retrieval plays a vital role in critical applications like military and crime systems, as accuracy becomes the major factor. Here loss can be any data or information hidden in images. The data hiding technique uses reversibility to extract the data, as well as the real images, which can be extracted from sketches. The message embedding and extracting process uses all 3 color channels and a difference histogram. The proposed work of SBIR adopts different processes like pre-processing for extraction of strong edges, feature extraction by descriptor, and constraint's application for the selection of shaping edges. In the proposed work, the framework will significantly improve the SBIDR performance by exploring the method: Image Retrieval with Data Retrieval simultaneously.

Keywords—grayscale, color images, edge extraction, descriptor generation, data hiding, data extraction, feature extraction.

I. INTRODUCTION

Image retrieval is a traditional and very common method of searching the images from a huge Image Database. Different Image Retrieval techniques have been developed by scientists and researchers. The retrieval of images has some variations in the retrieval system like query by image content, named as CBIR (Content Based Image Retrieval). CBIR analyses the image content like its shape, texture, color, etc., rather than the traditional Metadata Searching. The term "Metadata" in this context might refer to tags, keywords or any other description of image; such systems are known as Text Based Image Retrieval (TBIR). The limitations to the scope of queries still exist with the use of keywords.

Query by freehand sketches is introduced and nowadays it is a very emerging trend of image searching named as Sketch Based Image Retrieval (SBIR). In SBIR, queries are given as sketches to search real and color images from the database. The highlighted part of such a system is that "Pictures are more expressive and representable" as compared to keyword based search. Apart from this, the freehand sketches make the image searching more powerful in every means. With this consideration, wide research is going on SBIR with its application in military and crime investigation purposes. As the sketches are represented with Black and White colors & other comparable images are colorful, the grayscale invariance becomes incredibly

important while searching an image using sketches. This paper emphasis on the assimilation of data and image retrieval with its grayscale invariance.

II. RELATED WORK

A system that carries out searching, navigating and fetching of images from a enormous database of digital images or text is popularly know as Image Retrieval System. Evolutionary growth in Image retrieval starts from Text Based Image Retrieval (TBIR), where text or keyword plays a crucial part in the retrieval system. It is purely built on the textual description of images and to carry out retrieval, it is solely depends on the annotation of words. A process of Addition of metadata like captions, keywords, descriptions or tags to the images is nothhing but annotation. Searching the images by metadata only; is not sufficient due to the limitations on the feature description by keywords or text. It leads to the next generation of Image Retrieval termed as Content Based Image retrieval.

Images containing compound background incorporate with a diversity of pictorial aspects and therefore CBIR utilizaes different feature descriptors to show the pictorial aspects of images. The descriptor is invariable to image transformations like rotation, scaling and illumination changes. Descriptors are categorized in two descriptors according to their extraction methods as Global descriptor and Local Descriptor. Local descriptors are extracted from a part of an image and global descriptors are derived from the visual content of full image; both are called as RBIR and GCBIR respectively. These descriptors represent the color, texture, shape etc. of an image. Both TBIR and SBIR are very user instinctive and limited due to large time consumption. The most expressive and interactive way of Image retrieval came into picture named as Sketch Based Image Retrieval (SBIR), in which images are explored by query sketches. The Sketch depicts the freehand drawing of something that can be an object or any imagination. The real life images have various aspects like color, shape, texture, gradient, size etc. and sketches are informative in shapes. So CBIR cannot be inherited here to bridge such a large presentation gap in between sketches and real images.

One of the approaches of image retrieval is Patch Hashing [3], which segregates an image in the overlying parts named as patches and computes a Histogram of Gradients (HoG) feature descriptor for each and every extracted patch. This methodology develops a system to

SPPU

Third Year (T.E.) Degree Course In **COMPUTER ENGINEERING (Semester - VI)**


ARTIFICIAL INTELLIGENCE

Dr. Mrs. ASHWINI C. BOKHARE Mrs. VAISHALI S. INGALE



- Model Question Papers For Practice (Mid Sem-30 Marks & End Sem- 70 Marks)
- MCQ's with Answers
- www.pragationline.com
- niralipune@pragationline.com
- www.facebook.com/niralibooks/
- @nirali.prakashan







CERTIFICATE

OF PARTICIPATION

3rd International Conference on Communication and Information Processing ICCIP-2021 (26th - 27th, June 2021)

THIS CERTIFICATE IS AWARDED TO

Rupali Bagate

FOR PRESENTING A PAPER ENTITLED

Survey Paper of the state of Sarcasm Detection and Explainable AI

held at Nutan College of Engineering and Research (NCER), Talegaon Dabhade, Pune affiliated to Dr. Babasaheb Ambedkar Technological University (DBATU), Lonere, During 26-27 June,2021

Dr. Aparna Pande (Program Chair)

Dr. Lalitkumar Wadhwa

Dr. Girish Desai

NUTAN COLLEGE OF ENGINEERING AND RESEARCH, PUNE, INDIA





CERTIFICATE

OF PARTICIPATION

This certificate is proudly presented to

Mr. G M Walunjkar

in oral and technical presentation, recognition and appreciation of research contributions to

4TH INTERNATIONAL 24 NOVEMBER EDUCATION AND INNOVATIVE SCIENCES SYMPOSIUM held on November 24, 2021 / Ankara, Turkey

with the paper entitled

PLM Enhancement Development Portal



Prof. Dr. Mustafa TALAS Chairman of The Organizing Board





CERTIFICATE

OF PARTICIPATION

This certificate is proudly presented to

Mr. G M Walunjkar

in oral and technical presentation, recognition and appreciation of research contributions to

4TH INTERNATIONAL 24 NOVEMBER EDUCATION AND INNOVATIVE SCIENCES SYMPOSIUM held on November 24, 2021 / Ankara, Turkey

with the paper entitled

PLM Enhancement Development Portal



Prof. Dr. Mustafa TALAS Chairman of The Organizing Board






CERTIFICATEOF PARTICIPATION





Rahul Desai

in oral and technical presentation, recognition and appreciation of research contributions to



with the paper entitled

ANALYSIS OF ROUTING PROTOCOLS FOR WIRELESS NETWORKS



Assoc. Prof. Dr. Sevda KOÇ AKRAN Chairman of The Organizing Board











5th International Conference on

ICACIE Advanced Computing and Intelligent Engineering ICACIE 2021



Certificate of Participation

This certificate is awarded to

Aman Singh

for presenting the paper titled

Survey on Accent Correction and Region Prediction authored by

Rupali Bagate, Aparna Joshi, Narendra Kumar Yadav, Aman Singh, Gaurav Singh Dhek, and Naincy Rathore

> in 6th International Conference of Advanced Computing and Intelligent Engineering (ICACIE 202fi), conducted virtually during 23rd & 24th December 202fi, organized by Bhubaneswar Institute of Technology, Bhubaneswar, India.



Organizing Co-chair





1 Implementation of Predictive OEE (POEE): System engineering approach

Ms. Pranita Bhosale¹ and Dr. Sangeeta Jadhav²

¹Department of E and TC Engineering, Dr. D. Y. Patil Institute of Technology, Pimpri-ChinchwadPune, India. pranita.bhosale29@gmail.com, 0000-0001-6796-0872.

²Department of IT EngineeringArmy Institute of Technology, Dighi Hills, Pune, India. hodit@aitpune.edu.in, 0000-0002-0610-0374.

Abstract

Due to the era of Industry 4.0, the management of various manufacturing companies tries to be a competitor. They always look for possibilities to improve the assembly line system. To fulfil the special requirements of the manufacturing industries is necessary to adapt new tools. With time a new tool has evolved named Overall Equipment Effectiveness (OEE). OEE applied after data analysis to improve the productivity in manufacturing plants. Productivity can increase through faster decision-making, faster response, and faster problem resolution techniques. Hence, it takes important consideration of OEE within various manufacturing processes. Corporates are very likely towards taking vast advantages from OEE monitoring. This paper was reviewed through many illustrative case studies. The case studies are based on the environment of OEE. A case study has been implemented using Matlab (MATLAB stands for MATrix LABoratory) and results showed insufficient improvements in manufacturing structures with existing OEE practices. The manufacturing frameworks have provided their guidelines, rules and regulations. Various methodologies do not take their full advantages. The renewal of an integrated OEE structure is necessary. That can remove key obstacles from the OEE structure improvements in manufacturing frameworks.

Keywords: total productive maintenance, overall equipment effectiveness.

Introduction

The economic revolution has considered being a pandemic change. Nowadays the information exchange in manufacturing industries became a vital part of digital transformation. This revolution in the era has been named as Industry Evolution 4.0. To change the economy, work, and society, Industry 4.0 is a crucial part of the manufacturing sector. On the basis of Industry 4.0, manufacturing industries have taken a step towards knowledgeable automation as well as in data exchanges [1]. Industry 4.0 can be driven by the use of IoT that has led the way to a pandemic shift in wireless communication [2, 3]. Now there is a possible communication not only in Human–Machine interaction but also a machine can communicate with other machines [4]. This led to the new way to the appearance of automation.

It is proven by several researchers that maintenance plays a crucial role to boost production performance [5]. Maintenance 4.0 is nothing but maintenance with the help of Industry 4.0 techniques, comes with new techniques that will fulfil all the necessary demands [6]. The current maintenance techniques have their own benefits and

3 An insight on methodologies used for predictive machine health monitoring: A review

Ms. Pranita Bhosale¹ and Dr. Sangeeta Jadhav²

¹Department of E & TC Engineering, Dr. D. Y. Patil Institute of Technology, Pimpri-Chinchwad, Pune, India. pranita.bhosale29@gmail.com, 0000-0001-6796-0872.

²Department of IT Engineering, Army Institute of Technology, Dighi Hills, Pune, India. hodit@aitpune.edu.in, 0000-0002-0610-0374.

Abstract

Many standards related to new technologies have already been published, existed and presented by different researchers, institutions and countries. The prominent technologies are not yet introduced in the environment of smart manufacturing, or within the environment of the 4th Industrial Evolution. Hence, it's absolutely obligatory to look forward to technologies in predictive maintenance (PdM). Machine health monitoring (MHM) and PdM with much greater importance. We created a fast review on the basis of the information and the method used for data analysis. Literature study of machine learning (ML) and deep learning (DL) discussed from more than 100 papers. These approaches are applied to various industrial systems equipment. Hence, with this review study, we have tried to describe all the approaches. Discussion is based on the theoretical as well as practical approaches of an intelligent MHM and PdM system. Without a doubt, DL can have a big impact. That impact helps in upgrading manufacturing firms.

Keywords: Industry 4.0, internet of things (IoT), machine health monitoring (MHM), predictive maintenance (PdM), computer algorithms.

Introduction

The world is now highly competitive. Manufacturing industries embrace a replacement strategy. That strategy will help to enlarge product contribution. And also to suggest increasing in customised products. The appliance of strategy drives businesses to rework manufacturing production line systems. That will be a far more adaptable, flexible and sprightly manufacturing system. There are fortune solutions available for factories to survive for the longer term.

The solutions are applicable for upcoming challenges [1–5]. These solutions are smart manufacturing systems and 4th Industrial Evolution. These production line systems were introduced since the 4th Technological Revolution. Thirty years ago, computers were introduced all over the environment. The use of digitalisation allowed possession of decentralised decisions. Besides, it was not implemented at the time. This

4 Support vector clustering for face-based emotion predictions

Dipti Pandit¹ and Dr. Sangeeta Jadhav²

¹Department of Electronics and Telecommunication, Vishwakarma Institute of Information Technology, D Y Patil College of Engineering, Pune, India. dipti.pandit@viit.ac.in

²Department of Information Technology, Army Institute of Technology, Pune, India. hodit@aitpune.edu

Abstract

A person's face is an extremely essential biometric trait. Automatic recognition and analysis of face-based emotions in the field of research have initiated great inquisitiveness. A human face is multi-faceted, multi-dimensional, and contains a variety of important visual messages. The lack of unique classifiers for individuals due to the lack of dataset remains a big challenge. The performance of several classifier techniques like SVC and single-layer neural network, with principal component analysis (PCA) used for dimensional reduction in the paper using F1 score, is evaluated using labelled faces from the wild dataset. The ratio 70/30 of the train and test set requires less time for execution as well as a number of iterations.

Keywords: face-based emotion, MLP, SVC, PCA, LFW dataset.

Introduction

A person's face is an extremely essential biometric trait. Automatic recognising and analysing of the face is one of the challenging tasks in object recognition which is used in human–computer interaction applications. Computer vision systems are becoming increasingly crucial in our lives as Human–Computer Interaction (HCI) evolves. Gender detection, face recognition, facial expression, body tracking, and ethnicity identification are some of the most common computer vision applications. In larger datasets, automated data analysis approaches to aid in the discovery of regularities and hidden relationships. Human facial emotions play a vital role in behavioural communication, which can be verbal or non-verbal [1] way. While communicating only 7% of the message is contributed by verbal part, 38% by vocal part and 55% is the contribution by facial expression. Social signal processing and behaviour-medics are some of the applications of automatic analysis and synthesis of facial expression and emotion detection. By using facial expression and emotion detection one will be able to enhance small expressions which can be missed by normal vision.

Moreover, enhancement in computer vision facial emotion detection and prediction can help in applications like driver state surveillance, personalised learning, health monitoring for studying the state of mind at a faster rate. Many potential applications for facial expression recognition exist, including the identification of psychological diseases, communal communication, understanding human deeds [2, 3]. The image resolutions, age factor, gender, light effects and the intensity of any expression define

6 Transfer learning approach for multi-disease classification using chest X-ray images

Dr Sangeeta Jadhav¹, Vishal Savade², Wagh Shubham Sharad³, Sunit Kumar Jena⁴, and Vivek Kumar Ray⁵

¹Prof and Head of Information Technology Army Institute of Technology, Pune, India, hodit@aitpune.edu.in

²Information Technology Army Institute of Technology Pune, India, vishalsavade 18966@ aitpune.edu.in

³Information Technology Army Institute of Technology Pune, India shubhamwagh 18962@aitpune.edu.in

⁴Information Technology Army Institute of Technology Pune, India, sunitjena 17376@ aitpune.edu.in

 5 Information Technology Army Institute of Technology Pune, India, vivekkumar 17478@ aitpune.edu.in

Abstract

A large portion of deaths in the world is caused by thorax diseases. They are caused by fungi, bacteria and viruses. Radiologists find it hard to identify the disease just by seeing the X-ray images as a patient may have multiple diseases which may be overlapped over other diseases. The main aim of this study is to help radiologists to detect the disease with the probability of other diseases. We proposed the architecture of a deep learning (DL) model which is used for identifying the thorax diseases using the transfer learning model which would reduce the vast time and model complexity. National Institute of Health Chest X-ray dataset is used for image pre-processing which contains more than 1 lakh images of around 30,000 unique patients with 14 different types of thorax diseases, downscaled to 256*256*3 which are further augmented and fed to different neural network models pre-trained on ImageNet dataset. We prepared three different models DenseNet121, MobileNet, and InceptionV3, and we analysed the performance. We used an ensemble model - voting classifier, for combining the output from all pre-trained models. A voting classifier model named soft voting is used which gets trained on a group of numerous models, here three models. The outputs of all neural networks which are pre-trained are summed into a prediction vector by taking the mean of probabilities of all the three models and it then outputs the majority of three diseases probabilities into the final prediction vector associated with that X-ray image.

Keywords: ImageNet, DenseNet121, InceptionV2, MobileNet, ensemble model, voting classifier.

Introduction

In a year 450 million people get infected by respiratory diseases out of which 4 million people die from the disease [1]. There are quite 50 million folks who struggle with respiratory organ diseases. The respiratory organ which is vital viscous is most

18 KACO: k-mean clustering and ACO-based data transmission in wireless sensor networks

Mrs. Savita Jadhav¹ and Dr. Sangeeta Jadhav²

¹Department of E & TC Engineering, Dr. D. Y. Patil Institute of Technology, Pimpri, Pune, India. savitasjadhav28@gmail.com, ORCID ID: 0000-0002-3244-6280

²Department of IT Engineering, Army Institute of Technology, Dighi Hills, Pune, India. djsangeeta@rediffmail.com ORCID ID: 0000-0002-0610-0374

Abstract

A wireless sensor network (WSN) is an assortment of sensor nodes proficient in environmental information sensing, refining it and transmitting it to the base station in a sovereign manner. The minute sensors communicate themselves to sense and monitor the environment. The main challenges are limited power, short communication range, low-bandwidth and limited processing. The power source of these sensor nodes is the main hurdle in the design of energy-efficient network. The main objective of the proposed clustering and data transmission algorithm is to augment network performance by using the swarm intelligence approach. This technique is based on k-mean-based clustering and ant colony optimisation-based data forwarding. The proposed algorithm KACO is divided into two parts: (1) Clustering of sensor nodes using k-mean technique and (2) using the shortest path for data transmission based on ant colony optimisation (ACO) technique. The performance is evaluated in terms of throughput, packet delivery ratio, energy dissipation and residual energy analysis.

Keywords: clustering, routing, wireless sensor network, network lifetime.

Introduction

Wireless sensor networks (WSNs) is a self-organised and auto configured wireless network. It consists of diminutive, low-cost, sovereign nodes that can sense, process, and transmit sensory data over the wireless medium. The dynamic wireless sensor node design is analogous to the standard sensor network design. The localiser, mobilisation and power generation unit are the additional units for the dynamic wireless sensor network. The localiser provides location information by means of x-y co-ordinates of nodes. The movement of nodes is tracked by mobiliser unit. The power is generated by the power generator unit for fulfilling further energy requirements. One or more sink nodes serve as the ultimate destination of the data. The sink node retrieves essential data from the source nodes through queries and source nodes acknowledge by answering queries. The radio signal provides communication among the nodes. The typical node architecture consists of sensor and actuator, transceiver, memory and power supply. The bandwidth, speed of operation and storage capacity constitute the key challenges of nodes due to which network faces resource constraints.

5 Malware classification using neural network

Deeptanshu Singh Rathore¹, Ashwini Sapkal², Geeta Patil³, Rahul Desai⁴, and Aparna Joshi⁵

¹Alumni, Army Institute of Technology, Pune

^{2,4}Associate Professor, Department of Information Technology, Army Institute of Technology, Pune, India

^{3,5}Assistant Professor, Department of Information Technology, Army Institute of Technology, Pune, India

Abstract

The massive growth of malware attacks is a major threat to information and data security. Most of the malware detection systems and anti-virus software use signatures and anomaly detection methods for classifying a file as malware or a genuine file. These signature-based methods have great accuracy for the well-known malware that have been previously encountered by the system but fail in detecting the new type of malware. In this paper analysis is done on two approaches which are used for this classification on a dataset available in 'Microsoft Malware Classification Challenge (BIG 2015)'. The first approach is using grey-scale images that are formed by reading the assembly file of malware as a binary file and converting that binary file to grey-scale image. We apply a Convolutional neural networks (CNN) model on these images for classifying them in different classes of malware. The second approach is based on text classification using the assembly files of malware and extracting features like count vector and n-gram. We built a deep neural network model on these features for classification.

Keywords: malware classification, machine learning, n-gram, count vector, convolutional neural network, grey-scale image.

Introduction

As recorded in a survey of 2017 around 57% of the world population is now connected over the internet. Internet is used for different commercial and non-commercial activities like banking, communication, entertainment, shopping. Albeit making everyone's life convenient, Internet has exposed us to the possibility of getting attacked by different means and sources.

Malware are the malicious software that cause damage to users' data in some or the other way [1]. Malware contains malicious programs like worms, backdoors, Trojan horses, etc. According to a Kaspersky Labs survey, 58% of computers have been hacked, and 29% of businesses have been hacked. Almost thousands of new malware found every day, but most of them are created from the existing malware and only differ very little from these well-known families.

Most of the malware detection systems and anti-virus software use signatures and anomaly detection methods for classifying a file as malware or a genuine file. These signature-based methods have great accuracy for the well-known malware that have

15 Study of tourism recommendation system

Prof Yuvraj Gholap¹, Dr. Rahul Desai², Md Zaid Alam³, and Prof Gajanan Walunjkar⁴

¹Department of Information Technology, Army Institute of Technology, Pune, India. ygholap@aitpune.edu.in

²Department of Information Technology, Army Institute of Technology, Pune, India. rahuldesai@aitpune.edu.in

³Department of Information Technology, Army Institute of Technology, Pune, India. writetomdzaid@gmail.com

⁴Department of Information Technology, Army Institute of Technology, Pune, India. gwalunjkar@aitpune.edu.in

Abstract

We are living today in the era of technology. Automation in every field is the need in today's world. Recommender systems help people to select the right item from an available large set of choices. Web services in every field begin to introduce IT for development. If we take our country India, tourism has a major contribution to the economy. The use of new technologies in tourism is expected. A recommender system in tourism helps people to be self-capable. This paper focuses on studying various recommender systems for tourism. In this different recommender systems like TIP, GeoNote, MacauMap, Proximo, etPlanner, mobiDENKu, AccessSights, etc. were studied in detail. This paper will help the new researcher to understand the tourism recommender system.

Keywords: tourism, recommendation, places-of-interest, profile, recommender system.

Introduction

The tourist recommender system is a web-based application that recommends the best places in the nearby location based on previous data of tourists. The recommender system designed combines both recommender techniques i.e., content-based filtering and collaborative filtering [1].

User modelling is an important process in the composition of an application.

There always exists an alternative to the decisions that we take and most of the time we are unaware of the same. Nowadays people depend on third-party applications to take decisions and also have trust. Awareness, a large amount of information, such as the Internet, supply results in importance filtering and methods of selection that provide efficient decision-making. Nowadays people are confused with homogenous information. The recent tools are helping hand to overcome this more effectively. These tools provide users particular direction which helps them make more informed decisions and also utilise the information present more efficiently.

The purpose of the recommender system is to contribute to the field of tourism, contribute to the GDP Gross domestic product of India. In literature, the recommender developed by combing both recommender techniques i.e., content-based filtering and collaborative filtering.

23 Performance analysis of routing protocols for Ad Hoc networks

Aman Mishra¹, Dr. Rahul Desai², and G M Walunjkar³

¹Alumni, Army Institute of Technology, Pune

²Associate Professor, Department of Information Technology, Army Institute of Technology, Pune, India

³Assistant Professor, Department of Information Technology, Army Institute of Technology, Pune, India

Abstract

In Ad hoc networks, there are no centralised access points. These are useful when there is a need to set a network fast e.g., times of emergency, relief operation, etc. In this, packets are transmitted to the next nearest hop and pass towards the direction of the destination. Nodes act as routers to forward other nodes' packets. In this paper, various routing protocols are simulated and analysed against performance metrics under variable load conditions. Performance of the network due to increasing density of nodes and also the mobility are evaluated and compared using the graphical results and table summary.

Keywords: Ad hoc network, mobile network, ad hoc on demand distance vector, dynamic source routing, destination sequenced distance vector routing.

Introduction

Wireless networks are classified into two networks – infrastructure-based networks and infrastructure less networks. In an infrastructure based network, the base station is fixed and centralised just like cellular networks and wireless local area network.

In infrastructure-less networks, there are no centralised access points. Topology changes dynamically due to the mobility of nodes. The network is 'ad hoc', where nodes come together, forms a network, communicate with each other and go. All the nodes are self-organising and self-configuring like ad hoc networks. Packets are transmitted to the next nearest hop and pass towards the direction of the destination. Mobility is one of the most important characteristics which specify the mobile users to communicate.

These networks are useful in emergencies and when there is no access to the network infrastructure in desert areas.

The MANET uses a transmission control protocol (TCP). In this, there is a frequent movement of nodes. Nodes act as routers to forward other nodes' packets. MANETS follow the self-CHOP properties like configurability, healing, optimising and protecting. MANET includes features like zero administration, low power, multi-hop, high variable network conditions, Wireless medium, dynamic and auto-configured [1].

Packet transmission consists of two basic steps – forwarding routing. Challenges of MANET include energy efficiency – short battery lifetime and limited capacities,

7 Smart attendance system

Gaurav Kumar Singh¹, Grandhi Abhisar², Vaishali Ingale³, Prashant Kumar Singh⁴, and Jatin Kumar⁵

 $^{\rm 1}Department$ of Information Technology, Army Institute of Technology, Pune, India, gauravkumar_18394@aitpune.edu.in

²Information Technology Department, Army Institute of Technology, Pune, India, grandhiabhisar_18406@aitpune.edu.in

³Department of Information Technology, Army Institute of Technology, Pune, India, vingale@aitpune.edu.in

⁴Department of Information Technology, Army Institute of Technology, Pune, India, gauravkumar_18430@aitpune.edu.in

⁵Department of Information Technology, Army Institute of Technology, Pune, India, gauravkumar_18366@aitpune.edu.in

Abstract

Recent advancements in the performance of automatic face recognition (AFR) systems have made them widely applicable for a variety of uses, most of which are done in real-time. Face recognition in real-time for smart attendance is thus a practical application. Managing employees on a daily basis necessitates the use of a system like this. Real-time image background subtraction is still a challenge, making this operation difficult. Recognition of a human face in real time. Both basic and fast methods are used, and an analysis method known as principal component analysis (PCA) is a very useful thing that helps us with face matching while maintaining accuracy. The employee's face is used to track their attendance. Employee attendance is automatically tracked by the technology. Manual data entry into logbooks quickly becomes time-consuming and difficult. As a result, we were able to create a useful module that includes face recognition and is used to track employee attendance. There is a module that includes the employee's face. You're finished once you've completed the enrolment form. They will be photographed and stored in the database. We need some data in our system as part of the application procedure because this is a one-time event. Every worker will have a roll number, which will be their own employee id. When compared to automatic performance, manual performance was found to be inferior. The time an employee spends at work is recorded after they have been identified. There are a lot more choices with this product. With this approach, correct results are provided in a user interactive manner, as opposed to traditional systems for managing attendance and leave.

Keywords: Haar cascade, pre-processing, feature extraction.

Introduction

In all institutions, tracking employee attendance is critical for evaluating staff performance. Thus, each university takes a unique strategy. Others take attendance automatically utilising biometric technologies, while others take attendance manually using outmoded paper or file-based methods. On the other hand, employees entering the office through these routes will have to wait an extended period of time to form a line. While several biometric authentication methods are available, the most critical

14 Augmented reality-based application for interactive shopping experience

Prof.Aparna Joshi¹, Prof. Rupali Bagate², Kunal Khanra³, Ajay Bohra⁴, Roshan Rai⁵, and Deepak Tiwari⁶

¹Assistant Professor Information Technology, Army Institute of Technology, Pune, India. ajoshi@aitpune.edu.in

 $^2\mbox{Assistant}$ Professor Information Technology, Army Institute of Technology, Pune, India. rbagate@aitpune.edu.in

³Information Technology, Army Institute of Technology Pune, India. kunalkhanra_18340@aitpune.edu.in

 4 Information Technology, Army Institute of Technology, Pune, India. ajaybohra_18387@ aitpune.edu.in

⁵Information Technology, Army Institute of Technology, Pune, India. roshanrai_18352@ aitpune.edu.in

⁶Information Technology, Army Institute of Technology, Pune, India. deepaktiwari_18578@aitpune.edu.in

Abstract

Advancements in new technologies such as augmented reality (AR) and virtual reality (VA), it has provided us with a new world to explore and make most applications out of it. These technologies are still developing, and many researchers are trying to develop new applications every day. Encouraged by the recent advances in augmented reality, we propose a real-world application of augmented reality which provides an interactive in-store shopping experience. The mobile application will let users see all the essential product details in his/her real-world environment in a very interactive and effective way using graphs, pie charts, 3D models. Our idea is to utilise an already present efficient convolution neural network such as AlexNet for recognising the product from the image taken and then getting all the essential product details that are stored in the database, and then project these details out in user's real-world environment.

Keywords: augmented reality, applications, in-store grocery shopping, fast image retrieval.

Introduction

Definition

Augmented reality (AR) is a way of 'Augmenting' elements of a real-world environment with the use of computer and sensor's generated information onto a user's device. In simpler terms, AR can be regarded as a new developing technology, which puts the user's experience to a whole new level of interactivity by putting virtual objects in real-world [1].

Augmented reality adds compute-generated perceptual information in such a way that users see them as a natural, non-artificial object.

Figure 14.1 shows reality virtuality continum which demostrates the presence of AR between real world and a complete virtual world [2].





CERTIFICATE

OF PARTICIPATION

3rd International Conference on Communication and Information Processing
ICCIP-2021 (26th - 27th, June 2021)

THIS CERTIFICATE IS AWARDED TO

Vaishali Ingale

FOR PRESENTING A PAPER ENTITLED

Music Generation Using Three-layered LSTM

held at Nutan College of Engineering and Research (NCER), Talegaon Dabhade, Pune affiliated to Dr. Babasaheb Ambedkar Technological University (DBATU), Lonere, During 26-27 June, 2021

Dr. Aparna Pande

Dr. Lalitkumar Wadhwa (Program Chair) Dr. Girish Desai

NUTAN COLLEGE OF ENGINEERING AND RESEARCH, PUNE, INDIA





CERTIFICATE

OF PARTICIPATION

3rd International Conference on Communication and Information Processing ICCIP-2021 (26th - 27th, June 2021)

THIS CERTIFICATE IS AWARDED TO

Vaishali Ingale

FOR PRESENTING A PAPER ENTITLED

Image To Image Translation: Generating Maps From Satellite Images

held at Nutan College of Engineering and Research (NCER), Talegaon Dabhade, Pune affiliated to Dr. Babasaheb Ambedkar Technological University (DBATU), Lonere, During 26-27 June, 2021

Dr. Aparna Pande (Program Chair) Dr. Lalitkumar Wadhwa (Program Chair) Dr. Girish Desai (General Chair)

NUTAN COLLEGE OF ENGINEERING AND RESEARCH, PUNE, INDIA





CERTIFICATE

OF PARTICIPATION

3rd International Conference on Communication and Information Processing
ICCIP-2021 (26th - 27th, June 2021)

THIS CERTIFICATE IS AWARDED TO

Vaishali Ingale

FOR PRESENTING A PAPER ENTITLED

Image To Image Translation: Generating Maps From Satellite Images

held at Nutan College of Engineering and Research (NCER), Talegaon Dabhade, Pune affiliated to Dr. Babasaheb Ambedkar Technological University (DBATU), Lonere, During 26-27 June, 2021

Dr. Aparna Pande (Program Chair) Dr. Lalitkumar Wadhwa (Program Chair) Dr. Girish Desai (General Chair)

NUTAN COLLEGE OF ENGINEERING AND RESEARCH, PUNE, INDIA

Books and Chapters Published and Papers Published in Conferences A.Y. 2020-21

1. Department of Electronics & Telecommunication Engineering (A.Y 2020-21)

Road Extraction Techniques from Remote Sensing Images: A Review



Dhanashri Patil and Sangeeta Jadhav

Abstract Road detection from remotely sensed images is a fundamental task in the geographic information system. On account of applications like urban management, traffic control, and map updating, road extraction from remote sensing images has significant research importance in recent times. Road extraction from satellite images is a crucial task as these images are noisy and contain lots of information. So it becomes difficult to process large amount of data. The important parameters for road detection are road features and its corresponding classification methods. These parameters decide the performance accuracy of the road extraction system. The systematic analysis of existing road detection techniques is elaborated in three important sections: different features of road, supervised, and unsupervised classification techniques. The main objective of this comprehensive survey is to render the analysis of different classification methods like mathematical morphology, SVM, CNN, etc. By using multiple features of the road, the system performance can be improved.

Keywords Remotely sensed images · Mathematical morphology · SVM · CNN

1 Introduction

The first earth observation satellite was launched by America in 1978; this revolution further led the research in different remote sensing applications like weather forecasting, consistent global measurement of the earth including sea measurement, oceanic plant life, and ozone layer [1]. Remote sensing is defined as measuring physical parameters of objects at distance through emitted or reflected energy. In this field, information is collected by employing acoustic waves or electromagnetic

D. Patil (⊠)

D. Y. Patil College of Engineering, Akurdi, Pune, India e-mail: dpdhanashripatil@gmail.com

D. Patil · S. Jadhav Army Institute of Technology, Pune, India e-mail: djsangeeta@rediffmail.com



be Author

Dr. G. R. PATH M.E. (Electronics), Ph.D. (EATC) E&TC Engineering Depti. Army Institute of Technology



- & Top Author
- Large Number Of Solved Examples.
- Model Question Papers for Mid-Sem Exam (30 Marks)
- Model Question Papers for End-Sem Exam (70 Marks)
- Content Explained In A Simple And Lucid Manner. Several Illustrations To Support The Content
- Important Exam Oriented Hints Inserted In The Exercises. Well Balanced Book To Achieve Maximum Results.
- Top Seller in The Last Two Decade.
- & Affordable Price

· Electronics Circuits

Data Structure

 Digital Structures · Engineering Mathematics III



Text Books For SE Electronics/ E&Tc Engg. Sem. - I SPPU Electrical Circuits

- Dr. S. D. Ruikar, V. M. Sardar
- Dr. G. R. Patil
- Dr. Mrs. A. P. Adsul, Dr. Kulkami
- Dr. M. Y. Gokhale, Dr. N. S. Mujumdar S. S. Kulkorni, A. N. Singh, K. R. Atal



At Shop

Pragati Book Centre - Email: pbcpune@pragationline.com

- 157, Budhwar Peth, Opp. Ratan Talkies, Next to Balaji Mandir Pune 411002 • Mobile: 9657703148
- 676/B, Budhwar Peth, Opp. Jogeshwari Mandir, Pune 411002 Tel: (020) 2448 7459 • Mobile: 9657703147/ 9657703149
- 152, Budhwar Peth, Near Jogeshwari Mandir, Pune 411002, Mobile: 8087881795

Pragati Book Corner - Email: niralimumbal@pragationline.com


· Apurva Building, Shop No. 1, Bhavani Shankar Road, Opp. Shardashram Society, Dadar (W). Mumbai 400028 Tel: (022) 2422 3526/6662 5254 • Mobile: 9819935759

PRAKASHAN

yudaya Pragati, 1312, Shivaji Nagar, Off J. M. Road, Pune 411005. Maharashtra, India

(i) www.pragationline.com

miralipune@pragationline.com




(+91-020) 25511379









Second Year (S.E.) Degree Course In **ELECTRONICS ENGINEERING / ELECTRONICS AND TELECOMMUNICATION ENGINEERING (Semester - I)**

DATA STRUCTURES

Dr. G. R. PATIL









ISBN: 978-93-90225-91-0

August 2020

Author

August 2020

Author

August 2020

The text of this publication, or any part thereof, should not be reproduced or transmitted in any form or stored media or other information storage device etc., without the produced or transmitted in any form or stored media or other information storage device etc., without the produced or transmitted in any form or stored media or other information storage device etc., without the produced or transmitted in any form or stored in any computer storage system or device for distribution or stored in any computer storage system or device for distribution or stored in any computer storage system or device for distribution or stored in any computer storage system or device for distribution or stored in any computer storage system or device for distribution or stored in any computer storage system or device for distribution or stored in any computer storage system or device for distribution or stored in any computer storage system or device for distribution or stored in any computer storage system or device for distribution or or device for devic The text of this publication, or any part thereof, should not be reproduced or transmitted in any form or stored in any computer storage system or device etc., without the including photocopy, recording, taping or information retrieval system or reproduced on any disc, tape, perforated media or other information storage device etc., without the written becomes soon of Author with whom the rights are releval system or reproduced on any disc, tape, perforated media or other information storage device etc., without the written becomes of Author with whom the rights are releval system or reproduced on any disc, tape, perforated media or other information storage device etc., without the written because of Author with whom the rights are releval system or reproduced on any disc, tape, perforated media or other information storage device etc., without the Every effort has been made to avoid errors or emissions in this publication. In spite of this, errors may have crept in. Any mistake, error or discrepancy so noted and shall be responsible for any damage or loss or to any one, of any Every effort has been made to avoid errors or omissions in this publication. It is notified that neither the publisher nor the author or seller shall be responsible for any damage or loss of any one, of any kind, in any manner, therefore.

Published By Polyplate

NIRALI PRAKASHAN YOGIRAJ PRINTERS AND BINDERS Abhyudaya Pragati, 1312 Shivaji Nagar

Off J.M. Road, PUNE 411005 Tel: (020) 25512336/37/39

Email: niralipune@pragationline.com

Survey No. 10/1A, Ghule Industrial Estate Nanded Gaon Road Nanded, Pune 411041

Mobile: 9404233041/9850046517

A DISTRIBUTION CENTRES

PUNE : 119 Budhwar Peth, Jogeshwari Mandir Lane, Pune 411002, Maharashtra Nirali Prakashan (Local)

Tel : (020) 2445 2044, Mobile : 9657703145, Email : niralilocal@pragationline.com Nirali Prakashan (Outstation)

: S. No. 28/27 Dhayari, Near Asian College, Dhayari, Pune 411041, Maharashtra

Tel : (020) 2469 0204, Fax : (020) 2469 0316, Mobile : 9657703143

Email: bookorder@pragationline.com

MUMBAI

Nirali Prakashan : 385 S.V.P. Road, Rasadhara Co-op. Hsg. Society Ltd., Girgaum, Mumbai 400004, Maharashtra

Tel: (022) 2385 6339 / 2386 9976, Fax: (022) 2386 9976, Mobile: 9320129587

Email: niralimumbai@pragationline.com

DISTRIBUTION BRANCHES

JALGAON Nirali Prakashan

: 34 V. V. Golani Market, Navi Peth, Jalgaon 425001, Maharashtra

Tel : (0257) 222 0395, Mob : 94234 91860, Email : niralijalgaon@pragationline.com

KOLHAPUR

Nirali Prakashan : New Mahadvar Road, Kedar Plaza 1st Floor, Opp. IDBI Bank

Kolhapur 416012, Maharashtra. Mobile: 9850046155

Email: niralikolhapur@pragationline.com

NAGPUR

Nirali Prakashan : Above Maratha Mandir, Shop No 3, Second Floor,

Rani Jhanshi Square, Sitabuldi, Nagpur 440012, Maharashtra Tel : (0712) 254 7129, Email : niralinagpur@pragationline.com

DELHI

: 4593/15 Basement, Agarwal Lane, Ansari Road, Daryaganj Nirali Prakashan

Near Times of India Building, New DelhiV 110002 Mobile : 8505972553

Email: niralidelhi@pragationline.com

BENGALURU

Maitri Ground Floor, Jaya Apartments, No. 99, 6th Cross, 6th Main, Nirali Prakashan

Malleswaram, Bengaluru 560003, Karnataka

Mobile: 9449043034, Email: niralibangalore@pragationline.com

Note: Every possible effort has been made to avoid errors or omissions in this book. In spite this, errors may have crept in. Any type of error or mistake so noted, and specified the taken care of in the next edition. It is notified that neither the publisher, nor the author or book seller shall be responsible to Note: Every possible effort has been made to avoid errors or distance of any kind in any manner, therefrom. The reader must bit is check all the facts and contents with original Government notification or any damage shall be brought to our notice, shall be taken care of in the next edition. The reader must bit is check all the facts and contents with original Government notification or publications or loss of action to any one of any kind, in any manner, therefrom. The reader must bit is check all the facts and contents with original Government notification or publications.

DIGITAL COMMUNICATION (E&TC, DBATU)

First Edition

October 2020

The text of this publication, or any part thereof, should not be reproduced or transmitted in any form or stored in any computer storage system or device for distribution ding photocopy, recording, tabing or information storage device etc., without the including photocopy, recording, taping or information retrieval system or reproduced or transmitted in any form or stored in any computer storage system or device etc., without the written permission of Author with whom the artistic permission of Author with the artis permission of Author with the artistic permission of Author wit

written permission of Author with whom the rights are reserved. Breach of this condition is liable for legal action. Every effort has been made to avoid errors or omissions in this publication. In spite of this, errors may have crept in. Any mistake, error or discrepancy so noted and shall rought to our notice shall be taken as a first or of the company of the be brought to our notice shall be taken care of in the next edition. It is notified that neither the publisher nor the author or seller shall be responsible for any damage or loss of action to any one, of any kind, in any manner of in the next edition. It is notified that neither the publisher nor the author or seller shall be responsible for any damage or loss of action to any one, of any kind, in any manner, therefrom.

Published By :

NIRALI PRAKASHAN

Abhyudaya Pragati, 1312 Shivaji Nagar

Off J.M. Road, PUNE 411005 Tel: (020) 25512336/37/39

Email: niralipune@pragationline.com

Polyplate

Printed By : YOGIRAJ PRINTERS AND BINDERS

ISBN : 978-93-90506-06-4

Survey No. 10/1A, Ghule Industrial Estate Nanded Gaon Road Nanded, Pune 411041

Mobile: 9404233041/9850046517

DISTRIBUTION CENTRES

Nirali Prakashan (Outstation)

Nirali Prakashan (Local)

119 Budhwar Peth, Jogeshwari Mandir Lane, Pune 411002, Maharashtra

Tel : (020) 2445 2044, Mobile : 9657703145, Email : niralilocal@pragationline.com

: S. No. 28/27 Dhayari, Near Asian College, Dhayari, Pune 411041, Maharashtra

Tel: (020) 2469 0204, Fax: (020) 2469 0316, Mobile: 9657703143

Email: bookorder@pragationline.com

MUMBAI

PUNE

Nirali Prakashan

385 S.V.P. Road, Rasadhara Co-op. Hsg. Society Ltd., Girgaum, Mumbai 400004, Maharashtra

Tel: (022) 2385 6339 / 2386 9976, Fax: (022) 2386 9976, Mobile: 9320129587

Email: niralimumbai@pragationline.com

DISTRIBUTION BRANCHES

Nirali Prakashan

JALGAON

: 34 V. V. Golani Market, Navi Peth, Jalgaon 425001, Maharashtra

Tel : (0257) 222 0395, Mob : 94234 91860, Email : niralijalgaon@pragationline.com

KOLHAPUR

Nirali Prakashan

: New Mahadvar Road, Kedar Plaza 1st Floor, Opp. IDBI Bank

Kolhapur 416012, Maharashtra. Mobile: 9850046155

Email: niralikolhapur@pragationline.com

NAGPUR

Nirali Prakashan

: Above Maratha Mandir, Shop No 3, Second Floor,

Rani Jhanshi Square, Sitabuldi, Nagpur 440012, Maharashtra Tel : (0712) 254 7129, Email : niralinagpur@pragationline.com

DELHI

Nirali Prakashan

: 4593/15 Basement, Agarwal Lane, Ansari Road, Daryaganj

Near Times of India Building, New DelhiV 110002 Mobile: 8505972553

Email: niralidelhi@pragationline.com

BENGALURU

Nirali Prakashan

: Maitri Ground Floor, Jaya Apartments, No. 99, 6th Cross, 6th Main,

Malleswaram, Bengaluru 560003, Karnataka

Mobile: 9449043034, Email: niralibangalore@pragationline.com

Note: Every possible effort has been made to avoid errors or omissions in this book. In spite this, errors may have crept in. Any type of error or mistake so noted, and shall be brought to our notice, shall be taken care of in the next edition. It is notified that neither the publisher, nor the author or book seller shall be responsible for any damage or loss of action to any one of any kind, in any manner, therefrom. The reader must cross check all the facts and contents with original Government notification or publications,

niralipune@pragationline.com | www.pragationline.com

Also find us on 🗓 www.acebook.com/niralibooks

A TEXT BOOK OF

DIGITAL COMMUNICATION

FOR SEMESTER – VII

FINAL YEAR B. TECH COURSE IN ELECTRONICS & TELECOMMUNICATION ENGINEERING


Strictly According to New Revised Credit System Syllabus of Dr. Babasaheb Ambedkar Technological University (DBATU), Lonere, (Dist. Raigad) Maharashtra, (w.e.f. June 2020-21)

Dr. G. R. Patil

Ph. D (E&TC),
Professor & Head, E & TC Engg. Department,
Army Institute of Technology,
Alandi Road, Dighi, PUNE.

Price ₹ 280.00





According to New Revised Credit System Syllabus

Second Year (S.E.) Degree Course In

ELECTRONICS ENGINEERING/
ELECTRONICS AND TELECOMMUNICATION ENGINEERING (Sames or -11)

A TEXT BOOK OF

PRINCIPLES OF IMUNICATION SYSTEMS

FOR SEMESTER – II

SECOND YEAR DEGREE COURSE IN ELECTRONICS/
ECTRONICS AND TELECOMMUNICATION ENGINEERING

Savitribai Phule Pune University
(w.e.f. June 2020-2021)

Dr. G. R. Patil

Ph. D (E&TC),
Professor & Head, E & TC Engg. Department,
Army Institute of Technology,
Alandi Road, Dighi, PUNE.

Price ₹ 230.00



PRINCIPLES OF COMMUNICATION SYSTEMS (SE E&TC)

First Edition

February 2021

: Author
The text of this publication, or any part thereof, should not be reproduced or transmitted in any form or stored in any computer storage system or device for distribution ling photocopy, recording, taping or information storage device etc., without the including photocopy, recording, taping or information retrieval system or reproduced on any disc, tape, perforated media or other information storage device etc., without the written permission of Author with when the

written permission of Author with whom the rights are reserved. Breach of this condition is liable for legal action. Every effort has been made to avoid errors or omissions in this publication. In spite of this, errors may have crept in. Any mistake, error or discrepancy so noted and shall ought to our notice shall be taken and of the property of the pr be brought to our notice shall be taken care of in the next edition. It is notified that neither the publisher nor the author or seller shall be responsible for any damage or loss of action to any one, of any kind, in account of the next edition. It is notified that neither the publisher nor the author or seller shall be responsible for any damage or loss of action to any one, of any kind, in account of the next edition. It is notified that neither the publisher nor the author or seller shall be responsible for any damage or loss of the next edition.

action to any one, of any kind, in any manner, therefrom.

Published By : NIRALI PRAKASHAN

Abhyudaya Pragati, 1312 Shivaji Nagar

Off J.M. Road, PUNE 411005 Tel: (020) 25512336/37/39

Email: niralipune@pragationline.com

Polyplate

Printed By : YOGIRAJ PRINTERS AND BINDERS

Survey No. 10/1A, Ghule Industrial Estate Nanded Gaon Road

Nanded, Pune 411041

Mobile: 9404233041/9850046517

DISTRIBUTION CENTRES

Nirali Prakashan (Local)

PUNE

: 119 Budhwar Peth, Jogeshwari Mandir Lane, Pune 411002, Maharashtra

Tel: (020) 2445 2044, Mobile: 9657703145, Email: niralilocal@pragationline.com

Nirali Prakashan (Outstation)

S. No. 28/27 Dhayari, Near Asian College, Dhayari, Pune 411041, Maharashtra

Tel: (020) 2469 0204, Fax: (020) 2469 0316, Mobile: 9657703143

Email: bookorder@pragationline.com

MUMBAI

Nirali Prakashan

385 S.V.P. Road, Rasadhara Co-op. Hsg. Society Ltd., Girgaum, Mumbai 400004, Maharashtra

Tel: (022) 2385 6339 / 2386 9976, Fax: (022) 2386 9976, Mobile: 9320129587

Email: niralimumbai@pragationline.com

DISTRIBUTION BRANCHES

JALGAON

Nirali Prakashan

: 34 V. V. Golani Market, Navi Peth, Jalgaon 425001, Maharashtra

Tel : (0257) 222 0395, Mob : 94234 91860, Email : niralijalgaon@pragationline.com

KOLHAPUR

Nirali Prakashan

: New Mahadvar Road, Kedar Plaza 1st Floor, Opp. IDBI Bank

Kolhapur 416012, Maharashtra. Mobile: 9850046155

Email: niralikolhapur@pragationline.com

NAGPUR

Nirali Prakashan

: Above Maratha Mandir, Shop No 3, Second Floor,

Rani Jhanshi Square, Sitabuldi, Nagpur 440012, Maharashtra

Tel : (0712) 254 7129, Email : niralinagpur@pragationline.com

DELHI

Nirali Prakashan

Room No. 2 Ground Floor, 4575/15 Omkar Tower,

Agarwal Road, Darya Ganj, New Delhi - 110002.

Mob.: 9555778814 / 9818561840, Email: niralidelhi@pragationline.com

BENGALURU

Nirali Prakashan

: Maitri Ground Floor, Jaya Apartments, No. 99, 6th Cross, 6th Main,

Malleswaram, Bengaluru 560003, Karnataka

Mobile: 9449043034, Email: niralibangalore@pragationline.com

ote: Every possible effort has been made to avoid errors or omissions in this book. In spite this, errors may have crept in. Any type of error or mistake so noted, are ote: Every possible effort has been made to droid our mistake so noted, are brought to our notice, shall be taken care of in the next edition. It is notified that neither the publisher, nor the author or book seller shall be responsible for any damage therefrom. The reader must cross check all the facts and contents with original Government positions. of action to any one of any kind, in any manner, therefrom. The reader must cross check all the facts and contents with original Government notification or publicate

IC-EB-456007

Implementation of OFDM System and Analysis of BER using Lab-View

Dr. G.R. Patil Professor¹, Akhilesh Singh², Dr. Renuka Bhandari³. Ranvijay Singh4, Pranay Agarwal5,

Head Of Department, Department of Electronics and Telecommunication Engg. Army Institute of Technology Pune.

India.

Student, Department of Electronics and Telecommunication Engg. Army Institute of Technology Pune, India. Associate Professor, Department of Electronics and Telecommunication Engg. Army Institute of Technology Pune.

Student, Department of Electronics and Telecommunication Engg. Army Institute of Technology Pune, India

Student, Department of Electronics and Telecommunication Engg. Army Institute of Technology Pune.India

> grpatil@aitpune.edu.in akhileshsingh_17372@aitpune.edu.in rbhandari@aitpune.edu in ranvijaysingh_17473@aitpune.edu.in pranay_17611@aitpune.edu.in

Abstract— Wireless technology is one of the most interesting domains in the communication domain. We can send information from one place to another using air as medium. It is extremely fast technique. However, in wireless technology reliability of transmission is always a worrying factor because of various objects interfering with signal thus causing fading. Thus, it becomes important to study techniques which improve the reliability and reduce interference. One of the techniques used is OFDM (Orthogonal Frequency Division Multiplexing) which aims at preventing frequency selective fading thus improving the reliability of the system. It allows transferring of data in parallel by dividing carrier signals into multiple subcarriers thus reducing bandwidth for each subcarrier and increasing the total Bandwidth to increase the data rate. The IFFT and FFT techniques used ensures overlapping of data thus keeping information in various subcarriers orthogonal and preventing the information from interference OFDM is a key wireless Broadband Technology i.e., supports long Bandwidth. Earlier the GSM systems supported Bandwidth of 200 kHz. However, OFDM supports Bandwidth of 20 MHz implies data rate becomes fast with OFDM in 3G and 4G systems. Not only cellular standards, if we look at WIFI or WLAN networks e.g.: 802.11 a/g/n/ac, they all enable high data rate because are based on OFDM Implementing OFDM with actual hardware will require more investment of money, time, and effort. The performance of system is released if different realistic environment and parameters change to study the change in performance parameters of the systems

Keywords- Orthogonal Frequency Division Multiplexing (OFDM), Laboratory Virtual Instruments Engineering Workbench (LabVIEW), Fast Fourier Transform (FFT), Inverse Fast Fourier Transform (IFFT), Inter Symbol Interference(ISI), Inter Block Interference(IBI), Bit Error Rate (BER),

INTRODUCTION

Communication system is a system in which there exists information exchange between two or more points. Process of transmission and reception of information is called communication. Communication system involves transmitter, channel, and receptor [1]. Depending upon signal specification communication system can be classified as analogue or digital communication system. Depending upon communication channel communication system can be classified as wired or wireless channel. Electromagnetic transmission and reception of information between two or more points that are not connected by an electric conductor is called wireless communication. Most used technology in wireless communication is radio waves [2].

For any SDR system, all the processes which happen in a given wireless communication system are defined by software, like the process of modulation, demodulation and then all other signal processing. While in the hardware realm many specific hardware components are being used for all the above-mentioned processes here the software does it all, which will help in reducing the time and components required in the developmental stage. It also provides greater flexibility to researchers and developers for the implementation of new protocols, methods, or techniques. SDR technology is open source which means everyone can build, develop, and modify

In this project, we will be implementing orthogonal frequency division multiplexing (OFDM) using



VISHWAKARMA INSTITUTE OF INFORMATION TECHNOLOGY

Autonomous Institute affiliated to Savitribai Phule Pune University
NBA Accredited, Accredited by NAAC with 'A' Grade, ISO 9001:2015 Certified Institute, Approved by AICTE, New Delhi Survey No. 3/4 Kondhwa (Budruk), Pune 411 048, INDIA. Tel: (+91) 020-26950 451, 452, 453 Website: www.viit.ac.in

Certificate

"Vishwacon 2020"

Organized by

Vishwakarma Institute of Information Technology, Pune 48.

This is to Certify that

Mr./Ms. Dr. Surekha KS. LI

from the Department of Electronics & Telecommunication has presented a paper entitled "IOT based Smart Warehouse Inventory Management System" in the 3rd International Virtual Conference on "Recent Trends in Engineering & Technology" on 28th November 2020 at Vishwakarma Institute of Information Technology, Pune - 48.

Mrs. Minal S. Deshmukh
R and D coordinator,
E&TC Engineering,
VIIT. Pune

Dr. Rajendra Talware Dean R and D, VIIT, Pune

Dr. Vivek S. Deshpande Director, VIIT, Pune

Extraction Endocardium and Epicardium of Left Ventricle using Internal and External Energy Terms of Signed Distance Function in Cardiac MRI

Shilpa Devram Pawar, Sudhir Papulal Dhanure

Army Institute of Technology, Dighi, Pune, 411015, India Sinhgad Institute of Technolody and Science, Narhe, Pune, 411041, India

Abstract

For clinical detection of cardiac function such as ejection fraction, end systolic volume and end diastolic volume used MRI (Magnetic Resonance Images). These functions were evaluated from experts manually or semi automatically, they were time consuming and tedious. This paper applies automatic evolution of inner contour and outer contour on the MICCAI 2012 database of cardiac MRI. This paper gives optimistic result in terms of boundary line and cross section area of the epicardium and endocardium of left ventricle. This paper will be useful for experts to quantify the endocardium and epicardium for Cardiac Vascular Diseases (CVD) type.

Keywords-Left Ventricle, MRI, epicardium, endocardium, level set method.

© 2020 -Authors

1. Introduction

In 2016, India recorded 28 % death due to Cardiac Vascular Diseases (CVD), of the overall and in 2018 the count increased to 38%. As per WHO CVD's is the main cause for death around the world. 31% of all global deaths are caused by CVD's. For analysis of the cardiovascular system the best suited images are cardiac magnetic resonance imaging (MRI). Left Ventricle is important part of heart to assess the ventricular function for treating and diagnosing Cardiac Vascular Diseases. Ejection fraction, end systolic volume, end diastole volume, wall thickness, wall motion abnormalities and left ventricular mass are clinical properties for diagnosing CVD's. These clinical properties are calculated from cardiac MRI of left ventricle segmentation. This paper quantifies the analysis to calculate volume and area parameters of the left ventricle. This paper is based on the challenges cause such as poor contrast between tissues around the epicardium, conglomerations due to blood flow, presence of papillary muscles with signal intensities similar to that of the myocardium, dynamic motion of the heart [1].

^{*} Corresponding author. Tel.: 9975792033; E-mail address: spawar@aitpune.edu.in.

Wi-FI Cloud server based User Operated Billing System in Mall

Shilpa D. Pawar Department of Electronics & Telecommunication Army Institute of Technology (AIT) Pune, Maharashtra, India pawarshilpa123@gmail.com

Deepak Kumar Department of Electronics & Telecommunication Army Institute of Technology (AIT) Pune, Maharashtra, India

Abstract- In today's world due to the increasing population, the shopping malls are fully crowded and billing is a timeconsuming process. The time spend for every customer for billing, because of existing billing technology at the billing counters is more. Human resource required for billing and rechecking work is more. To reduce the time in queue for customer and mall management costs, the idea called "User Operated Billing System in Mall" is originated. The proposed system consists of application software connected with the supermarket web online cloud server. The barcode on every product helps in retrieval of information associated with a particular product by scanning and displaying the same on the smartphone screen. Facility to calculate the total bill amount is done by the server. Customers are provided with the option to pay the bill at the billing counter by cash or directly pay using online payment methods. RFID tagging with each product is providing security. When the customer makes the payment for a particular product, the RFID tag of that product is disabled. But if a customer is checking out without paying for the product, then that product is detected by the RFID reader at the exit.

Keywords— Barcode, Barcode Reader, Cloud Server, Wi-Fi

I. PROBLEM STATEMENT

IoT based embedded system design prototype optimized to reduce billing time and facility of displaying intermittent total amount using Raspberry Pi 3 Model B controller and smartphone with barcode scanner.

II. INTRODUCTION

As the name "User Operated Billing System in a mall", indicates to create an automatic system for billing process in malls. This system will restrict overcrowding at the billing counters which helps in maintaining social distancing and eliminating billing time. Barcode Reader is used to scanning the Barcode which is present on every product available in the shopping mall. The customer's smartphone plays a vital role to accomplish this task. It is used to scan every product before putting it into the basket. The installed web mobile app will

Abhishek Kushwaha Department of Electronics & Telecommunication Army Institute of Technology (AIT) Pune, Maharashtra, India abhishek_16539@aitpune.edu.in

Nawab Alam Department of Electronics & Telecommunication Army Institute of Technology (AIT) Pune, Maharashtra, India

make the total count of products and the total amount which will be displayed on the phone's screen and then for making payment via different online payment gateways. Local servers will be used to provide a web app to our customers fo maintenance and carrying out CRUD (create, read, update, and delete) operations in the Database [2]. The security system is designed by using RFID tags and Readers to preven shoplifting in the stores [3], [4]. This system will help to avoid long waiting time in queues and it will enhance the shopping experience of our customers [5], [6].

III. METHOD

The cloud-based Internet of Things is employed to sencart data to the cloud and that data used by our hardware [7] For using our system each customer needs to have smartphone that will read the barcode associated with eac product. Our application uses the user's smartphone camera s customers have to allow the application to access the smartphone camera as a barcode scanner [8]. When th customer starts shopping in a mall then they have to log in t our mobile application. The system provides informatio about offers and discounts available on the products bought b a particular customer by their previous shopping history usin Data Analytics and displays on the customer's mobile phon dashboard as recommendations [9]. Shown in figure 1below;



Fig. 1 Server Database (cloud)

Proceedings of International Virtual Conference on Innovations and Research in Marine Electrical and Electronics Engineering (ICIRMEEE 2021), 17th -18th June 2021, Chennai, India.

Deep Learning Watershed Algorithm to Calculate Cardiac Stroke Volume of the Left Ventricle for the Analysis to Detect Person Suffering from Cardiac Vascular Diseases Using Cardiac MRI Data

Shilpa Devram Pawar¹, Shipra², Priyanka Singha³, Divya Singh⁴

1,2,3,4</sup>Army Institute of Technology, Pune

1spawar@aitpune.edu.in, 2shipra_17519@aitpune.edu.in,

³priyankasingha_17602@aitpune.edu.in, ⁴divyasingh_17554@aitpune.edu.in

The broadly used approach for cardiac image segmentation is deep learning. In deep learning, the watershed algorithm is a conventional procedure used for segmentation that is for segregating different regions in an image. This paper calculated the cardiac stroke volume of the left ventricle per heartbeat of a healthy person and patients having Cardio Vascular Diseases (CVD) using a magnetic resonance image (MRI) data set. This paper plots the graph of the cardiac stroke volume of the left ventricle of healthy people and CVD patients. The graph is a plot by taking the mean of 15 healthy persons and 15 CVD patients' cardiac stroke volume of the left ventricle. Finally, by using the watershed algorithm, the analysis can detect whether the person is suffering from CVD.

Keywords: Cardio Vascular Diseases (CVD), magnetic resonance image (MRI), watershed algorithm.



International Conference On Innovations and Research in Marine Electrical and Electronics Engineering

ICIRMEEE 2021 Certificate of Participation

This is to certify that Mrs. Shilpa Pawar

Army Institute of Technology, Pune

has Participated/Presented a paper

Deep Learning Watershed Algorithm To Calculate Cardiac Stroke Volume Of The Left Ventricle For The Analysis in the "Two Days To Detect Person Suffering From Cardiac Vascular Diseases Using Cardiac MRI Data international e-Conference on Immovation and Research in Marine Electrical and Electronics Engineering (ICIRMEEE 2021)" organized by the Department of Electrical and Electronics Engineering, AMET Deemed to be University, Chennai – 603 112, on 17th & 18th June 2021.

Dr. T. Sasilatha

Dr. M. Jayaprakashve

Mechanisms for Improving the Productivity of the Existing Photovoltaic Panels: A Review

Snehal A. Marathe
Sinhgad College of Engineering
Army Institute of Technology
Punc, India
snehalmarathe@gmail.com

B. P. Patil

Army Institute of Technology, Dight

Punc, India

bp_patil@rediffmail.com

Abstract— Increasing the productivity of the photovoltaic panels is a major problem in recent developments. An existing operative solar panel is far from being optimized, because of the critical problems like weather changes, dust deposition and stains deposited over it. Weather changes are due to temperature, humidity, and cloudy atmosphere, dust deposition due to plants, traffic, air pollution and stains due to birds shit. Brief overview of different existing methods to boost the capacity of these panels is given in this paper. These available existing methods are: tracking system with panel, anti-reflecting coating for solar panels, dust cleaning by various methods and cooling of the panel.

Keywords— Solar Panels, Efficiency, Solar Tracker, Antireflecting coating, Dust cleaning, Phase Change Materials

I. INTRODUCTION

In physics, energy has been defined as the property that must be transferred to an object to do work and primarily exists in the forms of a) mechanical b) heat c) electrical d) chemical and e) nuclear energy [1]. Energy sources and its various forms have become an integral part of our daily life and vital for the sustainability of our current world order [2].

The energy sources in nature range from solar, wind, tidal, and thermal, to name a few and based on their renewability they are classified into two categories;

- Non-conventional energy resources: Solar, Wind and Tidal.
- ii) Conventional energy resources: Coal, Petroleum, Nuclear and Fossil fuels etc.

Generating power from renewable sources like sunlight (using solar panels) is a promising, inexhaustible, and non-polluting method [1][2].

Even though the solar energy is unlimited, the PV panels absorb only the ultraviolet and visible light to convert it into electricity. Thus, reaping this energy is a challenge, as the efficiency of the solar panel ranges from 12% to 20%, which is very low [3].

Further even though sunlight is a combination of ultraviolet light, visible light, and infrared light. Only high frequency radiations due to ultraviolet and visible light are converted into electricity, whereas infrared whose emission is less, is converted into thermal radiation [4]. The photovoltaic panels receive maximum solar radiations when kept perpendicular to the sun rays. In this context of solar panel, efficiency is an important parameter which

compares the incoming radiations to the converted electrical output.

Thus in this review, different ways for increasing the efficiency of the panels are discussed.

The paper is classified into four sections; first section discusses tracking systems. In the second section, different anti-reflecting coatings are mentioned which reduces reflection of light as well as avoids dust accumulation over the panel.

Third section consists of methods used to make the panels dust free either manually or automatically using a robot , further improving the output. Rise in temperature reduces the panel output, thus in the fourth section, methods to keep the panel cool are discussed to maintain the temperature constant.

Among these mechanisms, the efficient method is using anti-reflecting, anti-dust coating over the panel which has greater potential to be adopted in solar energy industry.

II. SOLAR TRACKING SYSTEMS


A) DAI Qinghui, et al. [5] represented an automatic sun tracking arrangement for the solar PV panels. The system included sensors and actuators. As the sun changes its direction, the sensors become imbalance changing the position of the panel, further deflecting the system output. Then the actuators correct the angle of tilt of the solar panel, making it perpendicular to the sun rays. Thus, continuous tracking of sun is done automatically using a closed loop feedback system. This experiment achieved 44.2% increase in electrical output even in low light conditions.

B) Md. Rashed, et al. [6] implemented four algorithms in Matlab/ Simulink to follow the peak point, which measures the highest power. The system included a dc-dc converter, board with solar cells mounted in the array fashion and a load to track this power point. The converter was connected in the middle of the solar panel and load. The algorithms were

- Perturb and Observe
- Incremental conductance
- Fractional Open Circuit Voltage
- Artificial Intelligence based Fuzzy Logic algorithm

Percentage wise efficiency of the photovoltaic panel system with and without algorithms is shown in Fig. 1.





25th - 27th June 2021

Certificate

This is to certify that Dr./Prof./Mr./Ms. <u>Snehal Marathe</u> Affiliation <u>Army Institute of Technology</u> has presented <u>Performance of Solar Panel in Presence and absence of Dust in 2021 International Conference on Intelligent Technologies (CONIT) during 25th to 27th June 2021.</u>

Dr. Basavaraj Anami General Chair

A. L.E. Society

Dr. Yerriswamy T Convener

Performance of Solar Panel in Presence and Absence of Dust

Snehal A. Marathe
Research Scholar
Sinhgad College of Engineering
Assistant Profesor
Army Institute of Technology
Pune, India
snehalmarathe@gmail.com

B. P. Patil
Principal
Army Institute of Technology
Pune, India
bp_patil@rediffmail.com

Abstract- Over the years, solar photovoltaic panels have become the important source for utilizing the solar power, due to their characteristics of being renewable, safe and pollution free. Producing electricity using these photo voltaic panels is comparatively a profitable method. But the aggregation of dust over the panels reduces the output power of the solar cells further lowering the efficiency of the solar panels specifically in the regions having high rate of dust, low frequency and high rain. This blocks the sunrays from reaching the panels, decreasing its performance. In this paper, an experimental setup, built to measure the output power of the solar panels is explained. Experimental setup for testing the solar panels in different parameters is prepared. Testing is done with and without dust on the solar panels at different intensities. The experimental results indicate a comparable study of how the output of a dusty panel is reduced in comparison with a clean panel. Also increase in temperature of the panels reduces the output of the photo voltaic cells is projected through the results.

Keywords: Solar Photovoltaic Panels, Efficiency, Dust, Temperature

I. INTRODUCTION

As the pressure on energy resources is increasing, the energy cost will rise continuously for the next decennium. Along with this as the ignition of fossil fuels is leading to drastic change in atmosphere, destroying the environment, researchers are focusing on some other sources for producing secure and efficient energy.[1] One alternative source is using the renewable energy source i.e., the solar energy and increasing its efficiency.[2]

Irrespective of the size, in open circuit conditions and under no load, the solar cell produces 0.5-to-0.6-volt DC.[3] These solar cells are mounted in an array serially and parallelly forming solar panels, to produce the electrical energy from the sunlight received by it [6]. But the efficiency of the solar cell is affected due to many factors like rise in temperature, humidity and dust [4]. The efficiency of solar cell is affected by the rise of the cell temperature, especially in hot climates. The rise in the temperature of the solar cells causes the reduction in their electrical efficiency. But the performance of these solar panels degrades in cloudy weather or during sand or snow storms. Thus, it is always required to check the solar panels regularly so as to maintain the electrical output.[5]

The experiment performed below shows the impact of dust on the solar panel, which results in reduced power

output further decreasing the efficiency of solar cells and the production of electrical energy.

II. EXPERIMENTAL SETUP

Experimental setup is made as shown below in Fig.1. Two Halogen lamp and a five-socket bulb fitting arrangement is made. Halogen lamp is having the rating of 230V, 5A and 500W. Two such halogens lamps are connected as an artificial light source replacing the sunlight. The light obtained from these lamps is converted into electric wattage. As the heat generated from halogen lamps is very high, a fan is connected on the top to cool the solar panel. Arrangement to connect different solar panels is made in the setup.




Fig. 1. Entire Experimental Setup


A. Light Intensity Control Using Arduino

The setup is built using ATMEGA 328 P-PU microcontroller and 4N25 opto-isolator with a diode rectifier to detect the zero-crossing level. Using 3021 optocoupler and TRIACBT136 the AC voltage is chopped at the primary side of the step-down transformer. The function of 3021 IC and detection of the zero-crossing level are controlled by the microcontroller. The micro controller programming is done using Arduino.

B. Circuit connections

The circuit is built around ATMEGA 328 P-PU microcontroller. The following circuit sections are assembled together -

2. Department of Mechanical Engineering (A.Y 2020-21)



SOLID MODELING AND DRAFTING

₹325.00





25% Discount Only On eBook Purchase.

Author Name: R. B. Patil, Ganesh J. Pagar, Satish Maniyar

Edition: First Pubslishing Year:

Pages: 212

ISBN: 978-93-89889-80-2


Language: English











DESIGN OF MACHINE ELEMENTS

₹475.00



BUY HARDCOPY

25% Discount Only On eBook Purchase.

Author Name: R.B.Patil

Edition: First

Pubslishing Year: 2020

Pages: 388

ISBN: 978-93-91496-07-4

Language: English









Dynamic Behaviour of Laminated Composite Beam Undergoing Moving Loads



Lalit Babu Saxena, Appaso M. Gadade, and Sanjiv M. Sansgiri

Abstract This study is about dynamic response of laminated composite beam undergoing moving loads. Rotary inertia and shear deformation effects are considered by using Timoshenko Beam Theory (TBT). Finite Element Method (FEM) is applied to discretize the structural element into space and for time discretization Classical Midpoint Rule with Midpoint Acceleration (MPR-MPA) is employed which is a part of Generalized Single Step Single Solve (GSSSS) family of algorithms. A MATLAB code is developed to obtain dynamic responses such as dynamic magnification factor and maximum dynamic deflection at the mid-span of simply supported isotropic and laminated composite Timoshenko beam. Numerical results are obtained and validated with the literature available and it shows good agreement.

Keywords Timoshenko beam theory · Midpoint rule with midpoint acceleration · Moving loads · Laminated composite beam · Dynamic magnification factor · Finite element method

1 Introduction

Moving load problems is of great interest to engineers. Dynamic deflection, vibrations and stresses effects vary greatly in structures as compared to effects due to static deflection, vibration and stresses. Bridges subjected to moving vehicle loads, railway tracks subjected to moving train loads, landing aircraft on carrier are some of the common moving load cases. In 1905, Krylov [1] examined the simply supported

L. B. Saxena · S. M. Sansgiri

Mechanical Engineering, Army Institute of Technology, Pune 411015, India

e-mail: 2666466saxena@gmail.com

S. M. Sansgiri

e-mail: drsanjivmsansgiri@gmail.com

A. M. Gadade (SS)

Mechanical Engineering Department, Thapar Institute of Engineering and Technology, Patiala 147004, India

e-mail: appagadade@gmail.com

© Springer Nature Singapore Pte Ltd. 2021

E. T. Akinlabi et al. (eds.), Trends in Mechanical and Biomedical Design,

Lecture Notes in Mechanical Engineering,

https://doi.org/10.1007/978-981-15-4488-0_18

201

Response of a Layered Composite Beam Subjected to Static Loading Using Point Interpolation Meshless Technique



Kunal S. Shah, Appaso M. Gadade, and Sanjiv M. Sansgiri

Abstract. The present work proposes a meshless model to analyze the response of laminated composite beam under different types of static loading. The point interpolation method based on polynomial basis function is used for solving 1D higher-order beam theory equations. The distribution of transverse shear strain and stresses along thickness are obtained using Reddy's shape function. A displacement response of a laminated beam is obtained for several lamination schemes, aspect ratio, and boundary conditions. The authenticity of the present algorithm is confirmed by comparing results with different cases from literature.

Keywords Laminated composite beam · Higher-order beam theory · Meshless method · Point interpolation method

1 Introduction

The requirement of composite materials is growing continuously in most of the industries. Composite materials can be formulated mathematically using different types of shear deformation theories. Computer-based analysis for solving problems in solid mechanics, fluid dynamics or thermodynamics, etc. has increased due to ease, accuracy, and time efficiency. In the last two decades, many authors have shown keen interest in the numerical approach based on the meshless method, which differs from finite element methods on the basis of approximate techniques. The domain representation in the finite element method depends on the mesh of elements. The

K. S. Shah · S. M. Sansgiri

Mechanical Engineering, Army Institute of Technology, Pune 411015, India e-mail; kunalshah26194@gmail.com

S. M. Sansgiri

e-mail: drsanjivmsansgiri@gmail.com

A. M. Gadade ()

Mechanical Engineering Department, Thapar Institute of Engineering and Technology, Patiala 147004, India

e-mail: appagadade@gmail.com

© Springer Nature Singapore Pte Ltd. 2021 E. T. Akinlabi et al. (eds.), Trends in Mechanical and Biomedical Design, Lecture Notes in Mechanical Engineering, https://doi.org/10.1007/978-981-15-4488-0_17

189

3. Department of Computer Engineering (A.Y 2020-21)



Securing Trustworthy Evidences for Robust Forensic Cloud in Spite of Multi- stakeholder Collusion Problem

International Conference on Hybrid Intelligent Systems HIS 2019: Hybrid

Intelligent Systems pp 376-386 | Cite as• Sagar Rane (1) Email author

(scholarsaggy@gmail.com)

- Sanjeev Wagh (1) (2) Email author (sanjeev.wagh@gcekarad.ac.in) Arati Dixit (1) (3) Email author (adixit4@ncsu.edu)
- 1. Department of Technology, Savitribai Phule Pune University, , Pune, India
- 2. Information Technology, Government College of Engineering, , Karad, India
- 3. Applied Research Associates Inc. and NC State University, , Raleigh, USA

Conference paper

First Online: 13 August 2020

232 Downloads

Part of the Advances in Intelligent Systems and Computing book series (AISC, volume 1179)

Abstract

Many organizations are widely using cloud for their day to day business activities. But several attackers and malicious users are targeting cloud for their personal benefits. It is very important to collect and preserve admissible evidences of various activities happened in cloud securely in spite of multi-stakeholder collusion problem. Logs are one of the utmost vital elements to trace the malicious activities happened in cloud computing environment. Thus, forensic investigations involving logs face a grave challenge of making sure that the logs being investigated are consistent and not tampered with. A lot of research has been performed in this field; however with the advent of blockchain and Interplanetary File System (IPFS) new innovative approaches can be applied to secure trustworthy evidences in cloud. In this paper, we used blockchain and IPFS to build a system which stores the logs of cloud users' activities and assurances the trustworthiness and recovery of such logs to aid in forensic investigation. The integrity of the trustworthy log evidences is assured with the help of blockchain. Using versioning nature of IPFS our system can track the modification of log files. In earlier work, the systems could assure whether a log has been altered with or not, but none provided a mechanism to recover metadata of tampered logs to their original state. With the help of IPFS our proposed technique extend the existing work by providing the original logs for interfered logs.

Keywords Cloud forensics Forensic investigation Cloud security Blockchain Interplanetary File System (IPFS) This is a preview of subscription content, <u>log in</u> to check access.



Post-surgery Recovery using Deep Learning

Kuldeep Hule, Arjun Dashrath

Department of Computer Engineering, Army Institute of Technology, Pune, Maharashtra hulekuldeep@gmail.com; arjunsumant_19256@aitpune.edu.in

ABSTRACT

The objective of this research was to deploy a Deep learning, pose estimation algorithm by implementing an application that would analyze imperfections caused in fixing joints during orthopedic surgeries and provide corrective physical suggestions to fix improper joint placement/posture caused as a consequence of surgery. The application provides guidelines for optimal posture of multiple joints and prompts the user to imitate the movements consciously in order to physically fix the errors over time.

Keywords: Deep learning, Orthopedic, Post surgery recovery, Tensorflow, Pose estimation, PoseNet.

INTRODUCTION

Every year the world sees 22 million orthopedic surgeries. In India, 67% of the total orthopedic patients fall under 21-60 years of age, a significant part of the working population. 33% of these suffer from trauma that require corrective measures [3].

The most prevalent of orthopedic surgeries are:

- 1. Joint replacement surgeries (Shoulder, Knee, Hip)
- 2. Surgeries as a result of fractures, dislocations and muscle tears.
- 3. Spinal surgeries.

These surgeries usually have a long rest period for proper recovery but cause certain complications almost every time that require physical corrective methods for mobility and stance correction. The complications can be majorly divided into two categories:

- 1. The longer rest periods and prolonged usage of casts and braces often hinder the correct placement and structure of the injured joints.
- 2. Slight imperfections caused during surgery procedures that may deviate from the optimal joint placement angles.

For example, during an ankle surgery recovery, over or under pronation of the foot might occur due to the lack of pressure on the ankle due to long rest, weakened muscles due to long usage of casts and braces or incorrect attachment/positioning of the joint during surgery. This may have a permanent negative impact on the joint causing suboptimal physical capabilities of the joint or severe impairment.

The solution devised is to use deep learning algorithms to develop an application that analyses the joint placement and angles, compares it to the optimal structure from the existing dataset of optimal cases depending upon different body types and structures, finding the deviation from the optimal case and thereby recognizing incorrect surgery outcomes (incorrectly fixed joints) and incorrect stances (e.g. drooping of fixed shoulder) and suggesting corrective and medical solutions thereby making it ideal for professional and home usage. The corrective measure consists of guided stance correction that the user can consciously try to imitate to improve stance by strengthening muscles around the joints and getting habitual to it. For example, a spinal surgery may cause a patient's back muscles to be weakened due to bed rest causing a bad spinal posture, the application would point out the problem and suggest optimal corrective postures that the patient can imitate to correct their posture over time. Thus, the application can greatly contribute in post-surgery recoveries and incorrect surgery detection.

LITERATURE REVIEW

Pose estimation algorithms from various packages like Tensorflow and PyTorch have been extensively used in the past mainly for augmented reality, gait analysis and CGI techniques in movies.

219

Effective use of Big Data in Precision Agriculture

Sharayu Ashishkumar Lokhande
Department of Computer Engineering
Army Institute of Technology
sharayulokhande@gmail.com

Saurabh Dome Department of Computer Engineerring Army Instute of Technology Asha P Sathe Depatment of Computer Engineering Army Institute of Technology

Abstract —Precision Agriculture is the key terminology in agriculture Engineering. Precision agriculture can make the use of legacy data of agriculture to make the farming better in terms of quantity, and qualifical Tehanhouse Recognition terms of quantity, and qualifical Tehanhouse Recognition to the agriculture can the distribution agriculture extra the distribution. This is protected the control of the challenge of technology, people want quicker, handy and reliable tools, which can fulfil their daily the needs. With this mate, we had more forward and analyzed the

Integer Syith this motion had some, formard any sanalyzed othe Agricultisting crops and, madreup the research powhishe provides Regressamless experience (No ads and easy-to-use), and great accuracy. While OCR technology was originally developed for recognizing the printel NERCOLOGICAN used to recognize and

Against the dynaster texteen all the adjusting as an entering the station of the information of the paper document and using it wherever it principal means from the paper document and using it wherever it principal means to reduction or sometimes eliminating the and forester closely data entry. We also almost established ways in Domestic Products in portate alcanians twin read to thin material ways in Domestic Products in portate alcanians with read to thin material was a formand the analysis of the adjusting the account of the process time and the analysis of the analysis of the products in the control of the process time and the control of the products of the products of the products of the control of the products of the p


A. Agriculture in India

Agriculture is the primary source of Indian economy. It servers the 75% employment to the population such as food and clothe. It also generates the employment to all those who supplies the necessities for the farming, it includes employments, equipments, pesticides, transportation. It helps for economic growth. In the early periods of green revolution helps to increase in crop yield production. But due to the lack of technical knowledge it can't be increased beyond certain level [2].

The increasing use of technology in the domain of agribuliane provide expand the production of the direct employment to 2/3rd of our population and it is a provider of food, clothing and other basic provisions of life for the entire population. The agriculture sector is important for food security, employment generation and economic growth.

There is a constant degradation in agricultural growth, which is the worried factor. There is enhancement growth in food grain production in the early years of green revolution. But due to the lack of knowledge of science and digital information, the growth of food grain production cannot be

increased beyond certain level in Technology is growing faster and faster day by day. It has been penetrated vastly from urban to rural region. Government and farmer go hand in hand for floblobatternise theoff there rop phichestow anthat sclass porting world level problemesses Drass from the fafollogy Government has taken that first that the bytotopiding the that from the first that the bytotopiding the that the first that the bytotopiding the the first that th



Soil: Degradation of soil parameters due to excess use of pesticides tike uncaptured that etc. If the soil parameters are known prior of sowing, this will help the farmer to take the decision about the quopospecion [5].

Outprojettings Withdelphelping fiology regulates farmers mindakenthic leading to when the crop cutting needs to be done. Prior information helps to sayes the cost of machinery or labor required for allow automatic extraction of the information required for crop cutting that a user wants from the paper document and

Pests's Maniage them: earlier is wearded in Thim and and soil analysis requairmelps some times eliminating fewer wark of the pesticides of pesticides of the amount of pesticide leads to more organic grope hapives good profits the farmer elimination of the

Intercopying: Experts call suggest the human touches o use and therefore dramatically suggest the process intercrops based on long term and short term crop production. It gives profit to farmers. This can be done by analyzing the pattern of crops based on long term and short term crop production. It gives profit to farmers. This can be done by analyzing the pattern of crops based on long terms and short term crop production.

C. Farly or beautiser hydridants one gravizer of some the regions of ewe season, described the parameters such as temperature, soil contents, weather conditions raining situation etc. This may help to the respective regions. If the study has been enhance further for many regions, maximum seasons, crops which may affect directly to the farmers economy, number of crops, more parameter, this in term benefits more number of people. This may help to reduce food grain problem. [19]. If the span of the

Optical Charater Recognition using Tesseract and Classification

Optical Character Recognition is the technology used for converting the transcribed, handwritten or any printed text documents such as scanned pages, images taken by any camera or phone into the text data that can be edited and reused. [1]. In other words, OCR takes a look on the photo of the text document (therefore it is called as "optical" process) and then recognizes the different alphabets, numbers or any other characters. This sub process is called as character recognition, which is used to fetch the characters from the image, and then these characters will be converted to text sentences for further use. This mainly aims to reduce the human workload, and it achieves the same as it is handy and it also saves the time as it provides all the text that the user was supposed to be retyping [2]. Our OCR WebApp is capable of giving out the output text quickly, but the handwritten text recognition takes little longer as it uses CUDA cores the operations. Generally the process of OCR has three stages, that are: Access (Scan) the image document, Recognize the text data and then save it into any convenient format or display it directly to the user for further use. [3]. With this in our context, the paper presents the design and procedure of the OCR WebApp, which consists of three sections that are: Image-to-Text, Real-time OCR (using webcam), and Handwritten Text Recognition. In this project, OCR uses Tesseract as an engine to display the text to the user and HTR uses a Deep learning model to classify the letters and display them to the user.

Provide the text with more than 95% accuracy for any document with standard quality.

III. ADVANTAGES

Following are some of the advantages of Optical Character Recognition:

Video Compression Engine using Auto Encoders

Prof Rushali Patil

Army Institute of Technology
rpatil@aitpune.edu.in

Sagar Game
Army Institute of Technology
sagargame01@gmail.com

Gaurav Kumar Singh Army Institute of Technology gaurav9939f@gmail.com

Niket Kumar Army Institute of Technology singhnik82@gmail.com Sidhant Singh

Army Institute of Technology
b.sid2012@gmail.com

Abstract— Content consumption in the form of video has held more than 80% share of the internet traffic. Every minute approximately 500 hours of videos are been uploaded on YouTube. With increase of video consumption, video storing and delivery has become an overhead. Conventional video and image compression have codec type architecture but with changing volume and format of data they prove to be less efficient and are less adaptable. But with the advancement of DNN techniques, all the above problems can be overcome.

In this paper deep neural network-based compression technique is proposed which will hopefully surpass the standard compression algorithm as calculated with Multi-Scale Structural Similarity Index (MS-SSIM).

This proposed Neural Net Model comprises of Encoder and Decoder modules. We will be training both Encoder and Decoder together using UVG Dataset. We will use Autoencoder neural network to compress the motion vector and residual loss.

Index Terms— Video Compression, Auto Encoders, Neural Network, Video Compression Engine, Encoder, Decoder

I. INTRODUCTION

Currently, video controls the large percentage of traffic on internet [1]. We can precisely say, its more than 80% and will rise even more. Therefore, designing an effective video compression model while preserving sufficient video quality is crucial. Furthermore, most computer vision (CV) tasks that deals with video processing, like object detection, face recognition or object tracking, and many more are susceptible to the quality of compressed images (or frame). Thus, Effective video compression can prove to be advantageous for them and as well as for other CV tasks.

In recent years, however, video compression algorithms [8,9] have focused on conventional methods to mitigate the loss of video sequences. For Example, Discrete Cosine Transform. The compression framework, using these algorithms, as a whole is not designed end-to-end although each module is well constructed so it is beneficial to further enhance the efficiency of video compression by mutually improving the entire compression method. DNN based autoencoder for image compression [3, 6, 4, 16, 17, 2, 18, 19] has showed better efficiency and performance than any other conventional or standard image codecs like JPEG [21]. And the reason behind DNN achieving better efficiency and

performance is because DNN based models go through costly training over massive amounts of training data.

However, applying these techniques to the development of full-fledged video compression is not an easy task. There are few challenges to making that work: like, learning the method of creating and compressing motion data customised to video compression. There is a lot of temporal redundancy in any video sequence. One quick solution is by using optical flow for estimation of motion in video. Furthermore, the amount of data of the optical flow grows considerably in contrast to the motion estimation in conventional compression systems, and when the current compression methods are applied directly to the compression optical flow values, the amount of bits required for the storage of the motion information will increase significantly.

In this paper, we came up with video compression using deep leaning approach. We've been exploring a DNN architecture for video compression. The encoders produce a stream of bit based on input frame and the role of decoder is to reconstruct the frames based on streams received.

Autoencoders are a sort of neural network that endeavours to imitate the given information as closely as conceivable to its output. The goal to take the given data and convert it to lower dimensional code and this code can be used to regenerate the output (in this case original input). One thing to keep in mind when designing a autoencoder that we don't want our autoencoder to remember all of its data but it can recognize and prioritize the data and know what to keep and what to eliminate.

We use MS-SSIM [14] for assessment purposes. This measuring system is used to identify the degree of resemblance between the images. In this context, the uncompressed video frames and its counterparts which is generated after the compression at the decoder end. So, the general MS-SSIM is calculated by integrating the SSIM index of many versions of the image in different scales.

II. RELATIVE WORK

A. Conventional Approach

Here we discuss briefly about the conventional video compression approach using encoder and decoders. Here Encoders produce a stream of bit based on frame input.

4. Department of Information Technology (A.Y 2020-21)

08/05/2024, 10:38

A Discriminative Model for Multiple People Detection | SpringerLink

SPRINGER LINK

Log in

■ Menu

Q Search

Cart

Home > Advances in Signal and Data Processing > Conference paper

A Discriminative Model for Multiple People Detection

| Conference pape|r First Online: 12 January 2021

pp 491-498 | Cite this conference paper

Access provided by Army Institute of Technology Army Welfare Edu. Soc.,

Download book PDF



Advances in Signal and Data

Processing

Smita S. Kulkarni M& Sangeeta Jadhav

Part of the book series: Lecture Notes in Electrical Engineering ((LNEE, volume 703))

656 Accesses 1 Citations

Abstract

Group activity recognition is becoming more important day by day for video surveillance, sports analytics, etc. Monitoring various cama35manually through human resources is a



Search Q 📜 Log in



International Conference on Recent Trends in Image Processing and Pattern Recognition

RTIP2R 2020: Recent Trends in Image Processing and Pattern Recognition pp 169–182

A Comprehensive Survey of Different Phases for Involuntary System for Face Emotion Recognition

Conference paper | First Online: 26 February 2021

459 Accesses

Part of the <u>Communications in Computer and Information Science</u> book series (CCIS,volume 1380)

Abstract

Involuntary recognition of basic and non-basic emotions has started great curiosity in research area. Developing a fully automated computational model for face emotion analysis is quite difficult a human face is complex, multidimensional and has different meaningful visual messages pass. A big

2021 | OriginalPaper | Chapter

A Discriminative Model for Multiple People Detection

Authors: Smita S. Kulkarni, Sangeeta Jadhav

Published in: Advances in Signal and Data Processing

Publisher: Springer Singapore

Login to get access

Abstract

Group activity recognition is becoming more important day by day for video surveillance, sports analytics, etc. Monitoring various cameras manually through human resources is a complex job; due to this, computer vision algorithms are being developed to perform lower and higher level tasks. This paper presents multiple people detection using the histograms of oriented gradients (HOG) feature descriptor algorithm through a support vector machine (SVM) based on the different group action class of persons. Multiple people detection for group action identification is a complex problem as accurate detection of individual persons requires extensive computation. To achieve multiple people detection for group activity, HOG feature extraction is proposed. HOG is precise and accurate person detection algorithm in the recent computer vision application. In addition, thresholding algorithm is implemented to collect the HOG feature vectors of definitely detected windows and firms the pathway followed by a person in the video frames. The proposed algorithm is evaluated through different aspects like group action categories and existence of occlusion over Haar and HOG features.

Show less

Please log in to get access to this content

Log in	
Register for free	

Books and Chapters
Published
and
Papers Published in Conferences
A.Y. 2019-20

1. Department of Electronics & Telecommunication Engineering (A.Y 2019-20)

18/06/2024, 22:27

Modeling and Optimization of a Jackfruit Seed-Based Supercapacitor Electrode Using Machine Learning - Mat...

Back Research Article

Modeling and Optimization of a Jackfruit Seed-Based Supercapacitor Electrode Using Machine Learning

Seema Mathew · , Parashuram Balwant Karandikar, Neelima Ravindra Kulkarni

First published: 27 May 2020

https://doi.org/10.1002/ceat.201900616

Citations: 14

Abstract

Supercapacitors can be used for portable energy storage applications. In this study, machine learning techniques are applied to optimize the process of preparation of supercapacitor electrodes from chemically activated carbon made from jackfruit seeds. Experimental trials were carried out using statistical design of experiments. Artificial neural network was employed to generate the process model and a multiobjective optimization was attempted by means of swarm intelligence and the Derringer's desirability function. The optimized electrode demonstrated high capacitance and low resistance making it suitable for supercapacitors. The algorithm developed in the study can be adopted by process engineers for efficient optimization.



Date of Conference: 13-15 February 2020

DOI: 10.1109/I4Tech48345.2020.9102677

Browse ✔ My Settings ✔ Help ✔ Institutional Sign In

Institutional Sign In

All ▼ Q

ADVANCED SEARCH

Conferences > 2019 IEEE Pune Section Intern...

Comparative Study of Binders for Super-capacitor

Publisher: IEEE

Cite This

PDF

Saumyakanta Khatua; Jay Kumar Das; Rohan Dalal; Snehasish Pradhan; P.B. Karandikar

All Authors

3 Cites in Papers

100 Full Text Views



Manage Content Alerts

Add to Citation Alerts

Abstract

Document Sections

- I. Introduction
- II. Factors Affecting
 Properties of SuperCapacitor
- III. Experimentation
- IV. Conclusions

<u>Authors Figures References</u>

Citations Keywords Metrics

More Like This

Abstract:

With increase in demands of electronic devices there is a spike in the field of power management and efficiency. For this development of low power consuming devices with ... View more

Metadata

Abstract:

With increase in demands of electronic devices there is a spike in the field of power management and efficiency. For this development of low power consuming devices with maximum efficiency is necessary. One of the major components of major electronic devices is capacitor. To enhance the charge storing capabilities we use super-capacitors instead. Though this holds a major drawback of high resistance. Researches are being carried out to increase the efficiency of super-capacitors. This paper presents the effect of various binders on the working of super-capacitors. Binders play roles of binding active material and conductive agent together and also cohering with electrode. The role of the binder should provide enough strengthen during the electrode formation and appropriate pore sizes. Hence effects of various percentages of binders on capacitance and equivalent series resistance values is studied in this paper.

Published in: 2019 IEEE Pune Section International Conference (PuneCon)

Date of Conference: 18-20 December 2019 **DOI:** 10.1109/PuneCon46936.2019.9105776

Date Added to IEEE Xplore: 02 June 2020 Publisher: IEEE


▶ ISBN Information: Conference Location: Pune, India





B


2. Department of Mechanical Engineering (A.Y 2019-20)













Strictly as per the New Syllabus of Dr. Babasaheb Ambedkar Technological University w.e.f. academic year 2019-2020




MACHINE DESIGN - II


(Code: BTMEC602)

Third Year B. Tech. Semester VI - Mechanical Engineering

R. B. Patil









w.e.f. academic year 2019-2020



MACHINE DESIGN - I

Third Year B. Tech. Semester V - Mechanical Engineering

R. B. Patil



Branches

PUNE 4

TechKnowledge ABC M.: 74989 01813, ©74989 01812 Email: pune@techknowledgebooks.com

► KOLHAPUR 4

Mr. Maruti More Mob.: 93703 14842, 93703 14839 Email: maruti_more@rediffmail.com

NAGPUR 4

Mr. Narayan Giri Mob.: 90210 20167 Email: narayangiri0@gmail.com

SOLAPUR 4

Mr. Sayyad S. B. M.: 94239 76768 Email: tkpsolapur@gmail.com

Retailers & Wholesalers

MUMBAI 4

Student's Agencies (I) Pvt. Ltd. T.: (022) 40496161, © 91672 90777

Vidyarthi Sales Agencies T.: (022) 23867279, @ 98197 76110

Bharat Sales Agency T. : (022) 23819359,© 86572 92797

AURANGABAD 4

Umde Book Sellers Ph.: 94234 55435 / M.: 88060 87773

> DHULE «

Lokpriya Pustakalaya M.: 94232 49697 / 9673 307132

BULDHANA 4

Shri Agrasen Distributors M.: 94228 82542

About the Author

R. B. Patil

Obtained his Bachelors Degree in Mechanical Engineering from the Walchard College of Engineering, Sangli and Masters Degree in Mechanical Engineering with Design Engineering as a specialization from the Government College of Engineering, Pune. His industrial and teaching experience spans more than 30 years. He has authored the books. 'Design of Machine Elements-I.', 'Design of Machine Elements-II', 'Mechanical System Design' and 'CAD/CAM and Automation'.



Head Office :

B/5. First Floor, Maniratna Complex, Taware Colony, Aranyeshwar Corner, Pune - 411009. Maharashtra, India. Tel.: 91-20-24221234, 91-20-24225678

Distribution Address :

Shop No. 8-9, Ground Floor, Shaan Bramha Complex, Appa Balwant Chowk, Opp. Farashhana Police Station, Pune - 411092. Mobile: 74989 01813 / © 74989 01812.

Our Branches : Pune | Mumbai | Kolhapur | Nagpur | Solapur | Nashik

Email: info@techknowledgebooks.com Website: www.techknowledgebooks.com

O O O O O O TechknowledgePublication

Price 7 265/-

ВТОЗОА



Tribological behaviour of Fluorocarbon Coating under Dry and Lubricated Sliding Conditions

A. J.Bodhale, R. B. Patil

(Mechanical Engineering Department, Army Institute of Technology Pune, India)

Abstract: Due to positive tribological performance, fluorocarbon coatings have established an importance in many applications, as a possible replacement to enhancement and substitute traditional liquid lubricants. The literature in this area is to a certain extent limited, especially on the Tribologicalbehaviour of fluorocarbon coated and fluorocarbon uncoated components in aggressive conditions. In this work, fluorocarbon coated on the MSS M2 and fluorocarbon uncoated components were tribologically evaluated using Ducom friction and wear machine under specific conditions, which included rotating sliding conditions. The coatings showed good to excellent tribological performance, and in general fluorocarbon coating exhibited better friction and wear behaviour than uncoated specimen. The Fluorocarbon coating has ability to reduce the friction and wear along with this it also gives smooth and noise free running operation. Long-term durability experiments also showed the superiority and suitability of fluorocarbon coating for potential use in many applications. Fluorocarbon coatings are considered for their advantageous mixture of properties, in specific it has exceptional low friction as well as release capability and good chemical properties. As a result of experimentations, fluorocarbon coating shows the coefficient of friction as low as 0.196 which is much better than many other coatings in the fluorocarbon category and wear rate is also way better which is 1.0610×10⁻⁵ mm³/Nm.

Keywords: Fluorocarbon coating, Friction, Wear, Wear rate, Coefficient of friction, Regression equation.

I. Introduction

In different industries friction and wear are one of the intrinsic factors to increase energy consumption. According to [1] in the industrialized developed nations the energy losses and damaging of machine components because of friction as well as wear accounted for 5% to 7% of their GDP which is nearly about one third of the world's total energy sources in actual practice it appears as a friction or in the form of wear. Yearly thousands of machine campers in different industries become useless because of excessive wear. According to [2] in Europe and America 10% of total oil consumption is used to counter the damage caused by friction and wear. The side effect of increase of friction and wear in machine component is not only limited to damage of machine but it also dangerous for environmental point of view because the friction and wear factor also responsible for excessive CO2 emission specifically in case of vehicles. It is a huge problem and it is also necessary to overcome the friction and limit the CO2 with the help of different engineering and typology ideas and principles which include appropriate use of surface modification and survey statement processes, proper use of lubricants, materials, coatings and special structural designs. Out of these all options surface modification and surface treatment, coatings which is collectively called as surface engineering is the best operational and flexible way out for tribology issues. This surface engineering more precisely coating modifies the tribological properties by introducing the compressive stresses which helps to minimize the coefficient of friction by maximizing the surface hardness. In this way coating develops and increases the wear resistance of surface and also helps to increase the life of machine components. From last few years different types of coating and their depositions method have been developed successfully to reduce the damage of machine from friction and wear. Now a days in industries greater performance is essential for components and different tools of machine which cannot be achieved only by selecting the proper materials or improving the mechanical structures of components. The final result of performance of components can be improved by effective use of coating which can positively replicate the results in terms of greater reduction in friction, improving the wear resistance ability, to withstand or survive under different environmental conditions, to reduce corrosion and improve other characteristics. Along with improving all these characteristics it is also important to keep original properties of main substrate which is responsible for strength and toughness. Besides all these points at present situation we are far away from actual scenario where the friction coefficient as well as rate of wear can be precisely calculated for specific an experimental, working condition which is totally based on theoretical evaluation and studies of calculation. Practically a harder component coated by soft thin coating shows the probability of decrease in sliding friction. But the main issue of soft thin coating is their wear out time and life span is critical and the coating on the substrate is not executed precisely and correctly then there is possibility of detachment of coating material from base material. Along with all these for soft coating the selection of parameter is also a

8th National Conference on "Recent Developments in Mechanical Engineering" [RDME-2019] 34 | Page Department of Mechanical Engineering, M.E.S. College of Engineering, Pune, Maharashtra, India.

Topology Structure Design of Fish-Based Propulsive Mechanisms | SpringerLink

Visit Nature news for the latest coverage and read Springer Nature's statement on the Ukraine conflict

Springer Link

Search Q P Log in

Machines, Mechanism and Robotics pp 1055–1065

Topology Structure Design of Fish-Based Propulsive Mechanisms

Gaikwad Pankaj Manik R & Pankaj Dorlikar

Conference paper | First Online: 22 July 2021

1148 Accesses

Part of the Lecture Notes in Mechanical Engineering book series (LNME)

Abstract

The research presented here has its centre point on imitation of fishes

3/30/2022, 9:37 AM

and the kinematics of propulsive mechanisms to be used in efficient and versatile autonomous underwater vehicles (AUVs). Today's AUVs

1 of 9

5

Topology Structure Design of Fish-Based Propulsive Mechanisms | SpringerLink https://link.springer.com/chapter/10.1007/978-981-16-0550-5_101 are based on submarine. The paper started with the analysis of topological structural attributes of 4-11 link mechanisms with 1-6 DOFs. Using Hong Sen Yan's creative design theory for mechanical devices, all the possible combinations of propulsive mechanism were synthesized to generate an atlas of 1149 new propulsive mechanisms subject to isomorphism, which will provide more inputs in the design and fabrication of the AUV models. Keywords Autonomous underwater vehicle Mechanisms Kinematic chains This is a preview of subscription content, access via your institution. EUR 24.95 V eBook EUR Carron Price includes VAT (India) → Chapter Price excludes VAT (India) Tax calculation will be finalised during Tax calculation will be finalised during

2 of 9

3/30/2022, 9:37 AM

IHMTC2019-HTE-526

Experimental Study of Heat Transfer Enhancement in a Novel Padma Heat Sink Minichannel

Dr Pritee Purohita*, R.B. Gurava, S.M.Gaikwadc

a,b,c Assistant Professor, Army Institute of Technology, Pune, Maharashtra, India, * Corresponding author email: priteepurohit@gmail.com

ABSTRACT

Experimental and numerical investigation was conducted for the fluid flow and heat transfer in minichannel with a novel Padma heat sink. The minichannel heat sink is consisting of a novel Padma design (Flower shape) engraved on a rectangular plate. The dimension of a rectangular plate is 30 x 30 x 6 mm and that of the Padma is a cylinder having 15 mm diameter with 5 mm depth of the channels. Padma heat sink made of aluminum is having 10 channels with fluid inlet at the center and radial outlet. Water is used as a working fluid with the Reynolds numbers ranging from 50 to 250. The experimental results consisting of the heat transfer enhancement and friction factor, for minichannels are compared with the parallel channels with the same surface area. It is observed that the Performance Enhancement Factor of Padma heat sink is in the range of 1.71 to 3.02. The flow behaviour is analyzed using numerical method. It is observed that the fluid mixing rate is enhanced in case of Padma heat sink due to secondary flow generation at divergent sections. The experimental and numerical results obtained are in reasonably agreement with the experimental data.

Keywords — Heat Transfer, mini/microchannel NOMENCLATURE

- Amplitude, m
- Channel width, m
- A Cross-section area, m2
- Channel depth, m
- C, Specific heat at constant pressure, J/kg K
- Hydraulic diameter of channel, m D_{ν}
- E Enhancement
- Fanning friction factor
- Convective heat transfer coefficient, W/m2 K h
- Thermal conductivity, W/m K
- Thermal conductivity of water, W/mK
- Length of channel, m

- Mass flow rate of cooling water, kg/s
- Number of parallel microchannels
- Nusselt number Nu
- PrPrandtl number
- Heat rate W
- Volume flow rate, cm3/s Of
- Qout Heat output, W Heat flux, W/m2
- q.
- Fin thiness, m
- TmMean Fluid temperature. °C
- Wall temperature, °C
- Temperature at inlet, °C Tin
- Tout Temperature at outlet, °C

Greek symbol

- width of channel to wave length
- Density of water, kg/m3
- Dynamic viscosity, N s/m2 μ
- Kinematic viscosity, m2/s
- Pressure drop across the mini channel, Pa

INTRODUCTION

The Fast development in information technology (IT) industry, the air cooling technology for heat flux in integrated circuits reached its limits of 100 W/cm2. More research was carried out in microchannel with liquid cooling due to available more surface area and heat transfer coefficient. But microchannels has a limitation in implementation because of higher pressure drop. This higher pressure drop needs to pump the coolant fluid through the microchannels. This motivate researcher to go for Minichannel which is used for higher heat flux and mild pressure drop as compared to microchannels. The minichannel heat sink with foot print size 20 mm x 20 mm was analysed numerically with water as working fluid. The constant heat flux was used as boundary condition. The channel dimensions like wall thickness,

2. Department of Computer Engineering (A.Y 2019-20)

Design of a Forensic Enabled Secure Cloud Logging

Sagar Rane

Department of Technology Savitribai Phule Pune University Pune, Maharashtra, India scholarsaggy@gmail.com

Sanjeev Wagh

Information Technology Govt. College of Engineering Karad, Maharashtra, India sanjeev.wagh@gcekarad.ac.in

Arati Dixit

Electrical and Computer Engineering North Carolina State University Raleigh, NC 27695, USA adixit4@ncsu.edu

ABSTRACT

Adoption of cloud computing services greatly reduce the cost of managing businesses and increase the productivity. But, due to complex network configurations of cloud, it is a vector for various malicious attacks. Logs are the most valuable element which can be helpful in revealing the insights of any activity happened in cloud. Experienced attackers and malicious users always targets to destroy logging service first, after their attacks to remain untraceable. The existing logging techniques, which consider logger as a trusted stakeholder cannot be applied in cloud as there is possibility of collusion in between logger of cloud i.e. cloud service provider and fraud cloud service consumer or cloud forensic investigators to falsify the logs.

CCS CONCEPTS

• Security and privacy \rightarrow Virtualization and security; • Applied computing \rightarrow Network forensics; • Computer systems organization \rightarrow Cloud computing.

KEYWORDS

Cloud Forensics, Forensic Investigation, Cloud Security, Blockchain, Interplanetary File System (IPFS)

ACM Reference Format:

Sagar Rane, Sanjeev Wagh, and Arati Dixit. 2020. Design of a Forensic Enabled Secure Cloud Logging. In 21st International Conference on Distributed Computing and Networking (ICDCN 2020), January 4–7, 2020, Kolkata, India. ACM, New York, NY, USA, 1 page. https://doi.org/10.1145/3369740.3373803

1 PROBLEM STATEMENT

Design of a Forensic Enabled Secure Cloud Logging

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

ICDCN 2020, January 4–7, 2020, Kolkata, India © 2020 Copyright held by the owner/author(s). ACM ISBN 978-1-4503-7751-5/20/01. https://doi.org/10.1145/3369740.3373803

2 PROPOSED SECURE CLOUD LOGGING

In our work, we analyse the threats on cloud logging service[1], looking attentively at cloud multi-stakeholder collusion problem [2]. On the basis of threat analysis, we propose forensic enabled secure cloud logging service, which preserves the integrity and confidentiality of cloud service consumer logs. We employed blockchain for building forensic enabled logging scheme, which provides proof of log manipulation to cloud forensic investigator. InterPlanetory File System(IPFS) was used to remove the storage overhead of logs on blockchain. Cloud service consumers CSC send an event E to request R with the help of request attributes RA to data file objects O in cloud to perform their day-to-day business activities which generates logs $L = \{l_1, l_2, l_3, \dots, l_n\}$. Step 1: Log File Creation: $E_i \rightarrow L_i$ < time, First event in the cloud system will get recorded into log say L_1 . Let's say $E_i \rightarrow L_i$ where i=1; for every first event of the day. $E_i \rightarrow L_{i+1}$ where i is an index of previous log. Each time CSP assigns an index i to each event E and appends it to the log file. Step 2: Partial Proof Generation: In this step we are creating proofs of ten events in one file. LF .insert $\{E_0, E_1, \dots E_{10}\} \rightarrow PP_1$; where PP_1 is a Partial Proof of events E_1 to E_{10} . Step 3: Partial Proof Encryption: $Encrypt_{CSC}(PP_i) \rightarrow EP_i$ where EP(Encrypted Proof) bound to its version number i and signed. Thus, versions of partial proof will be consistent. Step 4: Add Encrypted Proofs on IPFS Network: Finally, versions of proofs $P_0 \dots P_i$, P_{i+1} , $P_{i+2} \dots$ which are mutually consistent and encrypted are added on IPFS network. After every day, hash of all proofs is stored on blockchain.

3 RESULTS

After any malicious incidence cloud forensic investigator can anytime verify the integrity and confidentiality of logs. Our results shows integrity verification of 10K logs in just 1660 seconds. Thus, our technique makes cloud more secure and transparent.

REFERENCES

- P.Melland, T.Grance. "NIST Cloud Computing Forensic Science Challenges", NIST Cloud Computing Forensic Science Working Group, Information Technology Laboratory, Draft NISTIR 8006, 2014.
- [2] S. Zawoad, A. Dutta, and R. Hasan, "Towards Building Forensics Enabled Cloud through Secure Logging-as-a-Service", IEEE Transactions on Dependable and Secure Computing, 2016.

Securing Trustworthy Evidences for Robust Forensic Cloud in Spite of Multi-stakeholder Collusion Problem

Conference paper | First Online: 13 August 2020 pp 1/6—386 | Cité this conference paper

Part of the	book series: Advances in Intelligent Systems and Computing ((AISC, volume 1179)
	n the following conference series: nal Conference on Hybrid Intelligent Systems

Abstract

Many organizations are widely using cloud for their day to day business activities. But several attackers and malicious users are targeting cloud for their personal benefits. It is very important to collect and preserve admissible evidences of various activities happened in cloud securely in spite of multi-stakeholder collusion problem. Logs are one of the utmost vital elements to trace the malicious activities happened in cloud computing environment. Thus, forensic investigations involving logs face a grave challenge of making sure that the logs being investigated are consistent and not tampered with. A lot of research has been performed in this field; however with the advent of blockchain and Interplanetary File System (IPFS) new innovative approaches can be applied to secure trustworthy evidences in cloud. In this paper, we used blockchain and IPFS to build a system which stores the logs of cloud users' activities and assurances the trustworthiness and recovery of such logs to aid in forensic investigation. The integrity of the trustworthy log evidences is assured with the help of blockchain. Using versioning nature of IPFS our system can track



International Conference on Communication and Information Processing (ICCIP-2019)

Available on: Elsevier-SSRN

Decentralized Logging Service using IPFS for Cloud Infrastructure

Sagar Rane, Salil Gautam, Anirudh Murali, Nishant Gore, Thomas Saju Koshy

Army Institute of Technology, Dighi Hills, Alandi Road, Pune 411 015, Maharashtra, India.

Abstract

In any shared space of resources it is very important to have a trustable way to record how and when the resources have been used and by whom. Similarly, in any cloud-based platform, collection of logs is an important activity required to have a trustable record of the activities performed by the users and pin point any malicious deeds performed. Forensic investigations however face a grave challenge of ensuring the integrity of the logs. The activity of collecting logs and ensuring their integrity becomes a necessity with regulations like SOX enforcing it on financial institutes. In this paper, IPFS has been employed to create a system which preserves all the meta- data of logs generated by the network activity of the virtual machine and guarantees the confidentiality, integrity and availability during any forensic investigation. The integrity of the logs is guaranteed by the IPFS system which creates a content-based hash for the logs and stores them securely. As files in IPFS are indexed by their hash, tampering with a log will result in creation of a new hash which won't exist in the index. Index will still point to the original hash, hence integrity is achieved. In previous research, the systems could guarantee whether a log has been tampered with or not, but none provided a mechanism to recover metadata of tampered logs to their original state. Using IPFS, this paper aims to make the system more secure and takes it a step forward by providing the meta- data of the original logs for the tampered logs.

Keywords- IPFS, Cloud Forensics, Content-based hashing

© 2019 -Authors

1. Introduction

With the advent of cloud servers in the IT world, more and more companies are opting for cloud servers to launch their application into the real world. With cloud servers gaining more and more users, it has lead to a necessity to increase the security of one's account and usage in the clouds. With more users comes greater difficulty in managing those customers. To better manage their resources and ensure that they are not used for malicious activities, it is important that the CSPs keep a secure and trustable logging service to map the network activities performed by their customers using the VMs provided. Currently all the CSPs have their own database and a set of parameters that are stored. And whenever there is a case where the logs are needed the CSPs provide with the logs. In the current situation, during a forensic investigation, there are three involving parties: Cloud service provider (CSP), User, Cloud Forensic Investigator (CFI). During the investigation, while referring to a log, the investigator must blindly assume the credibility of the logs and

Smart KYC Using Blockchain and IPFS



Nikita Singhal, Mohit Kumar Sharma, Sandeep Singh Samant, Prajwal Goswami and Yammanuru Abhilash Reddy

Abstract Know your customer, also known as know your client or simply KYC, is the process that businesses and financial institutes must employ to identify their clients and assessing any kind potential risk due to illegal intentions and foul play for the business relationship in compliance with a national regulating body. The term KYC is often used to refer the bank regulations and the anti-money laundering regulations which are in place to govern such activities. Also due to bribery and foul play, companies of all sizes are compelled to employ KYC for the purpose of ensuring their consultants, agents, or distributors follow rules set by anti-bribery compliant. With population of India around 1.3 billion, a secure and faster system for sharing sensitive information like KYC document which may contain personal document, capable of handling this vast amount of this data is of high demand. While the implementation of such a system isn't new, the present systems have drawbacks. The proposed system will replicate the functionality of the legacy KYC system. By using the immutable property of Distributed Ledger Technology (DLT) and Inter Planetary File System (IPFS), a tamper-proof system can be formed. This paper aims to address some of the shortcomings of the current system and propose implementation of innovative features to develop a more secure and comprehensive system. The proposed system will allow customer and business institute to verify and record the customer KYC document into the DLT. The proposed system will use IPFS which will greatly improve the storage efficiency of DLT.

N. Singhal · M. K. Sharma · S. S. Samant (⋈) · P. Goswami · Y. A. Reddy

Army Institute of Technology, Pune, India e-mail: sandeepsamant1702@gmail.com

N. Singhal

e-mail: ngupta@aitpune.edu.in

M. K. Sharma

e-mail: mmks987654@gmail.com

P. Goswami

e-mail: prajwalgoswami1996@gmail.com

Y. A. Reddy

e-mail: abhilashreddyy1@gmail.com

Date: NO.

Cultivar Prediction of Target Consumer Class Using Feature Selection with Machine Learning Classification

porteente aspet | Filt Centre 18,00,0014 anni 01-613 | <u>(Cardia cunterna paper</u>

Shyamala Davi Municemy 💽 Sugarus Remadens, Agema Shirchikana joshi & Mahach II. Lonese

- (ID) Percet the book series: Learning and Applyons in Intelligent Systems ((LAIS, volume 3))
- Included in the following conference series:

 International Conference on E-Business and Telecommunications

DISTA Accesses

Abstract

Bucently, Industries are focusing on cultivar prediction of customer classes for the promittion of their product for incressing the profit. The prediction of contourer class is a timu comuming process and may not be arrunate while performing transally, by considering these aspects, this paper proposes the usage of machine learning algorithms for predicting the contomer cultivar of Wine Access. This paper uses multivariate Winedataset extracted from Li-1 machine learning repository and is subjected to the feature welection methods like Bandom Event, Forward feature velection and Backward elimination. The optimized dimensionality reduced dataset from each of the above. methods are processed with various classifiers like Logistic Regressor, K. Nemest beighbor. (KNN), Bandran Forest, Support Vector Machine (SVM), Native Bayes, Decision Tree and Raynel SVM. We have achieved the accurate cultisar prediction to non-ways. Firstly, the dimensionality reduction is done using three feature selection methods which results in the existance of masonable components to predict the dependent variable cultivar. Secondly, the prediction of customer class is done for various classiflers to compare the accuracy. The performance analysis is done by implementing python scripts in Anaconda spyths Navigator. The better cultivar prediction is done by examining the metrics like Pyerkien, florall, PScom and Accuracy, Experimental Besidt shows that maximum ecouracy of 97.2% is obtained for Wandoor Projection with SVM, Decision Tree and Bandoor Propost Classifier.

Optimization of Network Functions Using Static and Heuristic Approach in Software-Defined Network



Mahesh B. Lonare and M. Shyamala Devi

Abstract The software-defined network is nowadays playing important role in achieving dynamicity and flexibility in network resource optimization. The software-defined networking (SDN) using network function virtualization (NFV) and Open-Flow architecture is supporting this evolution. There by drastically user driven services to guarantee low latency and fast access of user applications on laid network on one hand, and the trend to support personalization of services on the other. The static linear and dynamic heuristic estimation of multimedia data services towards the edge nodes can be helpful in optimization of resources. The software-defined network optimization is useful in new policy decisions, to scale up the network media availability and help network administrator at local network. At present, these facilities are available with enterprise network administrator only.

Keywords Software-defined network 'Network functions' Network resources computing' Cloud resources' Network resources allocation' Network resources analysis (bandwidth) 'OpenFlow

1 Introduction

The limitations in accessing of network functions have led to resource optimization of wasted network resources. The network resources have been laid with state-of-the-art infrastructure in many organizations, which are being utilized by users, and on many instances, it is found underutilized. The better utilization and monitoring of these resources will help service providers/system admin to increase their efficient utilization without any kind of enhancement in network infrastructure. This paper presents a software-defined network approach on network resource optimization by

M. B. Lonare (☑) · M. Shyamala Devi

Vel Tech Rangrajan Dr. Sagunthala, R&D Institute of Science and Technology, Chennai, India e-mail: mblonare@aitpune.edu.in

M. Shyamala Devi

e-mail: shyamaladevim@veltech.edu.in

© The Author(s), under exclusive license to Springer Nature Singapore Pte Ltd. 2021 V. H. Patil et al. (eds.), *Proceeding of First Doctoral Symposium on Natural Computing Research*, Lecture Notes in Networks and Systems 169,

403

4. Department of Information Technology (A.Y 2019-20)

Fast Converging Magnified Weighted Sum Backpropagation



Ashwini Sapkal and U. V. Kulkarni

Abstract In backpropagation (BP), Neuron's output drops either into weakly committed or strongly committed zone. Neuron's weighted sum, referred as a net, if close to zero, neuron is weakly committed, otherwise it is strongly committed. To push the weakly committed neurons in strongly committed zone, additional iterations are required, which causes the poor convergence rate. In this manuscript, the weighted sum entity of the backpropagation is magnified. This variant of the backpropagation is referred as a magnified weighted sum backpropagation (MNBP) algorithm. This net enlarging process of the MNBP makes sure that the neuron produces output in strongly committed space. As the net is magnified, it is gradient and is also magnified. It is noted here that MNBP needs lesser number of epochs for convergence unlike standard backpropagation. But, it may arise the flat spot issue. Hence, the flat spot problem is also studied and the appropriate majors are taken in the proposed algorithm to solve this problem. The implementations are carried out on parity (two bit, three bit and five bit) problem, encoder problem and standard benchmark problems. The outcomes are matched with the standard BP and its two variants named Fahlman approach and MGFPROP. Based on experimentation carried out here, it is concluded that the MNBP needs small amount of epochs for its convergence dissimilar to the standard BP and its two variants.

Keywords Backpropagation neural network 'Convergence rate 'Flatspot problem

1 Introduction

The backpropagation [1] algorithm is used effectively in various fields like remote sensing, agriculture, mechanical, robotics, medical and many more. Inspite of the huge success of the BP, its convergence speed is very low. Tremendous efforts are

A. Sapkal (\(\subseteq \)

Army Institute of Technology, Dighi Hills, Pune 411015, India

e-mail: asapkal@aitpune.edu.in

A. Sapkal · U. V. Kulkarni

SGGSI & ET, Vishnupuri, Nanded 431605, India

Visit Nature news for the latest coverage and read Springer Nature's statement on the Ukraine conflict





International Conference on Recent Trends in Image Processing and Pattern Recognition

RTIP2R 2020: Recent Trends in Image Processing and Pattern Recognition pp 169–182

A Comprehensive Survey of Different Phases for Involuntary System for Face Emotion Recognition

Conference paper | First Online: 26 February 2021

459 Accesses

Part of the <u>Communications in Computer and Information Science</u> book series (CCIS, volume 1380)

Abstract

Involuntary recognition of basic and non-basic emotions has started great curiosity in research area. Developing a fully automated computational model for face emotion analysis is quite difficult a

Springer Professional

2021 | Original Paper | Chapter

A Discriminative Model for Multiple People Detection

Authors: Smita S. Kulkarni, Sangeeta Jadhav

Published in: Advances in Signal and Data Processing

Publisher: Springer Singapore

Login to get access

Abstract

Group activity recognition is becoming more important day by day for video surveillance, sports analytics, etc. Monitoring various cameras manually through human resources is a complex job; due to this, computer vision algorithms are being developed to perform lower and higher level tasks. This paper presents multiple people detection using the histograms of oriented gradients (HOG) feature descriptor algorithm through a support vector machine (SVM) based on the different group action class of persons. Multiple people detection for group action identification is a complex problem as accurate detection of individual persons requires extensive computation. To achieve multiple people detection for group activity, HOG feature extraction is proposed. HOG is precise and accurate person detection algorithm in the recent computer vision application. In addition, thresholding algorithm is implemented to collect the HOG feature vectors of definitely detected windows and firms the pathway followed by a person in the video frames. The proposed algorithm is evaluated through different aspects like group action categories and existence of occlusion over Haar and HOG features.

Show less

Please log in to get access to this content



Journal of Statistics and Management Systems



ISSN: 0972-0510 (Print) 2169-0014 (Online) Journal homepage: https://www.tandfonline.com/loi/tsms20

Assessment of feature selection for student academic performance through machine learning classification

R. Suguna, M. Shyamala Devi, Rupali Amit Bagate & Aparna Shashikant Joshi

To cite this article: R. Suguna, M. Shyamala Devi, Rupali Amit Bagate & Aparna Shashikant Joshi (2019) Assessment of feature selection for student academic performance through machine learning classification, Journal of Statistics and Management Systems, 22:4, 729-739, DOI: 10.1080/09720510.2019.1609729

To link to this article: https://doi.org/10.1080/09720510.2019.1609729

Published online: 25 Jun 2019.
Submit your article to this journal 🗷
Article views: 3
View Crossmark data ☑

A Reinforcement Learning Approach for Evaluation of Disaster Relief

Gajanan Walunjkar
Research Scholar,
Computer Science and Engineering,
Vel Tech Rangarajan Dr.Sagunthala R&D Institute of
Science and Technology, Chennai, India
gwalunjkar@aitpune.edu.in

Abstract —Ad hoc networks are considered more suitable for disaster scenarios due to infrastructure-less feature. Existing routing algorithms used on such mobile ad hoc networks are non-adaptive routing algorithms and based on shortest path algorithms. But shortest path may not give optimum path. If the network is heavy loaded with traffic, shortest path may not give better results. Various reinforcement algorithms are used to design such adaptive routing where the routing takes place based on the actual traffic present on a network. One of the reinforcement routing algorithms is Q routing and various variants of Q routing like CQ routing, CDRQ routing etc. In this paper, Q routing and CDRQ routing are implemented and compared using disaster area mobility model in disaster area scenario.

Keywords — QR, CR, DRQ, CDRQ, MANET

I. INTRODUCTION

Rescue operations at real time are very important in case of natural disasters such as earthquake, typhoon and tsunami which will save numerous lives. Information need to be available quickly as soon as possible, between various resources involved in rescue operations. Ad hoc networks are much suitable for such disaster scenarios due to their infrastructure-less feature.

Movements of nodes inside ad hoc network are described by mobility models. Random Waypoint mobility model and Manhattan mobility model is widely used mobility model in ad hoc networks. In Reference Point Group Mobility Model, one Reference point is used where all nodes are randomly distributed [1, 2]. This model is used in military battlefield communications as well as in disaster relief where various rescue crews from different groups and work cooperatively [2, 3]. In disaster area model (DM), different action areas are classified for disaster scenarios [4] and every person belongs to any of the areas and represented by nodes. [5]. Thus the disaster scenario is divided into different areas like incident site, casualty's treatment area, transport zone, and hospital zone. Communication among different areas is represented by the movement of nodes and various data packets.

Anne Koteswara Rao
Professor
Computer Science and Engineering,
Vel Tech Rangarajan Dr.Sagunthala R&D Institute of
Science and Technology, Chennai, India
dac@veltechuniv.edu.in




Fig. 1. Disaster Area Scenario

II. REINFORCEMENT ROUTING APPROACH

Shortest path used in existing routing algorithms may not be optimum path. If the network is heavy loaded with traffic, shortest path may not give better results. This is because all packets follow the shortest path and congestion occurs on shortest path. In such situation, some alternate path may be selected which delivers the packets in shortest amount of time thus alternate path becomes the optimum path [6, 7]. In reinforcement learning, the complete network is represented in terms of Q values which indirectly represent the estimated delivery time of the packets to reach to the destination [11]. Thus every node in a network contains Q table instead of routing table which contains Q matrix. These Q values are always updated based on the traffic present of the network thus represents real state of the network. Thus every time the packet receives Q estimate and using this estimate, it updates the corresponding Q value. In transmission, node thus checks its Q table and select the best route having minimum Q value, thus the packet reaches to the next node [8, 11]. Every node participating in the transmission of packets always consults Q table and shortest path is selected. Sample Q routing table at node 2 is shown in fig 2.



Different Approaches in Sarcasm Detection: A Survey

Rupali Amit Bagate^{1,2(\infty)} and R. Suguna¹

Vel Tech Rangarajan Dr. Sagunthala R&D Institute of Science and Technology, Avadi, Chennai, India rupali.bagate@gmail.com
Army Institute of Technology, Dighi Hills, Pune, India drsuguna@veltech.edu.in

Abstract. Sarcasm is an unwelcome impact or a linguistic circumstance to express histrionic and bitterly opinions. In sarcasm single word in a sentence can flip the polarity of positive or negative statement totally. Therefore sarcasm occurs when there is an imbalance between text and context. This paper surveys different approaches and datasets for sarcasm detection. Different approaches surveyed are statistical approach, rule based approach, classification approach and deep learning approach. It also gives insight to different methodologies used in past for sarcasm detection. After surveying we found deep learning is generating a good result as compare to other approaches.

Keywords: Sentiment analysis · Sarcasm detection · Machine learning · Deep learning

1 Introduction

Sentiment analysis is field of study to analyze and extract the sentiment or opinion of people toward product or topic mentioned in text, facial expression, speech or music. In natural language processing, big data mining and machine learning sentiment analysis is one of the research area. Researchers use opinion mining in place of sentiment analysis. Sentiment analysis (SA) identifies sentiments in text and analyzes its polarity as neutral, positive or negative. SA identifies a state of mind of a person from his emotions expressed in text [1]. This field focuses to obtain opinions, sentiments, emotions based on observations of one's actions that are involved in written text, music, speech, utterance etc.

As per the survey sentiment analysis can be carried out at four respects such as document, sentence, aspect, and lexicon level. Document level considers a full document for sentiment analysis for e.g. blog of specific topic. As name suggests sentence level takes sentence into consideration i.e. paragraph has many sentences. In sentence majority of the polarity decides the person's sentiment towards the topic. Aspect level and lexicon level consider a word from sentence for sentiment analysis. Figure 1 shows a visual taxonomy of sentiment analysis as described above. One step ahead challenge in sentiment analysis is detecting sarcasm. Therefore, sarcasm is one of the prominent





Get access Reprints & Permissions References **66** Citations Metrics

Abstract

In cloud computing environment, Load balancing is key challenge. To address above challenge, we have proposed

Dynamic Degree Balance with CPU based VM allocation policy. The proposed algorithm includes both VM allocation https://www.tandfonline.com/doi/abs/10.1080/02522667.2020.1724618

Books and Chapters
Published
and
Papers Published in Conferences
A.Y. 2018-19

International Conference on Smart Systems and Inventive Technology (ICSSIT 2018) IEEE Xplore Part Number: CFP18P17-ART; ISBN:978-1-5386-5873-4

Bit Error Rate Analysis of 16 X 16 MIMO - OFDM in Downlink transmission for LTE - A

Rajashree A. Patil^{1,*}, P. Kavipriya², B. P. Patil³

¹Ph. D. Scholar, Electronics Dept., Sathyabama Institute of Science and Technology, Chennai-600 119, Tamilnadu ²E & TC Dept., Sathyabama Institute of Science and Technology, Chennai, Tamilnadu

³Principal, Army Institute of Technology, Pune, Maharashtra

*Corresponding author. E-mail address:raj_patil123@rediffmail.com

Abstract

The fourth-generation (4G) cellular systems are assisted by radio access technologies comprising 3rd Generation Partnership Project (3GPP) Long-Term Evolution (LTE), and its improved version, LTE-Advanced (LTE-A). Generally speaking, Release-10 of 3GPP standards is referred to as LTE-A, furthermore, its achievable execution makes it a genuine 4G innovation as per the definitions are given by the International Telecommunication Union (ITU). LTE/ LTE-A are rising communication technologies in transit toward 5G communication systems. The LTE-Advanced system uses multiple input multiple output (MIMO) and orthogonal frequency division multiplexing (OFDM) techniques in order to achieve a high data rate transmissions. In LTE maximum data rate expected is 100 Mbps for downlink transmission and 50 Mbps for uplink transmission. MIMO-OFDM realizes the utmost spectral efficiency and hence, delivers the maximum data throughput and capacity. This research work is dealing with the investigation of execution dependent on release 10 of the 3GPP standard and investigates the performance analysis of Turbo coded MIMO-OFDM in LTE-A networks using 64-QAM modulation technique and 256 subcarriers. Bit Error Rate (BER) and downlink throughput are evaluated in terms of Signal to Noise Ratio (SNR) with 16 X 16 MIMO configurations in downlink using MATLAB simulation.

Keywords: LTE-A, LTE, MIMO-OFDM, QAM, Downlink.

1. Introduction

Multiple-input Multiple-output (MIMO) works with multiple antennas at the transmitting end as well as at the receiving end. This structure helps to create sub-channels which are parallel over the common time and frequency axis. As a result of this, within the same bandwidth, the

high transmission rate can be achieved [1]. In contrast to this, OFDM is a promising technique in terms of high spectral efficiency, bandwidth efficiency, robustness against frequency selectivity and simple implementation. With the help of this, the available spectrum will get divided into a number of orthogonal and narrowband subchannels which are overlapping on each other. So it increases its demand in a next-generation wireless communication system as one of the promising modulation schemes for higher data rate transmission. MIMO combines with OFDM in order to offer high diversity as well as multiplexing gain with the help of multiple antennas [2], [3] and achieves the potential of both techniques and produces frequency flat MIMO channels. So in the downlink of LTE commercially MIMO-OFDM has been used [4].3GPP uses LTE-Advanced - LTE Release10 as a cost-efficient technique. It provides a high data rate, as well as a, fulfills the requirements of IMT Advanced set by ITU completely.

MIMO-OFDM joins the real parity of OFDM regulation through the limit, uniqueness, and cluster grow of MIMO correspondence. Presently, MIMO-OFDM is used as a connection in disparate multiuser structures, Wireless local area networks, and prospective development cell structures. Thus, the correspondence in MU MIMO OFDM schemes involves controlling a blend of the premise of prevention. The MIMO-OFDM bars multiuser obstacle, together with co-receiving wire prevention, which relies upon the space time encryption. Deterrent since connecting besides self-obstacle after the moment assortment besides channel scattering is likewise barred



Performance Evaluation of Large MIMO

Rajashree A. Patil1 · Maflin Shabby2 · B. P. Patil3

© Springer Science+Business Media, LLC, part of Springer Nature 2018

Abstract

In wireless network, MIMO (multiple inputs multiple output) is an advance antenna in which multiple antennas are employed at basis and target terminals. The hopeful expansion of advance MIMO structure is to connect tens with numerous antennas. Particularly, when it united by synchronous development of a widespread quantity of client terminals then this contains numerous modernized throughput and energy ability. Whereas, if OFDM (orthogonal frequency division multiplexing) is diminishes the information rate, then the conventional MIMO can also be utilized to augment QoS at low information rate. In this research work, the framework stage implementation can be augmented by the exploitation of spatial multiplexing among antenna configuration of 16×16 for downlink transmission and 8×8 for uplink transmission and also explains about the implementation of MIMO setup of LTE superior corporeal layer exploiting 64 QAM and 256 sub-carriers. The projected procedure can be take place in the operational phase of MATLAB and the implementation consequences were also examined.

Keywords MIMO–OFDM \cdot QAM \cdot LTE \cdot MATLAB

1 Introduction

MULTIPLE—INPUT multiple—output orthogonal frequency division multiplexing (MIMO-OFDM) unites the fundamental equalization of OFDM modulation through the boundary, dissimilarity, and array expand of MIMO communication. Currently, MIMO-OFDM is utilized as relation in dissimilar multiuser frameworks as well as rapid wireless local area networks and the forthcoming invention cellular frameworks. Similarly, the communication in multiuser MIMO-OFDM frameworks necessitate

☑ B. P. Patil

bp_patil@rediffmail.com

Rajashree A. Patil raj_patil123@rediffmail.com

Maflin Shabby maflin.s@gmail.com

- Electronics Department, Sathyabama University, Chennai, India
- ² E & TC Department, Sathyabama University, Chennai, India
- ³ Army Institute of Technology, Pune, Indi

Published online: 24 October 2018 **375**

3

Bit Error Rate Analysis of 16 X 16 MIMO - OFDM in Downlink transmission for LTE - A

Rajashree A. Patil^{1,*}, P. Kavipriya², B. P. Patil³

¹Ph. D. Scholar, Electronics Dept., Sathyabama Institute of Science and Technology, Chennai-600 119, Tamilnadu ²E & TC Dept., Sathyabama Institute of Science and Technology, Chennai, Tamilnadu

³Principal, Army Institute of Technology, Pune, Maharashtra

*Corresponding author. E-mail address:raj_patil123@rediffmail.com

Abstract

The fourth-generation (4G) cellular systems are assisted by radio access technologies comprising 3rd Generation Partnership Project (3GPP) Long-Term Evolution (LTE), and its improved version, LTE-Advanced (LTE-A). Generally speaking, Release-10 of 3GPP standards is referred to as LTE-A, furthermore, its achievable execution makes it a genuine 4G innovation as per the definitions are given by the International Telecommunication Union (ITU). LTE/ LTE-A are rising communication technologies in transit toward 5G communication systems. The LTE-Advanced system uses multiple input multiple output (MIMO) and orthogonal frequency division multiplexing (OFDM) techniques in order to achieve a high data rate transmissions. In LTE maximum data rate expected is 100 Mbps for downlink transmission and 50 Mbps for uplink transmission. MIMO-OFDM realizes the utmost spectral efficiency and hence, delivers the maximum data throughput and capacity. This research work is dealing with the investigation of execution dependent on release 10 of the 3GPP standard and investigates the performance analysis of Turbo coded MIMO-OFDM in LTE-A networks using 64-QAM modulation technique and 256 subcarriers. Bit Error Rate (BER) and downlink throughput are evaluated in terms of Signal to Noise Ratio (SNR) with 16 X 16 MIMO configurations in downlink using MATLAB simulation.

Keywords: LTE-A, LTE, MIMO-OFDM, QAM, Downlink.

1. Introduction

Multiple-input Multiple-output (MIMO) works with multiple antennas at the transmitting end as well as at the receiving end. This structure helps to create sub-channels which are parallel over the common time and frequency axis. As a result of this, within the same bandwidth, the

high transmission rate can be achieved [1]. In contrast to this, OFDM is a promising technique in terms of high spectral efficiency, bandwidth efficiency, robustness against frequency selectivity and simple implementation. With the help of this, the available spectrum will get divided into a number of orthogonal and narrowband subchannels which are overlapping on each other. So it increases its demand in a next-generation wireless communication system as one of the promising modulation schemes for higher data rate transmission. MIMO combines with OFDM in order to offer high diversity as well as multiplexing gain with the help of multiple antennas [2], [3] and achieves the potential of both techniques and produces frequency flat MIMO channels. So in the downlink of LTE commercially MIMO-OFDM has been used [4].3GPP uses LTE-Advanced - LTE Release 10 as a cost-efficient technique. It provides a high data rate, as well as a, fulfills the requirements of IMT Advanced set by ITU completely.

MIMO-OFDM joins the real parity of OFDM regulation through the limit, uniqueness, and cluster grow of MIMO correspondence. Presently, MIMO-OFDM is used as a connection in disparate multiuser structures, Wireless local area networks, and prospective development cell structures. Thus, the correspondence in MU MIMO OFDM schemes involves controlling a blend of the premise of prevention. The MIMO-OFDM bars multiuser obstacle, together with co-receiving wire prevention, which relies upon the space time encryption. Deterrent since connecting besides self-obstacle after the moment assortment besides channel scattering is likewise barred.

19/06/2024, 09:25 View article

View article



Methods for Improving the Solar Panel Efficiency: A Review

B. P. Patil Snehal Marathe


Publication date 2019


> International Conference on Electrical, Communication, Electronics, Instrument~tion and Computing 9'(diill «tts,,oa~~ (ICECEIC) - 2019 Conference


Pages 65


Privacy Help Terms


2. Department of Mechanical Engineering (A.Y 2018-19)














7th International and 45th National Fluid Mechanics and Fluid Power Conference (FMFP-2018)

National Society of Fluid Mechanics & Fluid Power INDIA since 1973

IIT Bombay, Mumbai | 10-12 Dec 2018

Certificate

This is to certify that Sanjay Gaik wad presented a paper titled. Investigation of Heat Transfer 2 fluid flow characteristics in straight 2 Ziggag Micro-channel with 1 in without Nano fluid as working medium.

the 7th International and 45th National Fluid Mechanics and Fluid Power Conference (FMFP-2018) held during December 10-12, 2018 at IIT Bombay, Mumbai, India.

Amil Agravel

Prof. Amit Agrawal **Organizing Secretary** Department of Mechanical Engineering IIT Bombay.

Prof. Atul Sharma Secretary

National Fluid Mechanics and Fluid Power

27th National Symposium on Cryogenics and Superconductivity, 2019 16-18 January 2019, Victor Menezes Convention Center, IIT Bombay

Experimental Study of Oscillation Controlled Heat Transport Tube: An Application of Shuttle Heat Transfer

JD PATIL *, SM GAIKWAD*, Dr BS GAWALI *, MAHMADRAFIK S. CHOUDHARI *

a – Assistant Professor, AIT Pune, b - Assistant Professor, AIT Pune, c – Professor, WCE Sangli, d – Ph.D. Research scholar, WCE Sangli E-mail: smgaikwad@aispune.edu.in.jdpatilaitpi@gmail.com, bajirao.gawali@walchandsungli.ac.in

I Abstract

This paper presents an experimental study of heat transfer characteristics of oscillation controlled heat transport tube. The oscillation induced heat transport due to the reciprocating motion of solid substance is observed in cryogenic refrigerator and heat transfer by such a mode is referred as a shuttle heat transfer. In shuttle heat transfer a piston with axial temperature gradient reciprocates inside the cylinder with similar temperature gradient, such a combination makes remarkable increase in heat transfer in the direction of temperature gradient. The same principle is used in the oscillating flow heat exchanger the only difference is solid piston is replaced by moving liquid core, solid cylinder is replaced by the stagmant fluid present in the Stokes boundary layer and the required temperature gradient is maintained by connecting this system between two heat exchangers maintained at different temperatures. The mechanically operated oscillating mechanism is designed to obtain a frequency range of 0 to 4 Hz and stroke length of 1.5 cm to 6 cm. The different heat transfer characteristics are studied for different heat input, frequencies and tidal displacement. The experimental results for above mentioned cases are compared with modified Hausen's equation proposed by Shin [3]. This experimental investigation indicates that, the modified Hausen's correlation is directly applicable for heat transfer analysis in oscillation induced flow at heat source and heat sinks based on ratio L/S. Where, L/S is the ratio of length of cooling/heating pipe (L) in heat source/heat sink to tidal displacement (S).

Nomenclature

d : Diameter of flow tube (m)

Oscillation frequency (Hz)

h : Convective heat transfer coefficient (W m-2 K-1)

: Thermal conductivity (W m-1 K-1)

Length of tube in heat sink and heat source (m)

 Length of cooling tube in tube side of shell and tube heat exchanger (m)

 L_h : Length of cooling tube in heating section (m)

Nu : Nusselt number
Pr : Prandtl number
Re : Reynolds number
r : Tube radius (m)

: Oscillation tidal displacement (m)

Wo : Womersley number

Greek symbol

β : Transition number

Subscripts

Ex : Experimental
Th : Theoretical

II Introduction

Oscillating flow heat exchangers are advantageously employed as a substitute for a heat pipe, they provide much higher heat

transport rate than conventional heat pipes. In high capacity heat pipes maximum heat capacity is governed by wicking, boiling, entrainment limits, etc. Oscillating flow heat exchangers are capable of removing heat from a concentrated heat source and spread the heat over a larger area by mechanically oscillating fluid in a channel. Heat transfer phenomena due to oscillating flow are naturally complex and least understood. Significant studies have been reported on heat transfer in oscillating flow in the past by various researchers. Kurzweg [1] examined enhanced heat conduction through sinusoidal oscillatory flow in a circular tube connecting the two reservoirs which were maintained at different temperatures. They observed that the heat transfer enhancement is proportional to the square of the oscillation amplitude and is a function of tube radius, frequency, Prandtl number and on flow behavior. Nishio et al. [2] presented the effect of physical properties of the working fluid on the heat transfer enhancement in oscillation induced heat transport. They concluded that the fluids with $Pr \approx 1$ are capable of maximizing effective thermal conductivity under optimum condition. With this consideration, water is the best fluid for such system. Shin and Nishio [3] numerically investigated heat transfer coefficient in heating and cooling regions and heat transfer rate of the oscillation controlled heat transport tube. Based on this numerical study and Hausen's correlating equation for laminar flow heat transfer in the tube, they developed a correlation equation for heat transfer coefficient. Patil and Gawali [4] experimentally investigated heat transfer enhancement factor in the oscillating flow heat exchanger using Kurzweg's and Nishio's correlations. They observed that heat transfer characteristics of oscillating flow heat exchangers are independent of how oscillations are generated. Based on experimental study and dimensional analysis they develop correlation for effective thermal diffusivity between heat source and heat sink in terms of dimensional less number namely Womerslay number (Wo) and transition number (β).

III Motivation and Objective

The objective of the present paper is to investigate the heat transfer characteristics due to the oscillating flow of water in the small circular tube. In particular, the effect of L/S on heat transfer characteristics in oscillation induced heat transfer tube is investigated. The results of the present study will be useful in the design of heat exchangers used in the oscillating flow conditions. This study will help to understand the mechanism of heat transfer in oscillating flow, which has many applications such as compact heat exchanger, internal combustion machines, cryo-coolers and Striling engines. The experimental results are presented and the effects of various parameters are discussed.

IV Experimentation

An experimental setup was constructed to study the heat transport characteristics of oscillating flow inside a small diameter tube. A schematic of the experimental setup along with its photo image is shown in Fig. 1. Description of experimental setup and procedure







NSCS-27

27th National Symposium on Cryogenics and Superconductivity 16th to 18th January, 2019 IIT Bombay

Certificate

This is to certify that Mr./Ms./Dr. Sanjay Gaikwad

has participated/presented a paper on dnalyin of cyclic you heat inchangus und

in public tribe supocoolee

(oral/poster) in the 27th National Symposium on Cryogenics and Superconductivity (NSCS-27) hosted by IIT Bombay.

Milind D. Atrey Chair, NSCS-27

Himanshu J. Bahirat

Co-Chair, NSCS-27

3. Department of Computer Engineering (A.Y 2018-19)

Hybrid CAT Using Bayes Classification and Two-Parameter Model



Nikita Singhal, Amitoz S. Sidhu, Ajit Kumar Pandit, Shailendra Pratap Singh Sengar and Tutu Kumari

Abstract Much research and implementation has been done in the field of adaptive learning, while many such platforms exist almost none of them have tackled the problem of maintainability of such high demand systems. This paper proposes a new system using naive Bayes classifier and two-parameter model of IRT to develop a low cost, easy to maintain, self-evolving test platform. The proposed model harnesses the knowledge of the community while implementing powerful test theory. The paper discusses in detail the major modules of the system along with the related theory. The proposed model incorporates machine learning and IRT to provide a state of the art system while still being a community powered platform. The scope of the proposed model is visited. This paper provides a direction and precedent for the development of a new breed of low maintenance high capability test platforms.

Keywords Item response model ' Naive Bayes model ' CAT (Computer adaptive Test) ' Two-parameter model ' Recommendation system

N. Singhal \cdot A. S. Sidhu (\boxtimes) \cdot A. K. Pandit \cdot S. P. S. Sengar \cdot T. Kumari Army Institute of Technology, Pune, India e-mail: itsamitoz4u@gmail.com

N. Singhal

e-mail: ngupta@aitpune.edu.in

A. K. Pandit

e-mail: ajitk9304@gmail.com

S. P. S. Sengar

e-mail: spssaj@gmail.com

T. Kumari

e-mail: tutu.singh001@gmail.com

© Springer Nature Singapore Pte Ltd. 2019 P. K. Mallick et al. (eds.), *Cognitive Informatics and Soft Computing*, Advances in Intelligent Systems and Computing 768, https://doi.org/10.1007/978-981-13-0617-4_18 189

Mixed Reality in Smart Computing Education System

M. V. Pridhvi Krishna, Somesh Mehta, Shubham Verma and Sagar Rane Computer Engineering, Army Institute of Technology, Pune, MH, India.

Abstract— One of the technologies that has been showing possibilities of application in educational environments is the Mixed Reality (MR) comprising of both Augmented Reality(AR) and virtual Reality(VR), in addition to its application to other fields such as tourism, advertising, video games, among others. The primary reason for this research work is to depict and condense trials with production training and education applications utilizing mixed reality gadgets. The entry of new and further developed mobile devices opens up more opportunities for the applications to develop and be circulated. This paper tries to build upon the current state of mixed reality and its application in education. The first segment describes basic structure of mixed reality and its different parts. Following segments give a definitive structure of some experimental applications that were developed for the mixed reality, with the inference taken from the data of experiment done by the National university of Columbia on secondary school students and lastly, the paper shows the benefits of those applications over the traditional teaching methods and the basic user reactions to them.

Index Terms—Mixed Reality, Augmented Reality, Virtual Reality, Mobile Devices, High-End, Teaching-Learning Processes, Virtualization.

I. INTRODUCTION

Mixed Reality (MR) which includes Augmented and Virtual Reality (AR and VR) is an emerging technology and that is being driven and included in modern Education. The most noteworthy purpose behind the applications is that individuals discovered MR plays a basic and fundamental part in making the experience of any object virtually. In any case, MR gadget was excessively costly as of not long ago, the MR equipment is sufficiently cheap enough these days to be connected all the more widely [6]. Mixed reality is the result of blending the physical world. Mixed reality is the next evolution in human computer interaction (HCI) and hence unlocks possibilities by advancements in mobile technologies and new mixed reality devices. The term *mixed reality* was originally introduced in a 1994 paper by Paul Milgram and Fumio Kishino, "A Taxonomy of Mixed Reality Visual Displays." Their paper introduced the concept of the *virtuality continuum* and focused on how the categorization of taxonomy applied to displays. Since then, the application of mixed reality goes beyond displays but also includes environmental input, spatial sound, and location [4]. In real time applications, users concentrate on the both real and virtual conditions. Comparted to the existing approaches, virtual reality compelled in the virtual environments. These interactions mimic our natural behavior interaction, such as objects getting bigger as you get closer and the changing of perspectives as you move around an object [3].

II. REALITY-VIRTUALITY CONTINUUM

MIXED REALITY(MR) REAL AUGMENTED AUGMENTED VIRTUAL ENVIRONMENT REALITY VIRTUALITY REALITY

Fig. 1. Mixed Reality (MR)

Augmented reality (AR) is an emerging technology that is being driven and included into different environments education. In the Horizon 2017 report, which reported that performs to identify and describe emerging technologies that will have an impact on learning, teaching and creative research in education, he reality is highlighted increased as a key trend since 2016 for improve digital literacy. Augmented reality innovation has been utilized as a part of a few fields, for example, pharmaceutical, mechanical autonomy, fabricating, machine repair, flying machine reenactments, diversion, gaming and training. Enlarged the truth is an innovation that interfaces the PC world to the human world. Other than that, increased the truth is additionally characterized as an innovation that enables clients to see this present reality with PC created objects superimposed. As indicated by, at first, the enlarged the truth was utilized for military reason to build up a propelled pilot training program. These days, enlarged the truth is additionally executed in the instruction field [2].

A few investigations demonstrate that expanded the truth can improve the instructing and learning background. Coordinated increased reality in the instruction field draws in the student to investigate this present reality by utilizing media components, for example, writings, recordings and pictures as supplementary components to lead examinations of the surroundings. Increased the truth is likewise ready to expand the coordination of this present reality with advanced learning assets in three measurement (3D) frame. For instance, the utilization of expanded reality empowers student to learn troublesome logical wonders in Chemistry, for example, synthetic bond. Science is a reasonable subject that requires dynamic ideas for inside and out comprehension.978-1-5386-5873-

4718/\$31.00 ©2018 IEEE72

Home > International Conference on Intelligent Data Communication Technologies and Internet of Things (ICICI) 2018 > Conference paper

Disrupting Insurance Industry Using Blockchain

Conference paper | First Online: 21 December 2018 pp 1068–1075 | Cite this conference paper



International Conference on Intelligent
Data Communication Technologies and
Internet of Things (ICICI) 2018

(ICICI 2018)

Pridhvi Krishna Meduri 🔀, Somesh Mehta, Kartik Joshi & Sagar Rane

Part of the book series: Lecture Notes on Data Engineering and Communications Technologies ((LNDECT,volume 26))

Included in the following conference series:

International Conference on Intelligent Data Communication Technologies and Internet of Things



4. Department of Information Technology (A.Y 2018-19)





Available online at www.sciencedirect.com

ScienceDirect

Procedia Computer Science 143 (2018) 309-316



www.elsevier.com/locate/procedia

8th International Conference on Advances in Computing and Communication (ICACC-2018)

Modified Backpropagation with Added White Gaussian Noise in Weighted Sum for Convergence Improvement

Ashwini Sapkala,b, U V Kulkarnib

^aArmy Institute of Technology, Dighi, Pune 411015, India ^bShree Guru Gobind Singhji Institute of Engineering and Technology, Nanded 431605, India

Abstract

The impact of the noise injection in backpropagation is studied since last two decades. In this manuscript, a brief review is done on noise injection techniques used in the backpropagation. Here, the modified backpropagation algorithm is proposed, in which the white Gaussian noise is added in the weighted sum entity of the backpropagation. The experimentation is carried out on different standard benchmark problems such as 2 bit parity and iris dataset. It is observed that the proposed modified backpropagation requires less number of epochs as compared to the standard backpropagation for the convergence when applied on 2 bit parity and Iris dataset.

© 2018 The Authors. Published by Elsevier B.V.

This is an open access article under the CC BY-NC-ND license (https://creativecommons.org/licenses/by-nc-nd/4.0/) Selection and peer-review under responsibility of the scientific committee of the 8th International Conference on Advances in Computing and Communication (ICACC-2018).

Keywords: Backpropagation; White Gaussian noise; Convergence;

1. Introduction

The backpropagation algorithm [1] is the most powerful and popular algorithm of the neural network. It is used in many other disciplinary for the pattern recognition purpose [2, 3, 4, 5, 6, 7, 8]. According to the research carried out in [9] and [10], the backpropagation (BP) convergence rate is very poor due to local minima and the flatspot problem. Since last three decades, many efforts are taken to increase the performance of the backpropagation [10]-[14]. In [15], Gibb Johndar has surveyed the different variations of the backpropagation. He mainly categorized modifications made in BP in five categories, such as *Algorithmic modifications*, *Heuristic change*, *Regularizer*, *Techniques on networks* and *Generative Networks*. In *algorithmic modifications* category, the original BP algorithm is changed which contains

^{*} Ashwini Sapkal. Tel.: +91-020-27157534 E-mail address: asapkal@aitpune.edu.in

Ganga Water Quality Monitoring System IoT Based

Manish Kumar

Department of Information Technology Army Institute of Technology Pune, India

Associate Prof. Ashwini Sapkal
Department of Information Technology
Army Institute of Technology
Pune, India

Vighnesh Tiwari
Department of Information Technology
Army Institute of Technology
Pune, India

Abstract—Water an important resource gifted to us in many forms. One such is holy river Ganges. Ganges water plays a major role in Indian mythology. But due to setting up of different industries in and around Ganges basin, its water quality is deteriorating day by day. And civic authorities are not able to have the real time pollutant status of water and cannot carry out a necessary raid on industries and treatment before it affects aquatic as well as human life. This paper consists of a wireless river water quality monitoring method which can be useful for monitoring Ganges water. Our proposed method is a system of interconnected cloud storage, raspberry pi, temperature sensor and a website to show real time status. Sudden increase and decrease in temperature plays a major role in affecting water resource which happens when waste is executed from an industry which consist a lot of harmful chemicals, when the water molecules come in contact of these chemicals they show a sudden rise in temperature and drastic change in pH level we can sense these changes through the sensors connected through Raspberry Pi and push them on the cloud. This paper also consists of an approach to alarm civic authorities if the concentration of pollutants increases. By this approach not only civic authority, but common man will have a pollutant status around them.

Keywords—raspberry pi; IoT; water quality monitoring; river Ganges

I. INTRODUCTION

India is a country which has more than 15 rivers flowing through it and catering for the needs of urban as well as rural India. Up to 60% of the human body is water [5]. One of such river is the holy river Ganga. Ganga is one of the longest river in India. Its water is used in industries, agricultural fields, for water pumps and household uses. But due to lack of responsibilities, industries are discharging their waste and untreated products directly into the river. Also Indian government lacks in real-time monitoring of river water. Traditional methods involve manual collection of river water sample from different locations and taken to the laboratory to check its quality. Traditional methods of monitoring water quality generally lacks in accuracy and real-time status also few parameters have different sensor values when measured at different time [6].

There are many factors on which water quality can be monitored like turbidity, pH, Temperature and presence of heavy metal ions, concentration of different ions, dissolved oxygen and nutrients

In this paper, we will mainly focus on sudden changes/ increase in water temperature that is harmful to aquatic as well as human life. Sensor module, explained later, is changed when different parameter is to be monitored, rest of system architecture remains same. Due to the sudden change in temperature cold blooded animals like reptiles, amphibians and fishes have problem in survival and they may die. Temperature influences enzymatic reaction, different enzymatic reactions take place at a comparatively higher temperature. It affects digestion, respiration and general performance and behavior of aquatic life. Increased water temperature is an important factor of consideration if toxic substance is there in the water. Many chemical substances like cyanides, phenol and xylene exhibit increased toxicity at high temperature. On the basis of LE CHATELIER'S PRINCIPLE, temperature and dissolved gases are inversely proportional thus increase in temp will reduce dissolved oxygen levels in water. The higher the temperature lower will be amount of oxygen in water. Also high temperature favors growth of fungus. This paper consists of a cost efficient system for real time it based water quality monitoring system. In our proposed design Raspberry pi-3 acts as a base controller, which read the sensor data and transmit it to the cloud.

The rest of the paper is organized as follows. Section II consists of overview of related work in this field. Proposed system architecture is explained in detail in section III along with alarming module. Section IV consists of deployment strategy. Experiment results and setup are shown in section V. The paper is concluded in section VI with future scope.

I. RELATED WORK

For real time monitoring of water a novel approach to design a pH sensor node is explained in [1]. In this paper data obtained from pH sensors of sensing node is in the form of voltage and the voltage is comparatively low (approx. 50mV). A voltage amplifier is used to amplify the sensed voltage and level shifting using a full adder circuit for negative voltage results. The amplified data acts as input to processing unit and the results are transmitted via wireless with the help of ZigBee. Use of PIC micro controller PIC16F877 in processing is taken.

Simulation and Evaluation of Different Mobility Models in Disaster Scenarios

Gajanan Walunjkar
Research Scholar,
Computer Science and Engineering,
Vel Tech Rangarajan Dr.Sagunthala R&D Institute of
Science and Technology,
Chennai, India
gwalunjkar@aitpune.edu.in

Abstract— Peoples trapped in the disastrous areas may have chances to survive if they are rescued in seventy two hours. Ad hoc networks are considered more suitable for such scenarios due to infrastructure-less feature. Two different mobility models – Reference group Mobility Model and Disaster Area Model are generally used in such scenario. In this paper, various ad hoc routing protocols such as destination distance vector routing protocol, dynamic source routing protocol, ad hoc on demand routing protocol and ad hoc on demand multipath routing protocol are discussed and analyzed using reference group mobility models and disaster area model. Also these protocols are compared using various performance metrics such as packet delivery ratio, delay, throughput, control overhead, average energy consumed etc.

Keywords— MANET, DSDV, DSR, AODV, AOMDV, RPGM, RM, DM

I. INTRODUCTION

Various natural disasters such as earthquake, typhoon and tsunami occur every year. In such situations, rescue operations need to be carrying at real time which will save numerous lives [1]. Many people rescued in 72 hours have a large chance to survive. For this, proper communication systems need to be established for various rescue and relief operations. Information need to be available quickly as soon as possible, between various resources involved in rescue operations. Ad hoc networks are much suitable for such disaster scenarios due to their infrastructure-less feature. Mobile ad hoc network is a wireless network that uses wireless connections for exchanging information [2]. Routing Protocols are typically subdivided into two main categories: Proactive Routing Protocols which includes DSDV, OLSR etc and Reactive Routing Protocols such as AODV, DSR etc.

Movements of nodes inside ad hoc network are characterized by mobility models [3]. Random Waypoint mobility model [4] is the most widely used in ad hoc networks. Manhattan mobility model also allows nodes to move determined paths like vehicles [5]. In Disaster area model, various action areas such as incident location, transport location, casualty's treatment area and hospital zone exists [6, 7]. Every person participating in the rescue operation belongs to any of the above areas and each area represents a different scenario

Dr Anne Koteswara Rao
Professor
Computer Science and Engineering,
Vel Tech Rangarajan Dr.Sagunthala R&D Institute of
Science and Technology,
Chennai, India
dac@veltechuniv.edu.in

where node's density or node's speed are different from one to another [7].

II. MOBILITY MODELS IN DISASTER SCENARIO

Reference Point Group Mobility Model (RPGM) model is used to simulate group behavior in [8], where each node belongs to a group and follows a group leader which decides the group's motion behavior. One Reference point is used where all nodes are randomly distributed [9, 10]. This model is used in military battlefield communications as well as in disaster relief where various rescue crews from different groups and work cooperatively [11-12].




Fig. 1. Illustration of RPGM Model

In disaster area model (DM), the disaster scenarios are divided into different action areas [13] and the movements of nodes emulate the movements of ambulances taking injured people and other vehicles. Every person belongs to any of the above areas and represented by nodes. Separation of room method is used in this mobility model. Thus the disaster scenario is divided into different areas. There areas are: (1) incident site, (2) casualties treatment area, (3) transport zone, and (4) hospital zone.

Above two models are generally used in disaster area scenario for faster communication among all nodes in a network. Complex movement pattern of nodes in disaster area scenario are not supported in other mobility models hence above two mobility models – Reference Point Group Mobility Model and Disaster area models are only considered here.



Text Extraction from videos using MapReduce

Chanchal Kumar Roshan
Dept. of Information Technology
Army Institute of Technology
Pune, India
chanchalroshan23@gmail.com

Sha Alam
Dept. of Information Technology
Army Institute of Technology
Pune, India
shalam.zeth48@gmail.com

Rajeet Kaushal
Dept. of Information Technology
Army Institute of Technology
Pune, India
mailrajeetk@gmail.com

Shashank Rai
Dept. of Information Technology
Army Institute of Technology
Pune, India
shashank251996@gmail.com

Prof. Yuvraj Gholap
Dept. of Information Technology
Army Institute of Technology
Pune, India
yuvrajgholap@aitpune.edu.in

Abstract-Due to recent outbursts in the number of point and shoot devices. The data generated in the form of raw video has also increased exponentially. On YouTube alone, 300 hours of video alone is added every minute. This brings up the need of coming up with a long term solutions to tackle such behemoth tasks. The solution should be flexible, robust with ability to scale up and down dynamically as and when required. Needless to say, such system have a high cost and it is also of utmost importance to consider the cost factor and feasibility. Hadoop is one such framework which met all our requirements. It provides facility to distribute a big and complex task to low as well as high end computers to achieve a common goal. Hadoop is a highly scalable storage platform, because it can store and distribute very large data sets across hundreds of inexpensive servers that operate in parallel. Another advantage of using a Hadoop cluster is that it is fault tolerance as copies of the data are made and can be used in case of failure of a node. etc

Index Terms—Text extraction, Hadoop, Distributed Computing, Image Processing

I. INTRODUCTION

With the advent of modern technology there has been a dramatic increase in the amount of video data generated. Because of this the need for a system arises that is both scalable and robust but unfortunately no current application stands up to this task. Hadoop is an open source framework designed for robust and scalable distributed computing and storage. Hadoop is composed of different components for storage as well as processing. For storage, Hadoop provides HDFS (Hadoop Distributed File System) which is designed to run

on commonly found commodity hardware; it is highly faulttolerant and is designed to be deployed on low-cost computers. It can various applications ranging from identifying vehicles from a huge log traffic footage to processing billboards on the road, traffic signs on streets and roads etc. [12] HDFS works on a master/slave architecture. The master component is the Namenode which serves as the central manager for the file system namespace and regulates access to files by clients. Operations like opening, closing and renaming of files are performed by the Namenode. The multiple Datanodes serve as the slave nodes. A file is split into blocks and these blocks are stored in Datanodes. In this paper we have not only discussed why Hadoop is a suitable match for the need of text extraction from videos but also the problems that could arise in such a system and the solution thereof. HIPI (Hadoop Image Processing Interface) is a Hadoop MapReduce library designed to provide efficient image processing in the Hadoop distributed computation system. HIPI [8] provides a solution for storing the large number of images on HDFS while also providing integration with OpenCV [10].

After the video decomposition phase we are left with a large number of files with small size [7]. Typically a small file is described as one with size significantly smaller than HDFS block size. This results in two major problems:

1) High access cost: The Mapper function usually takes a block of input. When the file size is small very little work gets done in each mapper task and the number of mapper



Design of IoT Blockchain Based Smart Agriculture for Enlightening Safety and Security

M. Shyamala Devi o, R. Suguna o, Aparna Shashikant Joshi o, and Rupali Amit Bagate o

Department of CSE,
Vel Tech Rangarajan Dr. Sagunthala R&D Institute of Science
and Technology, Avadi, Chennai, TamilNadu, India
shyamalapmr@gmail.com

Abstract. The Internet of Things is evolving as a complete matured technology to be used in all the Smart applications and it establishes itself in the future generations of internet. As like Internet of Things, Blockchain is the blooming technology in which each node involved in the blockchain contains the distributed ledger which enhances the security and data transparency. Illegal users are not able to perform any fault transaction in the blockchain network due to its ability of performing smart contract and consensus. The Internet of Things can be merged with the blockchain to improve the performance of the application in real time. However, managing the devices connected to the sensors in IoT environment and mining the block chain remains the technical challenge forever. With this background, we make an attempt to survey the core details of blockchain technology and its features. In this paper, we have proposed design architecture by merging IoT and BlockChain for Smart Agriculture and ended up with some new architectural framework.

Keywords: Blockchain 'IoT 'Mining 'Distributed ledger 'Sensors

1 Introduction

Blockchain consists of any number of nodes, which individually has distributed ledgers that allow multiple nodes to access and update a single edition of a ledger along with shared control maintenance. The nodes in the Blockchain contain a distributed ledger that can record transactions between the nodes in a secure and permanent way. By sharing the databases between the nodes, blockchain [1] technology avoid the existence of third party intermediate that were previously required to act as trusted agents to authenticate, trace, store and synchronize the transactions. By progressing the technology from centralized systems to a decentralized and then to distributed network system, blockchain successfully release data from the ledger [2] that was previously kept in secured way as shown below (see Figs. 1, 2). Blockchain technology can be used in business networks. A business network portrays any group of association or individuals that connect with a desire to transfer or share the assets. Those assets can be tangible, such as food, raw materials, equipment's or manufactured goods, or digital,